


THE ELECTRICAL CONDUCTIVITY, DISSOCIATION, AND
TEMPERATURE COEFFICIENTS OF CONDUCTIVITY
FROM ZERO TO SIXTY-FIVE DEGREES OF
AQUEOUS SOLUTIONS OF A NUMBER
OF SALTS AND ORGANIC ACIDS

BY HARRY C. JONES

PROFESSOR OF PHYSICAL CHEMISTRY IN THE
JOHNS HOPKINS UNIVERSITY

The Experimental Work by

A. M. CLOVER	H. H. HOSFORD	S. F. HOWARD	C. A. JACOBSON
H. R. KREIDER	E. J. SHAEFFER	L. D. SMITH	A. SPRINGER, JR.
A. P. WEST	G. F. WHITE	E. P. WIGHTMAN	L. G. WINSTON



WASHINGTON, D. C.
PUBLISHED BY THE CARNEGIE INSTITUTION OF WASHINGTON
1912

CARNEGIE INSTITUTION OF WASHINGTON
PUBLICATION No. 170

PRESS OF GIBSON BROS.
WASHINGTON, D. C.

CONTENTS.

PART I.

	PAGE.		PAGE.
The Method	5	Ammonium Chromium Sulphate (Green)	35
Conductivity Cells	5	Ammonium Copper Sulphate	36
Cell Constants	6	Calcium Chloride	36
Cell Constants at Higher Temperatures	7	Calcium Bromide	37
Solubility of Glass	7	Calcium Nitrate	37
Preparation of the Solutions	8	Calcium Chromate	38
Water	9	Calcium Formate	38
Baths	9	Strontium Chloride	39
Investigators Who Have Worked on the Problem	11	Strontium Bromide	39
The Results	11	Strontium Nitrate	40
Lithium Chloride	12	Strontium Acetate	40
Lithium Bromide	12	Barium Chloride	41
Lithium Nitrate	13	Barium Bromide	41
Lithium Sulphate	13	Barium Nitrate	42
Sodium Chloride	14	Barium Formate	42
Sodium Bromide	14	Barium Acetate	43
Sodium Iodide	15	Magnesium Chloride	43
Sodium Nitrate	15	Magnesium Bromide	44
Sodium Chlorate	16	Magnesium Nitrate	44
Sodium Perchlorate	16	Magnesium Sulphate	45
Sodium Sulphate	17	Magnesium Formate	45
Sodium Carbonate	17	Magnesium Acetate	46
Sodium Acid Phosphate	18	Zinc Nitrate	46
Sodium Ammonium Acid Phosphate	18	Zinc Sulphate	47
Sodium Ferrocyanide	19	Zinc Acetate	47
Sodium Tetraborate	19	Cadmium Chloride	48
Sodium Acetate	20	Cadmium Bromide	48
Potassium Chloride	20	Cadmium Iodide	49
Potassium Bromide	21	Manganous Chloride	49
Potassium Iodide	21	Manganous Nitrate	50
Potassium Nitrate	22	Manganous Sulphate	50
Potassium Chlorate	22	Nickel Chloride	51
Potassium Perchlorate	23	Nickel Nitrate	51
Potassium Sulphate	23	Nickel Sulphate	52
Potassium Acid Sulphate	24	Nickel Acetate	52
Potassium Carbonate	24	Cobalt Chloride	53
Potassium Acid Phosphate	25	Cobalt Bromide	53
Potassium Phosphate	25	Cobalt Nitrate	54
Potassium Sodium Sulphate	26	Cobalt Sulphate	54
Potassium Nickel Sulphate	26	Cobalt Acetate	55
Potassium Chromium Sulphate (Violet)	27	Silver Nitrate	55
Potassium Chromium Sulphate (Green)	27	Cupric Chloride	56
Potassium Permanganate	28	Cupric Bromide	56
Potassium Chromate	28	Copper Nitrate	57
Potassium Dichromate	29	Copper Sulphate	57
Potassium Ferrocyanide	29	Lead Chloride	58
Potassium Aluminium Sulphate	30	Lead Nitrate	58
Potassium Acetate	30	Lead Acetate	59
Potassium Sulphocyanate	31	Aluminium Chloride	59
Ammonium Chloride	31	Aluminium Nitrate	60
Ammonium Bromide	32	Aluminium Sulphate	60
Tetraethylammonium Iodide	32	Ferric Chloride	61
Ammonium Nitrate	33	Ferric Nitrate	61
Ammonium Sulphate	33	Chromic Chloride	62
Ammonium Acid Sulphate	34	Chromic Nitrate	62
Ammonium Aluminium Sulphate	34	Chromic Sulphate	63
Ammonium Chromium Sulphate (Violet)	35	Uranyl Chloride	63
		Uranyl Nitrate	64

PART I—CONTINUED.

	PAGE.		PAGE.
Uranyl Sulphate.....	64	Dissociation of the Various Salts.....	73
Uranyl Acetate.....	65	Temperature Coefficients of Conductivity and the Solvate Theory of Solution.....	76
Hydrochloric Acid.....	65	Substances with Slight Hydrating Power.....	77
Nitric Acid.....	66	Substances with Large Hydrating Power.....	77
Sulphuric Acid.....	66	Hydration and Ionic Volume.....	80
DISCUSSION OF THE RESULTS.....	67	Temperature Coefficients of Conductivity in Per Cent.....	81
The Conductivity Measurements.....	67		
A Dehydrolytic Time Factor.....	69		
Molecular Conductivities.....	70		

PART II.

Organic Acids.....	87	Phenylpropionic Acid.....	115
Cell Constants.....	87	Meconic Acid.....	116
Dissociation of Organic Acids.....	87	Benzoic Acid.....	116
Values of μ_{∞} for the Sodium Salts of the Organic Acids.....	89	<i>o</i> -Chlorbenzoic Acid.....	117
Values of μ_{∞} for the Organic Acids.....	91	<i>o</i> -Nitrobenzoic Acid.....	117
Acetic Acid.....	93	<i>m</i> -Nitrobenzoic Acid.....	118
Dichloroacetic Acid.....	93	<i>p</i> -Nitrobenzoic Acid.....	118
Trichloroacetic Acid.....	94	1, 2, 4-Dinitrobenzoic Acid.....	119
Cyanacetic Acid.....	94	1, 3, 5-Dinitrobenzoic Acid.....	119
Phenylacetic Acid.....	95	Pieric Acid.....	120
Propionic Acid.....	95	Salicylic Acid.....	120
α -Bromopropionic Acid.....	96	Acetylsalicylic Acid.....	121
β -Iodopropionic Acid.....	96	Sulphosalicylic Acid.....	121
β -Acetylpropionic (Levulinic) Acid.....	97	<i>m</i> -Hydroxybenzoic Acid.....	122
<i>n</i> -Butyric Acid.....	97	<i>p</i> -Hydroxybenzoic Acid.....	122
α -Bromobutyric Acid.....	98	1, 2, 4-Dihydroxybenzoic Acid.....	123
Isobutyric Acid.....	98	1, 2, 5-Dihydroxybenzoic Acid.....	123
Hydroxyisobutyric Acid.....	99	Gallie Acid.....	124
Isovaleric Acid.....	99	<i>o</i> -Aminobenzoic Acid.....	124
Caprylic Acid.....	100	<i>m</i> -Aminobenzoic Acid.....	125
Malonic Acid.....	100	<i>p</i> -Aminobenzoic Acid.....	125
Dimethylmalonic Acid.....	101	Metanilic Acid.....	126
Ethylmalonic Acid.....	101	Sulphanilic Acid.....	126
Diethylmalonic Acid.....	102	Picramic Acid.....	127
Methylethylmalonic Acid.....	102	<i>p</i> -Sulphaminobenzoic Acid.....	127
Isopropylmalonic Acid.....	103	Benzenesulphonic Acid.....	128
Dipropylmalonic Acid.....	103	<i>m</i> -Nitrobenzenesulphonic Acid.....	128
Butylmalonic Acid.....	104	<i>p</i> -Toluenesulphonic Acid.....	129
Benzylmalonic Acid.....	104	1, 2, 4-Nitrotoluenesulphonic Acid.....	129
Allylmalonic Acid.....	105	1, 4, 2-Nitrotoluenesulphonic Acid.....	130
Succinic Acid.....	105	<i>o</i> -Toluic Acid.....	130
Monobromsuccinic Acid.....	106	<i>m</i> -Toluic Acid.....	131
Dibromsuccinic Acid.....	106	<i>p</i> -Toluic Acid.....	131
Pyrotartaric Acid.....	107	Cinnamic Acid.....	132
<i>l</i> -Tartaric Acid.....	107	Hydrocinnamic Acid.....	132
Racemic Acid.....	108	<i>o</i> -Phthalic Acid.....	133
Thiodiglycolic Acid.....	108	4, 5-Dichlorophthalic Acid.....	133
Tricarballic Acid.....	109	Tetrachlorophthalic Acid.....	134
Cyanuric Acid.....	109	Anisic Acid.....	134
Diphenylglycolic (Benzilic) Acid.....	110	Vanillic Acid.....	135
Hippuric Acid.....	110	Naphthionic Acid.....	135
Uric Acid.....	111	Mandelic Acid.....	136
Citric Acid.....	111	Camphoric Acid.....	136
Pyromucic Acid.....	112	Coumaric Acid.....	137
Crotonic Acid.....	112	Discussion of the Results with the Organic Acids.....	137
Maleic Acid.....	113	Dissociation of Organic Acids.....	139
Fumaric Acid.....	113	The Dissociation Constants.....	140
Itaconic Acid.....	114	Temperature Coefficients in Conductivity Units.....	141
Citraconic Acid.....	114	Temperature Coefficients in Per Cent.....	143
Mesaconic Acid.....	115		

PART I.—SALTS.

THE EXPERIMENTAL WORK IN PART FIRST WAS CARRIED OUT BY
DOCTORS CLOVER, HOSFORD, HOWARD, JACOBSON,
SHAEFFER, WEST, AND WINSTON.



PREFACE.

This study of the conductivity and dissociation of electrolytes, and of the temperature coefficients of conductivity, was begun eleven years ago in connection with the solvate theory of solution, which had been proposed in this laboratory shortly before that time. Certain relations of interest, and I hope of some importance, between the temperature coefficients of conductivity and the magnitude of the hydration of the dissolved salt were pointed out.

The work, thus begun, was continued especially for the following reason: When reference was made to the literature for the conductivity of any electrolyte at any given temperature, and for the temperature coefficients of conductivity, we were frequently unable to find what was desired; or, if found, the data were often so discordant that it was impossible to decide what were the true conductivities and dissociations in question.

Since the magnitude of the dissociation of any electrolyte is fundamental to its scientific use in chemistry, it seemed desirable that such data should be made available over the range of temperature most frequently used in the laboratory. With this idea in mind the work has now been continued here until it represents more than twenty years' continuous labor for one man, about 40,000 conductivity measurements having been made. Every one of the investigators has worked from one to two years on the problem, and Doctors Springer, West, and Wightman have each continued their investigations between two and three years.

The result is, that the conductivities and dissociations of about 110 of the more common salts have been worked out from zero to sixty-five degrees, and over a range in dilution extending from about the most concentrated solution that could be used to the dilution of complete dissociation. The temperature coefficients of conductivity have been calculated in both conductivity units and percentages. Moreover, similar data have been obtained for about 90 of the more common organic acids, and their constants have been calculated by means of the Ostwald dilution law.

It is hoped that this work, which has consumed much of the best energy of my laboratory for several years past, may prove to be of some value to other investigators in the field of general or physical chemistry.

HARRY C. JONES.

INTRODUCTION.

THE METHOD.

The method of measuring the conductivity of the solutions, employed throughout this work, was essentially that of Kohlrausch. The bridge used in most of the work was the latest improved form made by Leeds and Northrup, consisting of a manganine wire between 4 and 5 meters long, wound around a marble cylinder. The wire was calibrated by the method of Strouhal and Barus.*

The resistance coils were standardized against a rheostat which had been corrected by the United States Bureau of Standards. A number of forms of telephone receivers were tried, and finally a sensitive form furnished by Leeds and Northrup was adopted. The very satisfactory inductoria were also made by Leeds and Northrup.

Three separate readings on the bridge were made for each solution at each temperature, different resistances being, of course, used for each reading. The average of the conductivities obtained by these measurements, which differed only slightly from one another, was taken as the true conductivity of the solution. The measuring flasks and burettes used in this work were generally calibrated by the method of Morse and Blalock.† For the work from 0° to 35° the measuring apparatus was all calibrated at 20°, and the results at lower and higher temperatures multiplied by the proper factor. For the work from 35° to 65° the measuring apparatus was usually calibrated at 50°, and the proper correction inserted into the results at the lower and higher temperatures.

The conductivities are all expressed in terms of potassium chloride solutions which were used for standardizing the cells.

CONDUCTIVITY CELLS.

The form of cell used in this work is shown in fig. 1. The glass tubes carrying the electrodes are sealed firmly into the tops and bottoms of the ground-glass stoppers, and these tubes are sealed down tightly on to the platinum plates serving as electrodes. The plates are thus held firmly in position, and the distance apart is fixed for any given cell.

In making a series of readings at any given temperature, as many cells were used as there were solutions of different concentrations of the salt in question to be measured. Eight such cells constituted a set, and the distances between the plates and the sizes of the plates were adapted to the concentrations to be studied.

The conductivity of the water was determined in a cell especially constructed for this purpose. It consisted of two concentric platinum cylinders, about 1 mm. apart and 6 cm. long, shown in fig. 2. Glass tubes carrying platinum wires were sealed down on to the tops of these cylinders. These glass tubes were firmly sealed into the top and bottom of the ground-glass stopper.

*Wied. Ann., 10, 326 (1880).

† Amer. Chem. Journ., 16, 479 (1894).

The cells were generally covered with a little platinum black, to increase the sharpness of the minimum in the reading on the bridge. The cylindrical type of cell, however, was never blackened.

The platinum plates used as electrodes were cut from sheet platinum about 1 mm. thick. The relatively thick plates were much less liable to bend and change the constant after it was once determined.

CELL CONSTANTS.

The cell constants were determined with standard solutions of potassium chloride whose molecular conductivity at 25° was determined with a high degree of accuracy. The cells to be used with the more concentrated solutions, and whose plates were therefore most widely apart, were all standardized with a $n/50$ solution of potassium




FIG. 1.




FIG. 2.

chloride. The cells to be used with the more dilute solutions were all standardized with a $n/500$ solution of the same salt, while the cylindrical cells were standardized with a $n/2000$ solution of potassium chloride. The solutions of potassium chloride of different concentrations were used for the different cells, in order that the resistance to be thrown into the rheostat would be of the order of magnitude to give a sharp reading on the bridge.

The cell constants in every set of cells used in this work were redetermined once or twice a month during the entire time that this series of investigations was in progress. With reasonably careful handling the constant of any cell underwent very small change during an entire year's work.

When the cells were used over the temperature range 35° to 65°, certain precautions were necessary in connection with the constants. It was found that at these

higher temperatures a strain seemed to develop in the cells unless they were kept at a fairly uniform temperature. This resulted in a small change in the cell constants, due either to a change in the distance between the plates or in the surfaces of the plates themselves. Errors would be introduced, especially in the case of those cells whose plates were close together—which had small cell constants.

Since such a variation as that referred to above had not previously been observed over the temperature range 0° to 35° , it was thought that the changes in the cell might be reduced to a minimum by keeping the cells at a temperature which was about the mean of those employed in the experimental work. Accordingly, the cells, when not in use, were filled with pure water and placed in a bath which was maintained continuously at a temperature of from 45° to 50° .

To test the accuracy of the procedure adopted the following experiments were carried out. The conductivities of several different substances at the three dilutions, 5, 1024, and 2048 liters were measured in the cells ordinarily used for solutions of these concentrations. The measurements were first carefully made at 35° , then the solutions warmed to 65° and their conductivities determined. The solutions were then cooled down to 35° and their conductivities redetermined. If the conductivities found the second time at 35° agreed with those initially found at this temperature, it would be some evidence as to the reliability of the method used. In about half the cases the two sets of measurements at 35° agreed very satisfactorily, in the other half, the second readings differed slightly from the first, and the difference seemed to be independent of the cell employed or the concentration of the solution used.

In all of those cases where any difference was detected between the initial and final conductivities at 35° , this difference always disappeared entirely on allowing the cells to stand at 35° for two or three hours. This showed that any slight change that the cell might have undergone at the higher temperature disappeared when the cell was kept for a time at the lower temperature.

SOLUBILITY OF GLASS.

In conductivity work at ordinary temperatures this factor has always been neglected and probably is not sufficiently large to influence the results, even with very dilute solutions. However, at 50° the error introduced by this factor at a dilution of 1000 is greater than any of the other ordinary experimental errors. At 65° the solubility of the glass is still greater, and at 80° the conductivity of pure water is increased tenfold on remaining in the cell for a couple of hours. In this connection it may be stated that the cells employed were made of hard glass. Of course, the amount of glass dissolved depends upon the exact nature of the latter, and was found to vary considerably with the different cells used, and at different intervals in the case of any one cell. The idea of introducing a correction for the solubility of the glass was abandoned, but the difficulty was overcome in another way. It was found that after the cells had been heated with water, acid, and alkali for several days, the amount of glass dissolved gradually decreased and finally amounted to practically nothing. After this treatment, as the cells were kept in a bath at 45° to 50° and the water in them changed once a day, the solubility of the glass at 65°



was always negligible. It is quite certain that for cups made and treated as above described the solubility of the glass does not stand in the way of accurate work up to 65°.

Since the solubility of glass increases very rapidly with the temperature above 65°, it was decided not to carry these measurements of conductivity to a temperature higher than 65°.

PREPARATION OF THE SOLUTIONS.

All of the substances used were obtained from Kahlbaum. These were purified by the method best adapted to each substance, and the purity of the compound tested in every case.

Whenever the nature of the compound permitted, the mother solution was prepared by directly weighing out the amount of the pure compound desired. In other cases the mother solution was standardized by the best gravimetric method available for that purpose. In the case of the organic acids the mother solution was frequently standardized by titration against a standard solution of an alkali.

Two sets of solutions of every compound were prepared—the one to be used for measurements from 0° to 35°, and the other set to be studied from 35° to 65°. The solutions to be used over the temperature range 0° to 35° were made up at 20°, and those solutions to be measured from 35° to 65° were generally made up at 50°, in vessels calibrated for 20° and 50° respectively. Since the coefficient of expansion of water increases greatly with the temperature, it is necessary to apply the proper correction to the conductivities of solutions taken at 35° and 65°, when the solutions were made up at 50°.

When a standard solution is cooled from 50° to 35° there is a contraction in volume and a consequent increase in the concentration of the solution. The value of μ_t for any solution would, therefore, be slightly too large. The value of μ_t as found must be multiplied by the factor 0.994 for results at 35° when the solutions were made up at 50°. The correction factor for solutions made up at 50° and used at 65° is 1.0076.

The coefficient of expansion for distilled water is somewhat less than that for an aqueous solution. However, the difference in the coefficients for water and for our most concentrated solution is so small that it is negligible.

By making use of the above correction it was necessary to prepare only one set of solutions for each salt for the temperature range, 35° to 65°; and, consequently, much pure material and time were saved.

By preparing one set of solutions to be used from 0° to 35°, and another set of solutions from entirely new material for use from 35° to 65°, we had a test of the purity of the material used, the proper standardization of the solutions, and the correctness of the conductivity values herein given. The two sets of solutions were both measured at 35°, and when discrepancies in the two sets of results, of appreciable order of magnitude, manifested themselves; as was inevitable in some cases where about 40,000 measurements were made, the work was repeated over the higher range in temperature, or over the lower range in temperature, or over the entire temperature range.

From these two mother solutions all of the more dilute solutions were prepared, directly or indirectly, using carefully calibrated flasks and burettes.

WATER.

All of the water used in this work was purified by the method worked out a number of years ago in this laboratory by Jones and Mackay.* It consisted in distilling the distilled water of the laboratory from chromic acid (potassium dichromate and sulphuric acid), which burned up any organic matter present in the water, and then redistilling the water from barium hydroxide. The sulphuric acid held back all ammonia formed from the organic substances, while the barium hydroxide combined all the carbon dioxide formed from the oxidation of the organic matter by the chromic acid.




FIG. 3.

When the water was distilled from barium hydroxide, it was distilled first from a Jena glass balloon-flask and the vapor conducted into a retort also containing a little of the hydroxide. The water-vapor after leaving the retort was condensed in a tube of block-tin. By this means 10 to 15 liters of water could be obtained daily, having a conductivity of from 0.8 to 1.0×10^{-6} at zero.

BATHS.

The baths used for obtaining the various temperatures were constructed as follows. The zero bath is shown in fig. 3. The bottom of the bath into which the cells were plunged was filled with finely powdered ice moistened with a little pure water. The air above the cells was kept at very nearly zero by suspending just above the cells a pan filled with finely crushed ice moistened with pure water. In this way the solutions whose conductivities were to be measured at zero were kept to within 0.01 to 0.02 of zero.

* Amer. Chem. Journ., 19, 91 (1897).

The second temperature at which the conductivity measurements were made was at first taken as that of the hydrant water. A reasonably constant temperature could be obtained by allowing a rapid stream of hydrant water to flow through a large vessel of water. This was soon abandoned and a temperature of 10° , 12.5° or 15° was obtained as follows: A stream of hydrant water was allowed to flow through a large tub of water, which was warmed by a small flame placed beneath, and the temperature was regulated by the thermoregulator described by Reid.*

The higher temperatures, 25° , 35° , 50° and 65° were obtained as follows: The water-bath used had the form shown in fig. 4. It consisted of a double-walled




FIG. 4.

metal tub, the outer walls being 18 inches apart and the inner tub being 14 inches in diameter. The space between the two walls was filled with asbestos cement, which is a very poor conductor of heat. The inner vessel was filled with water, heated by a flame placed beneath and regulated by a thermoregulator. The top of the bath was covered with a neatly fitting piece of asbestos board. It was possible to keep any one of these baths to within 0.02° to 0.03° of the temperature desired. When working over the higher range in temperature the cells were kept over night in the 50° bath.

* Amer. Chem. Journ., **41**, 148 (1909).

INVESTIGATORS WHO HAVE WORKED ON THE PROBLEM.

The work recorded in this monograph has been done by twelve investigators, who have worked from one to nearly three years each upon the problem. Drs. Clover, Hosford, Howard, Kreider, Smith, and Winston worked one year each. Drs. Jacobson, Shaeffer, and Wight worked two years each, while Drs. Springer, West, and Wightman worked between two and three years each.

The following abbreviations are used after the name of the compound to show by whom the work in question was done; the first abbreviation referring to the investigator who worked over the range in temperature 0° to 35° , and the second abbreviation referring to the one who worked over the temperature range 35° to 65° . In a number of cases the same experimenter studied a given salt over both ranges in temperature. In these cases there is, of course, only one abbreviation.

C=Clover	J=Jacobson	Sm=Smith	Wt=Wight
H=Hosford	K=Kreider	Sp=Springer	Wm=Wightman
Hw=Howard	Sh=Shaeffer	W=West	Ws=Winston

THE RESULTS.

The volume of the solution, or the number of liters, that contain a gram-molecular weight of the electrolyte, is expressed by v . The molecular conductivity calculated by the equation $\mu_v = \frac{cva}{wb}$ is expressed by μ_v at the temperature in question; c being the constant of the cell, V the volume of the solution, a the reading on the arm of the bridge next to the rheostat, w the resistance in the box, and b the other arm of the bridge.

The percentage dissociation, represented by α , is calculated from the equation $\alpha = \frac{\mu_v}{\mu_{\infty}}$, μ_v being the molecular conductivity at the volume v , and μ_{∞} the molecular conductivity at complete dissociation.

The temperature coefficients are expressed both in "conductivity units" and in "per cent." The coefficients in "conductivity units" are calculated thus—

$$\text{Coefficient} = \frac{\mu_v t_1 - \mu_v t}{t_1 - t}$$

where t_1 is the higher temperature and t the lower temperature. The coefficient in "per cent" is calculated by dividing the coefficient in "conductivity units" by $\mu_v t$, i. e., by the molecular conductivity at the lower temperature.

The values of α for some of the salts are not given. This is the case with those salts for which the value of μ_{∞} was not nearly reached at the highest dilution used in this work. Such salts are nearly always strongly hydrolyzed by water, and this is the chief reason why the maximum molecular conductivity was not obtained at the highest dilutions employed. In such cases it is not possible to calculate even the approximate dissociation.

LITHIUM CHLORIDE (J. AND C.).							LITHIUM BROMIDE (J. AND W.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_r 0^\circ$	$\mu_r 11.2^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$	<i>v</i>	$\mu_r 0^\circ$	$\mu_r 9.3^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$
2	41.33	55.26	75.79	92.34	117.7	144.1	2	44.83	55.94	78.52	96.02
8	47.27	64.18	88.41	107.2	136.7	167.7	4	137.0	168.4
16	49.20	67.33	92.89	112.3	8	49.84	63.42	89.78	109.5	139.3	170.4
32	51.11	69.91	96.24	116.7	149.8	185.6	16	51.51	66.75	95.03	114.9
128	53.96	73.92	101.5	124.1	159.3	199.0	32	53.10	68.77	98.66	119.5	150.7	186.4
512	55.55	77.52	106.3	128.6	165.2	205.3	128	56.57	73.70	106.7	128.6	160.0	198.0
1024	56.08	77.62	107.2	130.2	167.5	208.3	512	57.44	75.06	108.2	130.6	169.7	213.6
2048	57.34	78.61	110.4	133.9	169.5	210.6	1024	57.97	75.99	109.9	133.3
							2048	61.05	80.68	114.8	138.3	173.3	216.1
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 11.2^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 9.3^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	72.1	70.3	68.7	69.9	69.4	68.4	2	73.4	69.3	68.4	69.4
8	82.4	81.6	80.1	81.1	80.6	79.6	4	79.0	77.9
16	85.8	85.6	85.1	8	81.6	78.6	78.2	79.2	80.4	78.8
32	89.1	88.9	87.2	88.3	88.4	88.1	16	84.4	82.7	82.8	83.1
128	94.1	94.0	91.9	93.9	94.0	94.5	32	87.0	85.2	85.9	86.4	87.0	86.3
512	96.9	97.0	96.6	97.3	97.5	97.5	128	92.7	91.4	92.9	93.0	92.3	91.6
1024	97.8	98.7	97.1	98.6	98.8	98.9	512	94.1	93.0	94.3	94.4	97.7	98.8
2048	100.0	100.0	100.0	100.0	100.0	100.0	1024	95.0	94.2	95.7	96.4
							2048	100.0	100.0	100.0	100.0	100.0	100.0
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-11.2°	11.2-25°	25-35°	35-50°	50-65°		<i>v</i>	0-9.3°	9.3-25°	25-35°	35-50°	50-65°	
2	1.24	1.49	1.65	1.69	1.76		2	1.19	1.43	1.75	
8	1.51	1.75	1.88	1.97	2.07		4	2.09	
16	1.62	1.85	1.94		8	1.46	1.67	1.97	1.99	2.07	
32	1.68	1.91	2.04	2.21	2.39		16	1.63	1.80	1.99	
128	1.79	2.00	2.26	2.35	2.65		32	1.68	1.90	2.08	2.08	2.38	
512	1.90	2.08	2.23	2.44	2.67		128	1.84	2.10	2.19	2.10	2.53	
1024	1.92	2.15	2.30	2.49	2.72		512	1.89	2.11	2.24	2.61	2.93	
2048	2.28	2.35	2.49	2.74		1024	1.94	2.16	2.34	
							2048	2.33	2.17	2.35	2.33	2.85	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-11.2°	11.2-25°	25-35°	35-50°	50-65°		<i>v</i>	0-9.3°	9.3-25°	25-35°	35-50°	50-65°	
2	3.00	2.69	2.18	1.83	1.50		2	2.66	2.56	2.23	
8	3.41	2.72	2.13	1.84	1.51		4	1.52	
16	3.39	2.75	2.09		8	2.93	2.63	2.19	1.82	1.49	
32	3.29	2.73	2.12	1.89	1.60		16	3.16	2.70	2.09	
128	3.32	2.70	2.23	1.89	1.66		32	3.16	2.91	2.11	1.74	1.58	
512	3.42	2.69	2.09	1.90	1.62		128	3.25	2.85	2.05	1.63	1.58	
1024	3.42	2.77	2.15	1.91	1.62		512	3.29	2.81	2.07	2.00	1.72	
2048	2.90	2.13	1.88	1.62		1024	3.35	2.84	2.13	
							2048	3.82	2.68	2.05	1.69	1.64	

LITHIUM NITRATE (J. AND W.)							LITHIUM SULPHATE (J. AND W.)						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 10^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 9.6^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
2	38.65	52.29	70.56	82.20	2	47.08	61.97	89.59	107.5
4	119.6	146.4	4	168.8	207.8
8	43.83	57.79	79.71	96.99	128.6	157.7	8	66.74	88.18	128.4	154.9	197.3	242.7
16	45.96	60.32	84.16	100.9	16	75.50	100.2	144.5	175.3
32	47.27	62.51	87.39	105.1	138.2	170.1	32	82.15	109.5	159.3	194.0	245.7	301.8
128	51.05	66.88	93.29	112.2	150.1	184.9	128	96.81	129.0	188.5	230.3	290.5	302.3
512	51.53	68.07	96.03	115.6	154.2	192.4	512	104.6	139.1	202.8	248.3	324.3	405.0
1024	52.00	69.47	98.01	117.8	160.3	197.8	1024	108.1	143.8	211.4	258.8	336.3	425.5
2048	52.40	70.01	100.03	121.0	2048	111.8	148.0	219.5	258.0	338.7	430.8
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 10^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 9.6^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	73.8	74.7	70.4	67.9	2	42.1	41.9	40.8	40.1
4	74.6	74.0	4	49.8	48.2
8	83.6	82.5	79.5	80.2	80.2	79.7	8	59.7	59.6	58.5	57.8	58.2	56.3
16	97.7	86.2	83.9	83.4	16	67.5	67.7	65.8	65.4
32	90.2	98.3	87.1	86.9	86.2	86.0	32	73.5	74.0	72.6	72.4	72.5	70.0
128	97.4	95.5	93.0	92.7	93.6	93.5	128	86.6	87.2	85.9	85.9	85.7	84.1
512	98.3	97.2	95.7	95.5	96.2	93.5	512	93.8	94.0	92.4	92.7	95.7	94.0
1024	99.2	99.2	97.7	97.4	100.0	100.0	1024	96.7	97.2	96.3	96.6	99.3	98.7
2048	100.0	100.0	100.0	100.0	2048	100.0	100.0	100.0	100.0	100.0	100.0
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-10°	10-25°	25-35°	35-50°	50-65°	<i>v</i>	0-9.6°	9.6-25°	25-35°	35-50°	50-65°
2	1.26	1.35	1.64	2	1.55	1.68	1.79
4	1.48	4	2.60
8	1.40	1.46	1.67	1.94	8	2.23	2.25	2.65	2.83	3.00
16	1.44	1.59	1.70	16	2.57	2.88	3.08
32	1.52	1.66	1.77	2.13	32	2.85	3.23	3.47	3.45	3.74
128	1.58	1.76	1.89	2.32	128	3.35	3.86	4.18	4.01	4.78
512	1.65	1.86	1.96	2.55	512	3.59	4.14	4.55	5.07	5.38
1024	1.75	1.90	1.98	2.50	1024	3.72	4.39	4.74	5.17	5.95
2048	1.76	2.02	2.07	2048	3.77	4.64	4.85	5.38	6.14
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-10°	10-25°	25-35°	35-50°	50-65°	<i>v</i>	0-9.6°	9.6-25°	25-35°	35-50°	50-65°
2	3.26	2.58	2.32	2	3.29	2.71	2.00
4	1.48	4	1.54
8	3.19	2.53	2.09	1.51	8	3.34	2.55	2.06	1.83	1.52
16	3.13	2.64	2.02	16	3.37	2.87	2.13
32	3.22	2.67	2.03	1.54	32	3.47	2.96	2.18	1.78	1.52
128	3.10	2.63	2.03	1.53	128	3.46	2.99	2.22	1.74	1.64
512	3.20	2.73	2.04	1.65	512	3.43	2.98	2.25	2.04	1.66
1024	3.36	2.73	2.02	1.56	1024	3.41	3.05	2.24	2.00	1.77
2048	3.37	3.15	2.21	2.09	1.81	2048	3.37	3.15	2.21	2.09	1.81

SODIUM CHLORIDE (SH. AND C.).							SODIUM BROMIDE (W. AND C.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_t 0^\circ$	$\mu_t 12.5^\circ$	$\mu_t 25^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	$\mu_t 65^\circ$	<i>v</i>	$\mu_t 0^\circ$	$\mu_t 11.8^\circ$	$\mu_t 25^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	$\mu_t 65^\circ$
2	48.1	66.4	86.5	104.2	132.6	161.8	2	51.46	69.24	91.9	106.25	131.1	162.6
8	53.5	74.7	98.5	118.5	150.5	184.5	8	55.36	75.26	100.3	119.2	151.4	184.1
32	57.5	80.6	106.8	129.5	164.3	201.0	16	57.35	78.17	105.1
128	60.4	84.9	112.6	136.3	175.4	214.7	32	58.79	80.03	107.7	129.1	164.5	201.0
512	62.3	87.8	116.4	141.2	181.1	222.9	128	61.23	84.35	113.3	136.7	174.6	212.6
1024	61.6	86.9	115.4	140.0	183.2	225.5	512	63.02	87.17	116.8	140.5	180.1	219.5
2048	62.2	88.0	116.8	140.9	184.7	228.5	1024	141.4	180.9	222.8
4096	62.6	88.3	117.0	141.3	2048	64.48	89.34	121.1	142.3	182.0	227.0
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 11.8^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	77.2	76.8	74.3	73.8	71.8	70.8	2	79.8	77.5	75.9	74.7	72.0	71.6
8	85.8	85.3	84.6	83.9	81.5	80.7	8	85.9	84.2	82.8	83.8	83.2	81.1
32	92.4	91.8	91.7	91.6	89.0	88.0	16	88.9	87.5	86.8
128	96.9	96.7	96.6	96.5	95.0	94.0	32	91.2	89.6	88.9	90.7	90.4	88.5
512	100.0	100.0	100.0	100.0	98.0	97.5	128	95.0	94.4	93.6	96.1	95.9	93.7
1024	98.9	98.9	99.1	99.1	99.2	98.7	512	97.7	97.6	96.4	98.7	98.9	96.7
2048	100.0	100.0	100.0	100.0	100.0	100.0	1024	99.4	99.4	98.2
4096	100.0	100.0	100.0	100.0	2048	100.0	100.0	100.0	100.0	100.0	100.0
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-11.8°	11.8-25°	25-35°	35-50°	50-65°	
2	1.49	1.60	1.77	1.89	1.95		2	1.50	1.72	1.66	2.10	
8	1.69	1.89	2.00	2.13	2.27		8	1.69	1.90	1.89	2.15	2.18	
32	1.84	2.09	2.27	2.32	2.45		16	1.76	2.04	
128	1.96	2.21	2.37	2.61	2.62		32	1.80	2.10	2.14	2.36	2.43	
512	2.04	2.28	2.48	2.66	2.79		128	1.96	2.19	2.34	2.53	2.53	
1024	2.02	2.28	2.46	2.88	2.82		512	2.04	2.24	2.37	2.64	2.63	
2048	2.05	2.30	2.41	2.92	2.92		1024	2.63	2.79	
4096	2.04	2.32	2.38		2048	2.11	2.40	2.65	3.00	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-11.8°	11.8-25°	25-35°	35-50°	50-65°	
2	3.12	2.41	2.04	1.81	1.47		2	2.91	2.48	1.56	1.60	
8	3.15	2.41	2.03	1.80	1.51		8	3.05	2.52	1.88	1.80	1.44	
32	3.24	2.59	2.03	1.79	1.49		16	3.07	2.61	
128	3.24	2.60	2.11	1.92	1.49		32	3.06	2.62	1.99	1.83	1.48	
512	3.27	2.59	2.12	1.88	1.54		128	3.20	2.60	2.07	1.85	1.45	
1024	3.27	2.60	2.13	2.06	1.54		512	3.24	2.57	2.03	1.88	1.46	
2048	3.28	2.59	2.06	2.07	1.58		1024	1.86	1.54	
4096	3.25	2.60	2.02		2048	3.27	2.69	1.86	1.65	

SODIUM IODIDE (W.).							SODIUM NITRATE (J. AND C.).					
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>					
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 16^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
2	51.90	77.22	92.73	111.6	2	43.34	78.1	91.7	120.1	146.0
4	115.9	146.2	179.0	8	50.27	90.9	111.3	141.1	171.4
8	55.26	83.52	100.4	121.6	152.6	187.5	16	52.57	97.5	117.5
16	57.03	86.36	104.2	125.8	32	55.38	101.3	122.5	155.7	189.0
32	58.62	89.02	107.4	130.6	163.4	200.2	128	59.28	107.7	128.9	164.8	201.3
128	60.97	93.20	112.5	136.8	173.2	213.2	512	59.34	111.3	134.8	171.0	209.6
512	61.81	94.91	114.7	139.3	180.6	222.0	1024	59.39	114.0	138.5	173.0	213.2
1024	63.14	96.28	116.4	141.8	187.0	234.1	2048	59.93	116.6	141.0	175.2	213.2
2048	64.15	98.40	119.1	144.5						
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>					
<i>v</i>	$\alpha 0^\circ$	$\alpha 16^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	80.5	78.5	77.9	77.2	2	72.3	67.0	65.0	68.5	68.5
4	78.2	76.5	8	83.9	77.9	78.9	80.5	80.4
8	85.7	84.9	84.3	84.2	81.6	80.1	16	86.1	83.6	83.3
16	88.4	87.8	87.5	87.1	32	92.4	86.9	86.9	88.9	88.6
32	90.9	90.5	90.2	90.4	87.4	85.5	128	98.9	92.3	91.4	94.1	94.4
128	94.5	94.7	94.5	94.7	92.6	91.1	512	99.0	95.5	95.6	97.6	98.3
512	95.8	96.5	96.3	96.4	96.6	94.8	1024	99.8	97.8	98.2	98.8	100.0
1024	97.9	97.8	97.7	98.1	100.0	100.0	2048	100.0	100.0	100.0	100.0	100.0
2048	100.0	100.0	100.0	100.0						
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>					
<i>v</i>	0-16°	16-25°	25-35°	35-50°	50-65°		<i>v</i>	0-25°	25-35°	35-50°	50-65°	
2	1.58	1.72	1.88		2	1.39	1.36	1.89	1.73	
4	2.02	2.19		8	1.62	2.04	1.99	2.02	
8	1.77	1.88	2.12	2.13	2.33		16	1.79	2.00	
16	1.83	1.98	2.16		32	1.83	2.12	2.21	2.22	
32	1.90	2.04	2.32	2.19	2.46		128	1.94	2.12	2.39	2.43	
128	2.01	2.14	2.43	2.43	2.67		512	2.08	2.35	2.40	2.57	
512	2.07	2.20	2.46	2.75	2.76		1024	2.18	2.45	2.30	2.67	
1024	2.07	2.24	2.54	3.01	3.14		2048	2.27	2.44	2.28	2.53	
2048	2.12	2.30	2.54							
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>					
<i>v</i>	0-16°	16-25°	25-35°	35-50°	50-65°		<i>v</i>	0-25°	25-35°	35-50°	50-65°	
2	3.04	2.23	2.03		2	3.21	1.74	2.06	1.44	
4	1.74	1.49		8	3.22	2.24	1.79	1.43	
8	3.20	2.25	2.11	1.75	1.52		16	3.41	2.44	
16	3.21	2.29	2.07		32	3.30	2.05	1.80	1.43	
32	3.24	2.29	2.16	1.68	1.50		128	3.27	1.94	1.86	1.47	
128	3.30	2.30	2.16	1.78	1.54		512	3.51	2.11	1.78	1.50	
512	3.35	2.32	2.14	1.98	1.53		1024	3.68	2.15	1.56	1.54	
1024	3.28	2.33	2.18	2.12	1.67		2048	3.79	2.09	1.62	1.44	
2048	3.29	2.34	2.13							

SODIUM CHLORATE (SH.).							SODIUM PERCHLORATE (SH.).				
Molecular Conductivity.							Molecular Conductivity.				
<i>v</i>	$\mu_r 0^\circ$	$\mu_r 12.5^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$	<i>v</i>	$\mu_r 0^\circ$	$\mu_r 12.5^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$
2	41.6	57.5	74.7	90.0	8	49.4	68.9	90.2	108.0
8	47.4	66.1	86.7	104.4	132.1	164.4	32	53.2	74.5	98.3	118.1
32	51.7	72.4	95.0	115.2	151.6	186.3	128	56.6	79.2	104.1	126.2
128	54.7	76.9	101.1	122.5	158.4	198.7	512	57.0	80.0	105.7	127.8
512	56.0	78.9	104.6	127.0	165.2	204.4	1024	56.8	79.7	105.4	127.8
1024	56.2	79.0	104.1	126.3	167.8	211.3					
2048	56.1	78.8	104.1	125.8	168.3	209.1					
Percentage Dissociation.							Percentage Dissociation.				
<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$
2	74.0	72.8	71.4	70.8	8	88.4	86.2	84.5	84.5
8	84.3	83.6	82.9	81.4	78.5	77.7	32	93.3	93.1	93.0	92.4
32	91.9	91.6	90.8	90.7	90.0	88.1	128	99.3	99.0	98.5	98.7
128	97.3	97.3	96.6	96.4	94.1	94.0	512	100.0	100.0	100.0	99.9
512	99.8	100.0	100.0	100.0	98.1	96.7	1024	99.6	99.6	99.7	100.0
1024	100.0	100.0	99.6	100.0					
2048	99.7	99.7	100.0	99.0					
Temperature Coefficients in Conductivity Units.							Temperature Coefficients in Conductivity Units.				
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	
2	1.27	1.38	1.53		8	1.56	1.70	1.78	
8	1.50	1.66	1.77	1.85	2.15		32	1.70	1.89	1.98	
32	1.66	1.80	2.02	2.43	2.31		128	1.81	1.99	2.21	
128	1.78	1.94	2.14	2.40	2.69		512	1.84	2.05	2.21	
512	1.83	2.05	2.36	2.55	2.61		1024	1.83	2.06	2.24	
1024	1.82	2.01	2.22	2.77	2.90						
2048	1.81	2.02	2.17	2.83	2.72						
Temperature Coefficients in Per Cent.							Temperature Coefficients in Per Cent.				
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	
2	3.05	2.40	2.04		8	3.16	2.47	2.00	
8	3.12	2.41	2.05	1.82	1.62		32	3.20	2.54	2.01	
32	3.21	2.49	2.12	2.12	1.52		128	3.20	2.52	2.12	
128	3.25	2.53	2.12	1.96	1.69		512	3.22	2.56	2.09	
512	3.26	2.64	2.25	2.01	1.58		1024	3.20	2.57	2.12	
1024	3.24	2.54	2.13	2.19	1.78						
2048	3.22	2.56	2.09	2.25	1.62						

SODIUM SULPHATE (WS. AND C.).							SODIUM CARBONATE (W.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_t 0^\circ$	$\mu_t 12.5^\circ$	$\mu_t 25^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	$\mu_t 65^\circ$	<i>v</i>	$\mu_t 0^\circ$	$\mu_t 15.3^\circ$	$\mu_t 25^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	$\mu_t 65^\circ$
2	172.5	205.4	2	50.90	78.94	100.4
4	68.49	97.54	129.13	156.71	4	145.9	190.9	237.9
8	78.51	111.46	146.40	178.24	221.8	274.3	8	70.70	109.1	137.8	168.5	219.6	271.9
32	94.51	132.72	176.76	215.19	262.2	337.2	16	79.75	123.8	155.4
128	107.54	152.49	203.10	247.02	320.4	399.0	32	87.28	131.7	170.8	209.0	272.1	343.4
512	117.46	166.24	221.21	269.50	353.2	437.9	128	99.16	155.4	197.9	241.9	318.3	403.3
1024	119.65	169.61	226.34	276.92	512	105.8	166.9	209.6	258.0	336.7	424.7
2048	125.95	176.08	235.35	287.02	372.6	462.5	1024	110.8	173.9	218.1	269.7	350.1	439.5
4096	127.73	181.61	243.42	294.48	376.0	468.7							
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 15.3^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	45.9	43.8	2
4	53.6	53.7	53.1	53.2	4
8	61.4	61.4	60.1	60.5	59.0	58.5	8
32	73.9	73.1	72.6	73.0	69.7	71.9	16
128	84.1	84.0	83.4	83.9	85.2	85.1	32
512	91.9	91.6	90.9	91.5	93.9	93.4	128
1024	93.6	93.4	93.0	94.0	512
2048	98.5	97.0	96.7	97.4	99.1	98.7	1024
4096	100.0	100.0	100.0	100.0	100.0	100.0							
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-15.3°	15.3-25°	25-35°	35-50°	50-65°	
2	2.19		2	1.83	2.21	
4	2.32	2.53	2.76		4	3.00	3.13	
8	2.63	2.80	3.18	2.91	3.50		8	2.51	2.96	3.07	3.41	3.49	
32	3.05	3.52	3.84	3.13	5.00		16	2.88	3.26	
128	3.59	4.05	4.39	4.90	5.24		32	3.10	3.72	3.82	4.21	4.74	
512	3.90	4.40	4.83	5.58	5.65		128	3.67	4.38	4.40	5.09	5.67	
1024	4.00	4.54	5.06		512	3.99	4.40	4.84	5.25	5.87	
2048	4.01	4.74	5.17	5.71	5.99		1024	4.12	4.56	5.16	5.36	5.96	
4096	4.31	4.94	5.11	5.43	6.18								
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-15.3°	15.3-25°	25-35°	35-50°	50-65°	
2	1.27		2	3.59	2.80	
4	3.39	2.59	2.14		4	2.05	1.64	
8	3.35	2.51	2.17	1.63	1.58		8	3.55	2.71	2.23	2.02	1.59	
32	3.23	2.65	2.17	1.46	1.91		16	3.61	2.64	
128	3.34	2.66	2.16	2.00	1.64		32	3.55	2.77	2.24	2.00	1.74	
512	3.32	2.65	2.18	2.07	1.60		128	3.70	2.82	2.22	2.10	1.78	
1024	3.34	2.68	2.19		512	3.77	2.64	2.39	2.04	1.74	
2048	3.18	2.69	2.20	2.00	1.61		1024	3.72	2.62	2.37	1.99	1.70	
4096	3.37	2.72	2.10	1.84	1.64								

DISODIUM ACID PHOSPHATE (J. AND SH.).							SODIUM AMMONIUM ACID PHOSPHATE (SH.).					
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>					
<i>v</i>	$\mu_r 0^\circ$	$\mu_r 25^\circ$	$\mu_r 30^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$	<i>v</i>	$\mu_r 0^\circ$	$\mu_r 12.5^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	
16	67.3	133.4	148.6	164.3	215.3	268.5	8	65.6				
32	75.0	147.8	164.5	182.4	238.7	298.9	32	84.4	119.2	158.7	186.5	
128	88.4	168.6	188.1	212.1	278.4	350.9	128	96.5	136.7	181.4	216.6	
512	91.7	182.3	203.8	231.6	304.7	384.6	512	100.7	141.4	186.4	221.6	
1024	91.9	183.7	205.2	236.4	310.2	393.2	1024	104.7	145.7	193.6	235.2	
2048	92.0	184.0	206.2	240.3	315.6	399.0	2048	103.9	144.7	190.9	229.2	
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>					
<i>v</i>	$\alpha 0^\circ$	$\alpha 25^\circ$	$\alpha 30^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	
16	68.8	72.5	72.1	68.4	68.2	67.3	8	62.6				
32	81.5	80.3	79.8	75.9	75.6	74.9	32	80.6	81.7	81.9	79.3	
128	96.1	91.5	91.2	88.3	88.2	87.9	128	91.3	93.1	93.7	92.1	
512	99.7	99.1	98.8	96.4	96.5	96.4	512	96.3	97.0	96.2	94.2	
1024	99.9	99.8	99.5	98.4	98.3	98.5	1024	100.0	100.0	100.0	100.0	
2048	100.0	100.0	100.0	100.0	100.0	100.0	2048	99.2	99.3	98.6		
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>					
<i>v</i>	0-25°	25-30°	35-50°	50-65°			<i>v</i>	0-12.5°	12.5-25°	25-35°		
16	2.64	3.04	3.40	3.55			8					
32	2.91	3.34	3.75	4.02			32	2.78	3.16	2.78		
128	3.21	3.90	4.42	4.83			128	3.21	3.57	3.52		
512	3.62	4.30	4.87	5.33			512	3.26	3.60	3.52		
1024	3.67	4.30	4.92	5.53			1024	3.36	3.83	4.16		
2048	3.68	4.44	5.02	5.56			2048	3.36	3.70	3.83		
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>					
<i>v</i>	0-25°	25-30°	35-50°	50-65°			<i>v</i>	0-12.5°	12.5-25°	25-35°		
16	4.17	2.28	2.07	1.65			8					
32	3.88	2.26	2.06	1.69			32	3.30	2.65	1.49		
128	3.63	2.32	2.08	1.73			128	3.32	2.61	1.62		
512	3.95	2.35	2.10	1.75			512	3.24	2.54	1.58		
1024	3.99	2.34	2.08	1.78			1024	3.22	2.62	1.76		
2048	4.00	2.41	2.09	1.76			2048	3.23	2.55	1.67		

SODIUM FERROCYANIDE (H. AND HW.).							SODIUM TETRABORATE (BORAX) (WS. AND H.)						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_r 0^\circ$	$\mu_r 12.5^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$	<i>v</i>	$\mu_r 0^\circ$	$\mu_r 12.5^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$
8	136.7	194.9	259.2	313.4	386.89	469.61	16	57.99	83.76	113.54	139.83	182.8	231.3
16	151.3	215.5	287.0	347.7	418.90	508.69	32	64.36	92.74	125.49	154.61	204.0	256.2
32	167.1	238.5	318.5	386.2	487.25	593.80	128	72.87	104.81	141.72	174.52	224.1	281.6
128	203.5	289.6	385.9	461.5	594.44	727.68	512	78.04	112.22	152.00	187.97	247.8	316.7
512	234.2	334.1	446.4	543.2	730.35	909.86	1024	79.20	113.29	153.40	189.37
1024	253.4	361.7	482.4	581.2	781.99	979.35	2048	83.45	119.55	161.23	198.31	207.3	359.3
2048	266.4	380.3	501.0	612.0	804.49	1000.84	4096	85.50	122.28	163.99	202.65
4096	275.7	398.1	527.1	632.2	803.06							
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
8	49.58	48.96	49.18	49.57	48.09	46.92	16	67.8	68.5	69.2	69.0	67.6	64.4
16	54.88	54.13	54.45	55.00	52.07	50.83	32	75.3	75.8	76.5	76.3	75.5	71.3
32	60.61	59.91	60.43	61.00	60.57	59.33	128	85.3	85.7	86.4	86.1	82.9	78.4
128	73.81	72.74	73.21	73.47	73.89	72.71	512	91.3	91.8	92.7	92.7	91.7	88.1
512	84.95	83.92	84.69	85.92	90.78	90.91	1024	92.7	92.6	93.5	93.4
1024	91.91	90.86	91.52	91.93	97.20	97.85	2048	97.6	97.8	98.3	97.8	100.0	100.0
2048	96.63	95.53	95.62	96.81	100.00	100.00	4096	100.0	100.0	100.0	100.0
4096	100.00	100.00	100.00	100.00	99.82							
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
8	4.66	5.14	5.42	4.90	5.51		16	2.06	2.38	2.63	2.87	3.23	
16	5.14	5.72	6.07	4.75	5.99		32	2.27	2.62	2.91	3.29	3.48	
32	5.71	6.40	6.77	6.73	7.10		128	2.56	2.95	3.28	3.31	3.83	
128	6.89	7.70	7.86	8.66	8.88		512	2.73	3.18	3.60	4.00	4.59	
512	7.99	8.98	9.68	12.48	11.90		1024	2.73	3.21	3.60	
1024	8.66	9.66	9.88	13.38	13.16		2048	2.89	3.33	3.71	4.80	5.93	
2048	9.11	9.90	10.80	12.83	13.09		4096	2.94	3.34	3.87	
4096	9.79	10.32	10.51	11.39	11.06								
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
8	3.41	2.64	2.09	1.56	1.42		16	3.55	2.84	2.32	2.05	1.76	
16	3.40	2.65	2.12	1.37	1.43		32	3.53	2.83	2.32	2.13	1.71	
32	3.42	2.68	2.13	1.74	1.46		128	3.51	2.82	2.32	1.89	1.71	
128	3.39	2.66	2.04	1.86	1.49		512	3.50	2.83	2.37	2.13	1.85	
512	3.41	2.69	2.17	2.29	1.63		1024	3.45	2.83	2.35	
1024	3.42	2.67	2.05	2.30	1.68		2048	3.46	2.79	2.30	2.42	2.19	
2048	3.42	2.60	2.14	2.09	1.63		4096	3.44	2.73	2.36	
4096	3.55	2.59	2.00	1.80	1.38								

SODIUM ACETATE (W.).

Molecular Conductivity.

<i>v</i>	$\mu_v 0^\circ$	$\mu_v 13.6^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
2	28.39	41.93	54.86	67.06
4	97.28	121.0
8	31.30	50.73	66.25	81.09	106.0	131.7
16	36.37	53.86	70.17	86.01
32	38.11	56.59	73.81	90.55	117.9	147.7
128	40.41	60.22	78.32	96.43	125.7	157.5
512	41.21	61.63	80.14	99.34	129.3	162.7
1024	40.65	61.15	79.12	98.6
2048	41.28	61.97	80.12	99.4	139.4	164.5

Percentage Dissociation.

<i>v</i>	$\alpha 0^\circ$	$\alpha 13.6^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	68.9	67.9	68.5	67.5
4	74.6	73.5
8	83.2	82.3	82.7	81.6	81.3	80.1
16	88.3	87.4	87.6	86.6	90.4	89.8
32	92.2	91.8	92.1	91.2
128	98.1	97.7	97.7	97.1	96.4	95.7
512	100.0	100.0	100.0	100.0	99.2	98.9
1024	100.0	100.0	100.0	100.0
2048	100.0	100.0	100.0	100.0	100.0	100.0

Temperature Coefficients in Conductivity Units.

<i>v</i>	0-13.6°	13.6-25°	25-35°	35-50°	50-65°
2	1.00	1.13	1.22
4	1.58
8	1.21	1.36	1.48	1.73	1.71
16	1.29	1.43	1.58
32	1.36	1.51	1.67	1.82	1.99
128	1.46	1.59	1.81	1.95	2.12
512	1.50	1.62	1.92	2.00	2.23
1024	1.51	1.58	1.95
2048	1.52	1.59	1.93	2.07	2.27

Temperature Coefficients in Per Cent.

<i>v</i>	0-13.6°	13.6-25°	25-35°	35-50°	50-65°
2	3.51	2.69	2.22
4	1.62
8	3.53	2.68	2.23	2.13	1.61
16	3.52	2.66	2.25
32	3.57	2.67	2.26	2.01	1.69
128	3.61	2.64	2.31	2.02	1.69
512	3.67	2.63	2.38	2.01	1.72
1024	3.71	2.58	2.46
2048	3.68	2.57	2.41	2.09	1.74

POTASSIUM CHLORIDE (W. AND C.).

Molecular Conductivity.

<i>v</i>	$\mu_v 0^\circ$	$\mu_v 4.3^\circ$	$\mu_v 15.5^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
2	62.96	70.09	91.09	109.5	130.8	161.9	193.7
8	66.47	74.48	98.24	118.6	142.5	179.1	215.9
16	68.40	76.95	101.5	122.9	147.7
32	70.27	78.95	104.9	126.8	152.5	192.8	234.1
128	73.00	82.25	109.4	132.4	159.9	204.3	247.1
512	74.24	83.59	111.9	135.5	163.0	209.1	255.8
1024	75.14	84.59	112.9	137.0	165.4	211.6	258.3
2048	212.1	259.3

Percentage Dissociation.

<i>v</i>	$\alpha 0^\circ$	$\alpha 4.3^\circ$	$\alpha 15.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	83.8	82.9	80.7	79.9	79.0	76.3	76.4
8	88.5	88.0	87.0	86.6	86.2	84.4	83.3
16	91.0	91.0	89.9	89.7	89.3
32	93.5	93.3	92.0	92.6	92.2	90.9	90.3
128	97.2	97.2	96.9	96.6	96.7	96.3	95.3
512	98.8	98.8	99.1	98.9	99.5	98.6	98.6
1024	100.0	100.0	100.0	100.0	100.0	98.8	99.6
2048	100.0	100.0

Temperature Coefficients in Conductivity Units.

<i>v</i>	0-4.3°	4.3-15.5°	15.5-25°	25-35°	35-50°	50-65°
2	1.66	1.88	1.94	2.13	2.07	2.12
8	1.86	2.12	2.14	2.39	2.44	2.45
16	1.99	2.19	2.25	2.48
32	2.02	2.32	2.31	2.57	2.69	2.75
128	2.15	2.42	2.42	2.75	2.96	2.85
512	2.17	2.53	2.48	2.75	3.07	3.11
1024	2.20	2.53	2.54	2.84	3.08	3.11
2048	3.15

Temperature Coefficients in Per Cent.

<i>v</i>	0-4.3°	4.3-15.5°	15.5-25°	25-35°	35-50°	50-65°
2	2.63	2.68	2.13	1.94	1.58	1.31
8	2.78	2.80	2.18	2.01	1.71	1.37
16	2.91	2.85	2.22	2.02
32	2.87	2.94	2.20	2.03	1.76	1.43
128	2.94	2.94	2.21	2.08	1.85	1.40
512	2.92	3.03	2.22	2.03	1.88	1.49
1024	2.93	2.99	2.25	2.07	1.86	1.47
2048	1.49

POTASSIUM BROMIDE (W. AND C.).							POTASSIUM IODIDE (W.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 14.5^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 10.1^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
2	65.82	93.21	114.4	136.2	165.1	196.7	2	65.78	83.88	112.8	133.7
8	68.01	98.45	121.3	145.6	181.4	218.1	4	174.8	212.7
16	70.10	101.7	125.2	150.5	8	68.45	88.18	120.7	144.5	181.5	221.2
32	71.84	104.6	128.8	154.6	195.3	236.5	16	70.17	90.51	124.5	148.4
128	74.79	109.0	134.5	162.0	206.0	250.0	32	71.90	93.32	128.0	153.0	194.2	235.8
512	75.73	111.3	137.6	165.5	211.6	256.6	128	74.41	96.67	133.7	160.2	202.0	248.0
1024	79.23	115.6	143.5	172.6	213.6	260.3	512	76.35	98.91	137.3	165.9	213.3	261.4
2048	216.7	263.7	1024	77.77	101.9	141.8	170.9	217.6	268.1
							2048	79.20	104.9	147.2	177.2
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 14.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 10.1^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	83.1	80.6	79.7	78.9	76.2	74.6	2	83.1	80.0	76.6	75.5
8	85.8	85.2	84.5	84.4	83.7	82.7	4	80.3	79.3
16	88.5	88.0	87.2	87.2	8	86.4	84.1	82.0	81.5	83.4	82.5
32	90.8	90.5	89.8	89.6	90.1	89.7	16	88.6	86.3	84.6	83.7
128	94.4	94.3	93.7	93.9	95.1	94.8	32	90.8	89.0	87.0	86.3	89.2	87.9
512	95.6	96.3	95.9	95.9	97.6	97.3	128	94.0	92.1	90.8	90.4	92.8	92.5
1024	100.0	100.0	100.0	100.0	98.6	98.7	512	96.4	94.3	93.3	93.6	98.0	97.5
2048	100.0	100.0	1024	98.2	97.1	96.3	96.4	100.0	100.0
							2048	100.0	100.0	100.0	100.0
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-14.5°	14.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-10.1°	10.1-25°	25-35°	35-50°	50-65°	
2	1.89	2.02	2.18	1.93	2.11		2	1.79	1.94	2.09	
8	2.10	2.18	2.43	2.39	2.45		4	2.53	
16	2.18	2.24	2.53		8	1.95	2.18	2.38	2.47	2.65	
32	2.26	2.30	2.58	2.71	2.75		16	2.01	2.28	2.39	
128	2.35	2.43	2.75	2.93	2.93		32	2.12	2.33	2.50	2.75	2.77	
512	2.45	2.50	2.79	3.07	3.00		128	2.20	2.48	2.65	2.79	3.07	
1024	2.51	2.66	2.91	2.73	3.11		512	2.23	2.58	2.86	3.16	3.22	
2048	3.13		1024	2.39	2.68	2.91	3.11	3.37	
							2048	2.54	2.84	3.00	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-14.5°	14.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-10.1°	10.1-25°	25-35°	35-50°	50-65°	
2	2.87	2.17	1.90	1.42	1.28		2	2.72	2.31	1.85	
8	3.09	2.21	2.00	1.64	1.35		4	1.45	
16	3.07	2.20	2.02		8	2.84	2.47	1.97	1.71	1.46	
32	3.15	2.20	2.00	1.75	1.41		16	2.86	2.52	1.92	
128	3.14	2.23	2.04	1.81	1.42		32	2.95	2.50	1.95	1.80	1.43	
512	3.24	2.25	2.03	1.86	1.42		128	2.96	2.57	1.98	1.74	1.52	
1024	3.17	2.30	2.03	1.58	1.46		512	2.92	2.61	2.08	1.90	1.51	
2048	1.45		1024	3.07	2.63	2.05	1.82	1.55	
							2048	3.21	2.71	2.04	

POTASSIUM NITRATE (W. AND C.).							POTASSIUM CHLORATE (SH.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_r 0^\circ$	$\mu_r 10^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$	<i>v</i>	$\mu_r 0^\circ$	$\mu_r 12.5^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$
2	54.02	69.67	95.21	113.2	141.3	170.0	8	58.9	80.8	104.7	124.9	158.6	192.1
8	61.94	80.22	111.0	131.8	165.0	199.6	32	61.3	88.3	115.2	137.3	173.4	211.9
16	65.33	84.31	116.3	128	68.5	94.2	122.8	146.5	185.0	228.8
32	67.92	87.78	121.3	145.3	182.0	220.4	512	70.1	96.7	126.1	150.9	193.4	239.1
128	72.05	93.57	129.5	154.7	194.1	235.4	1024	70.6	97.7	127.8	153.1	197.4	241.5
512	76.34	98.71	137.0	159.1	199.8	242.1	2048	71.2	98.4	128.4	154.0	200.8	244.9
1024	76.31	99.80	139.6	161.2	202.7	245.2	4096	72.4	100.7	131.4	157.6	204.3	249.7
2048	160.9	202.5	246.1
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 10^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	70.8	69.8	68.2	70.4	69.8	69.0	8	81.3	80.2	79.7	79.2	77.6	76.8
8	81.2	80.4	79.5	81.9	81.5	81.0	32	88.8	87.6	87.5	87.1	84.9	84.8
16	85.6	84.5	83.3	128	94.6	93.5	93.2	92.9	90.6	91.6
32	89.0	88.0	86.9	90.3	89.9	89.4	512	96.8	96.0	95.9	95.7	94.6	95.7
128	94.4	93.8	92.8	96.1	95.9	95.5	1024	97.5	97.2	97.2	97.1	96.6	96.7
512	100.0	98.9	98.1	98.9	98.7	98.3	2048	98.3	97.7	97.7	97.7	98.2	98.0
1024	100.0	100.0	100.0	100.0	100.0	99.5	4096	100.0	100.0	100.0	100.0	100.0	100.0
2048	100.0	100.0	100.0
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-10°	10-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
2	1.56	1.70	1.80	1.87	1.91		8	1.75	1.91	2.02	2.24	2.23	
8	1.83	2.05	2.08	2.21	2.31		32	1.94	2.15	2.21	2.41	2.57	
16	1.90	2.13		128	2.07	2.29	2.36	2.57	2.92	
32	1.99	2.23	2.40	2.45	2.56		512	2.12	2.35	2.48	2.83	3.05	
128	2.15	2.40	2.52	2.63	2.75		1024	2.15	2.42	2.52	2.95	2.94	
512	2.24	2.55	2.21	2.71	2.82		2048	2.18	2.44	2.56	3.12	2.94	
1024	2.35	2.65	2.16	2.77	2.83		4096	2.23	2.46	2.62	3.12	3.03	
2048	2.77	2.91		
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-10°	10-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
2	2.89	2.44	1.89	1.65	1.35		8	2.97	2.36	1.93	1.78	1.40	
8	2.95	2.56	1.87	1.68	1.40		32	3.00	2.43	1.93	1.76	1.48	
16	2.91	2.53		128	2.90	2.42	1.92	1.76	1.57	
32	2.93	2.54	1.98	1.69	1.41		512	3.02	2.43	1.95	1.87	1.57	
128	2.98	2.56	1.95	1.70	1.42		1024	3.04	2.47	1.97	1.92	1.49	
512	2.93	2.58	1.61	1.70	1.41		2048	3.06	2.47	1.98	2.01	1.46	
1024	3.08	2.65	1.53	1.72	1.40		4096	3.09	2.44	1.98	1.97	1.48	
2048	1.72	1.44		

POTASSIUM PERCHLORATE (SH.).							POTASSIUM SULPHATE (W AND C.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_r 0^\circ$	$\mu_r 12.5^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$	<i>v</i>	$\mu_r 0^\circ$	$\mu_r 9.5^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$
32	65.1	89.8	116.9	139.6	178.0	217.3	2	87.19	110.1	152.6	181.1	224.8	267.2
128	68.9	95.0	125.1	149.5	191.2	232.7	8	101.9	130.5	183.6	220.3	276.7	332.8
512	71.7	98.2	129.0	154.2	194.3	237.7	16	109.9	140.9	199.2
1024	72.0	99.5	130.7	155.3	195.9	240.6	32	117.9	151.5	214.4	259.7	329.2	400.0
2048	73.3	101.2	132.6	158.6	200.0	244.2	128	131.9	170.3	242.1	296.9	376.0	456.2
4096	74.3	102.6	134.5	160.7	206.4	251.3	512	142.7	184.0	263.5	319.6	406.7	500.7
							1024	145.0	187.0	268.0	328.2	419.6	513.1
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 9.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
32	87.6	87.6	86.9	86.9	86.2	86.4	2
128	92.7	92.5	93.0	93.0	92.1	92.4	8
512	96.5	95.7	95.9	95.3	94.1	94.2	16
1024	97.0	96.9	97.1	96.6	94.9	95.7	32
2048	98.6	98.5	98.5	98.6	96.9	97.2	128
4096	100.0	100.0	100.0	100.0	100.0	100.0	512
							1024
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-9.5°	9.5-25°	25-35°	35-50°	50-65°	
32	1.98	2.17	2.27	2.56	2.61		2	2.41	2.74	2.85	2.91	2.83	
128	2.08	2.40	2.44	2.71	2.83		8	3.01	3.43	3.67	3.76	3.74	
512	2.12	2.46	2.52	2.67	2.89		16	3.26	3.76	
1024	2.20	2.49	2.56	2.71	2.98		32	3.54	4.06	4.53	4.63	4.72	
2048	2.23	2.51	2.60	2.76	2.94		128	4.04	4.63	5.48	5.27	5.35	
4096	2.26	2.55	2.62	3.05	2.99		512	4.53	5.13	5.61	5.81	6.27	
							1024	4.42	5.23	6.02	6.09	6.23	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-9.5°	9.5-25°	25-35°	35-50°	50-65°	
32	3.04	2.42	1.94	1.83	1.46		2	2.76	2.49	1.87	1.61	1.26	
128	3.02	2.52	1.95	1.81	1.48		8	2.95	2.63	2.00	1.71	1.35	
512	2.95	2.60	1.95	1.73	1.48		16	2.97	2.67	
1024	3.05	2.50	1.95	1.74	1.52		32	3.00	2.61	2.11	1.78	1.43	
2048	3.04	2.48	1.96	1.67	1.47		128	3.06	2.72	2.26	1.77	1.42	
4096	3.04	2.49	1.94	1.87	1.45		512	3.05	2.79	2.13	1.82	1.54	
							1024	3.05	2.79	2.25	1.86	1.48	



POTASSIUM ACID SULPHATE (W.).							POTASSIUM CARBONATE (W. AND HW.).						
Molecular Conductivity.							Molecular Conductivity.						
v	$\mu_v 0^\circ$	$\mu_v 12.5^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	v	$\mu_v 0^\circ$	$\mu_v 17.8^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
2	153.8	184.0	207.6	220.6	2	84.31	129.2	150.1	158.35	199.34	228.63
4	265.8	278.9	8	98.74	154.1	180.9	191.45	237.57	291.17
8	182.1	222.9	254.2	274.1	298.8	313.3	16	105.3	166.5	195.3	216.87	278.66	341.86
16	201.2	248.8	286.6	310.0	32	112.9	179.6	210.5	228.87	296.51	369.42
32	223.6	280.7	323.7	353.1	388.4	408.9	128	122.3	197.6	233.6	263.89	340.18	424.50
128	263.1	336.9	401.0	446.4	502.9	536.7	512	131.2	211.1	250.1	284.36	378.64	468.12
512	291.8	383.9	467.1	531.0	616.0	675.6							
2048	290.9	385.8	478.2	556.6	675.0	747.0							
8192	291.2	401.0	496.0	569.0							
Percentage Dissociation.							Percentage Dissociation.						
v	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	v	$\alpha 0^\circ$	$\alpha 17.8^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	2	64.3	61.2	60.0	55.7	52.6	48.8
4	8	75.3	73.0	72.3	67.3	62.7	62.3
8	16	80.3	78.9	78.1	76.3	73.6	73.0
16	32	86.0	85.1	84.2	80.5	78.3	78.9
32	128	93.2	93.6	93.4	92.8	89.8	90.7
128	512	100.0	100.0	100.0	100.0	100.0	100.0
512							
2048							
8192							
Temperature Coefficients in Conductivity Units.							Temperature Coefficients in Conductivity Units.						
v	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		v	0-17.8°	17.8-25°	25-35°	35-50°	50-65°	
2	2.42	1.89	1.30		2	2.52	2.90	2.73	1.95	
4	0.87		8	3.11	3.72	3.07	2.57	
8	3.82	2.50	1.99	1.65	0.97		16	3.44	4.00	4.12	4.21	
16	3.81	3.02	2.34		32	3.75	4.29	4.51	4.86	
32	4.57	3.44	2.94	2.35	1.37		128	4.23	5.00	5.09	5.62	
128	5.90	5.13	4.54	3.77	2.25		512	4.49	5.42	6.29	5.89	
512	7.37	6.66	6.39	5.66	3.97								
2048	7.59	7.39	7.84	7.89	4.80								
8192	8.78	7.60	7.30								
Temperature Coefficients in Per Cent.							Temperature Coefficients in Per Cent.						
v	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		v	0-17.8°	17.8-25°	25-35°	35-50°	50-65°	
2	1.57	1.03	0.63		2	2.99	2.24	1.73	0.98	
4	0.33		8	3.15	2.41	1.60	1.08	
8	2.10	1.12	0.78	0.60	0.32		16	3.26	2.40	1.90	1.51	
16	1.89	1.21	0.82		32	3.32	2.39	1.97	1.64	
32	2.04	1.23	0.91	0.67	0.35		128	3.46	2.53	1.93	1.32	
128	2.24	1.52	1.13	0.85	0.45		512	3.42	2.57	2.21	1.26	
512	3.21	1.73	1.37	1.07	0.64								
2048	2.61	1.92	1.64	1.42	0.71								
8192	3.01	1.89	1.47								

DI-POTASSIUM ACID PHOSPHATE (Ws. AND Hw.).							POTASSIUM PHOSPHATE (Sh.). (K ₃ PO ₄)						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_r 0^\circ$	$\mu_r 12.5^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$	<i>v</i>	$\mu_r 0^\circ$	$\mu_r 12.5^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$
2	63.01	86.82	113.04	138.16	8	116.6	163.8	217.2	263.6	334.5	415.5
8	79.19	109.25	143.34	174.91	32	144.1	206.7	280.3	344.2	453.6	566.1
32	91.69	127.42	167.61	203.80	128	178.9	207.7	348.2	425.2	552.2	685.7
128	102.47	142.37	188.10	230.71	512	193.7	274.7	366.1	442.8	574.6	707.6
512	107.76	150.85	199.40	239.84	1024	192.1	271.5	362.5	440.1	565.1	697.3
1024	109.35	152.23	200.52	242.65	2048	190.0	268.3	359.3	437.2	549.5	676.2
2048	110.47	157.04	206.13	242.54	4096	179.0	252.0	336.7	407.6	517.1	646.0
4096	107.16	154.98	201.98	250.78							
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	57.0	55.3	54.8	55.1	8	60.2	59.6	59.3	59.5	58.2	58.7
8	71.7	69.6	69.5	69.8	32	74.4	75.2	76.5	77.7	78.7	80.0
32	83.0	81.1	81.3	81.3	128	92.9	93.8	95.1	96.0	96.1	96.9
128	92.8	90.7	91.3	92.0	512	100.0	100.0	100.0	100.0	100.0	100.0
512	97.6	96.1	96.7	95.7	1024	99.2	98.8	99.0	99.3	98.3	98.5
1024	99.0	96.9	97.3	96.8	2048	98.0	97.3	98.1	98.7	95.6	95.6
2048	100.0	100.0	100.0	96.7							
4096	97.0	98.7	98.0	100.0							
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
2	1.91	2.10	2.51		8	3.78	4.27	4.64	4.73	5.40	
8	2.40	2.73	3.16		32	5.00	5.88	6.39	7.29	7.50	
32	2.86	3.22	3.62		128	6.30	7.24	7.70	8.46	8.90	
128	3.19	3.66	4.26		512	6.48	7.31	7.67	8.78	8.87	
512	3.45	3.88	4.04		1024	6.35	7.28	7.76	8.33	8.81	
1024	3.43	3.85	4.21		2048	6.26	7.28	7.79	7.49	8.45	
2048	3.73	3.93	3.64		4096	5.84	6.78	7.09	7.30	8.65	
4096	3.83	3.76	4.88								
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
2	3.03	2.42	2.22		8	3.24	2.60	2.13	1.79	1.61	
8	3.03	2.50	2.21		32	3.54	2.85	2.24	2.04	1.65	
32	3.05	2.53	2.16		128	3.50	2.81	2.21	1.99	1.61	
128	3.11	2.57	2.27		512	3.34	2.66	2.10	1.98	1.54	
512	3.20	2.57	2.03		1024	3.30	2.68	2.14	1.89	1.56	
1024	3.14	2.54	2.10		2048	3.29	2.75	2.14	1.71	1.53	
2048	3.38	2.50	1.77		4096	3.27	2.69	2.10	1.81	1.67	
4096	3.57	2.43	2.42								

POTASSIUM SODIUM SULPHATE (H. AND HW.).							POTASSIUM NICKEL SULPHATE (H. AND HW.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_t 0^\circ$	$\mu_t 12.5^\circ$	$\mu_t 25^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	$\mu_t 65^\circ$	<i>v</i>	$\mu_t 0^\circ$	$\mu_t 12.5^\circ$	$\mu_t 25^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	$\mu_t 65^\circ$
4	88.4	122.5	159.0	189.6	225.23	272.73	8	122.6	170.7	221.9	265.3	343.45	407.67
8	96.1	146.6	170.6	209.1	251.17	305.40	32	155.4	217.0	283.8	339.7	438.23	527.29
32	113.0	158.1	207.2	249.7	301.65	367.39	128	187.5	263.0	344.8	414.1	547.33	659.73
128	128.8	179.0	236.1	284.5	345.97	424.23	512	219.6	309.3	407.7	490.7	655.16	798.45
512	135.6	189.6	250.8	301.0	375.47	455.59	1024	235.5	331.2	437.1	527.1	695.98	850.20
1024	140.8	197.1	259.2	313.2	382.60	469.31	2048	249.5	349.9	463.0	560.1	752.22	927.00
2048	140.9	198.2	261.4	316.2	395.50	489.05	4096	268.0	367.9	487.4	588.1	785.94	960.54
4096	144.3	202.6	267.6	322.1	427.44	521.52							
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
4	61.3	60.5	59.4	58.9	52.69	52.30	8	47.0	46.4	45.5	45.1	43.70	42.44
8	66.6	72.4	63.7	64.9	58.76	58.56	32	59.6	59.0	58.2	57.8	55.76	54.90
32	78.3	78.0	77.4	77.5	70.57	70.45	128	71.9	71.5	70.7	70.4	69.64	68.68
128	89.3	88.4	88.2	88.4	80.94	81.34	512	84.2	84.1	83.6	83.4	83.36	83.13
512	94.0	93.6	93.7	93.5	87.84	87.36	1024	90.3	90.0	89.7	89.6	88.55	88.51
1024	97.6	97.3	96.7	97.3	89.51	89.99	2048	95.7	95.1	95.0	95.2	95.71	96.51
2048	97.6	97.8	97.7	98.2	92.53	93.77	4096	100.0	100.0	10.0	100.0	100.00	100.00
4096	100.0	100.0	100.0	100.0	100.00	100.00							
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
4	2.73	2.92	3.06	3.17		8	3.85	4.10	4.34	4.28	
8	4.04	1.92	3.85	3.61		32	4.93	5.32	5.59	5.94	
32	3.68	3.93	4.25	4.38		128	6.04	6.54	6.93	7.49	
128	4.02	4.57	4.84	5.22		512	7.18	7.87	8.30	9.55	
512	4.32	4.90	5.02	5.34		1024	7.66	8.47	9.00	10.28	
1024	4.50	4.97	5.40	5.78		2048	8.03	9.05	9.71	11.65	
2048	4.58	5.06	5.48	6.24		4096	8.57	9.56	10.07	11.64	
4096	4.66	5.20	5.45	6.25								
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
4	3.09	2.38	1.92	1.41		8	3.14	2.40	1.96	1.25	
8	4.30	1.30	1.79	1.44		32	3.17	2.45	1.97	1.36	
32	3.26	2.49	2.05	1.45		128	3.22	2.48	2.01	1.37	
128	3.12	2.55	2.05	1.51		512	3.27	2.54	2.04	1.46	
512	3.19	2.58	2.00	1.42		1024	3.25	2.56	2.06	1.48	
1024	3.20	2.52	2.08	1.51		2048	3.22	2.59	2.09	1.55	
2048	3.25	2.55	2.10	1.58		4096	3.29	2.60	2.07	1.48	
4096	3.23	2.56	2.04	1.46								

POTASSIUM CHROMIUM SULPHATE (H. AND HW.). (VIOLET VARIETY.)							POTASSIUM CHROMIUM SULPHATE (H. AND HW.). (GREEN VARIETY.)						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_r 0^\circ$	$\mu_r 12.5^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$	<i>v</i>	$\mu_r 0^\circ$	$\mu_r 12.5^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$
8	75.8	105.0	135.3	159.4	201.86	242.04	8	101.0	130.1	158.4	179.6	221.47	248.10
16	87.3	121.2	157.3	185.3	219.21	276.73	16	119.3	154.0	188.1	213.2	252.44	279.35
32	99.0	138.1	179.6	211.3	271.70	339.90	32	137.8	179.3	219.5	249.3	318.16	352.59
128	127.0	179.5	236.7	279.9	363.28	467.30	128	177.7	234.4	290.6	333.5	437.81	485.99
512	161.1	232.0	311.5	374.5	499.67	658.91	512	210.9	283.5	359.1	426.6	618.30	699.33
1024	186.6	271.6	369.6	443.8	586.07	785.37	1024	229.7	310.9	399.6	479.0	658.54	771.94
2048	213.3	314.2	428.8	520.6	701.81	928.44	2048	247.0	339.5	441.3	539.1	753.80	903.28
4096	245.8	364.8	500.1	613.9	818.02	1082.97	4096	273.1	379.4	500.3	616.2	848.62	1017.25
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
8	8
16	16
32	32
128	128
512	512
1024	1024
2048	2048
4096	4096
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
8	2.34	2.42	2.41	2.83	2.68		8	2.33	2.26	2.12	1.78	
16	2.71	2.89	2.80	2.26	3.83		16	2.78	2.73	2.51	1.79	
32	3.13	3.32	3.17	4.03	4.55		32	3.32	3.22	2.98	2.30	
128	4.20	4.58	4.32	5.56	6.93		128	4.54	4.50	4.29	3.21	
512	5.67	6.36	6.30	8.35	10.62		512	5.81	6.05	6.75	5.40	
1024	6.80	7.84	7.42	9.55	13.29		1024	6.50	7.10	7.94	7.56	
2048	8.07	9.17	9.18	12.08	15.11		2048	7.40	8.14	9.78	9.97	
4096	9.52	10.82	11.38	13.61	17.66		4096	8.50	9.67	11.59	11.23	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
8	3.09	2.31	1.78	1.77	1.33		8	2.31	1.74	1.34	0.80	
16	3.10	2.38	1.78	1.22	1.28		16	2.33	1.77	1.33	0.71	
32	3.16	2.40	1.77	1.90	1.67		32	2.41	1.80	1.36	0.72	
128	3.31	2.55	1.82	1.99	1.91		128	2.55	1.92	1.48	0.73	
512	3.52	2.74	2.02	2.23	2.15		512	2.76	2.13	1.88	0.87	
1024	3.64	2.89	2.01	2.15	2.27		1024	2.83	2.28	1.99	1.15	
2048	3.78	2.92	2.14	2.32	2.15		2048	3.00	2.40	2.22	1.32	
4096	3.87	2.97	2.28	2.22	2.16		4096	3.11	2.55	2.32	1.32	

POTASSIUM PERMANGANATE (Ws. AND Hw.).							POTASSIUM CHROMATE (J. AND C.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 12.5^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 12.2^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
8	59.34	80.17	104.36	124.76	159.16	193.58	2	96.50	128.1	165.7	197.5	249.1	295.9
32	63.75	87.13	113.70	136.05	171.71	208.58	8	111.3	151.9	196.0	235.4	297.5	357.7
128	66.76	91.38	119.31	142.42	181.98	222.22	16	117.8	163.5	213.5	256.0
512	66.46	91.14	117.90	141.49	185.19	226.46	32	124.6	173.7	227.2	272.0	343.8	417.4
1024	64.65	89.05	113.95	137.09	182.45	215.95	128	140.1	191.1	252.9	303.0	389.4	468.5
2048	63.72	86.61	110.80	133.02	183.16	215.22	512	147.1	205.5	272.0	327.8	415.0	513.6
4096	62.64	87.94	111.80	133.97	178.59	205.22	1024	150.1	209.2	276.2	330.2
							2048	151.4	211.5	279.9	334.3
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 12.2^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
8	88.8	87.7	87.5	87.6	85.94	85.48	2	63.7	60.6	59.2	59.6
32	95.4	95.3	95.3	95.5	92.72	92.10	8	73.5	71.8	70.0	70.4
128	100.0	100.0	100.0	100.0	98.27	98.13	16	77.8	77.3	76.3	76.6
512	99.5	99.7	98.8	99.4	100.00	100.00	32	82.3	82.1	81.2	81.4
1024	96.8	97.4	95.5	96.3	98.52	95.36	128	92.5	90.4	90.4	90.6
2048	95.4	94.8	92.9	93.4	98.90	95.04	512	97.2	97.2	97.2	98.1
4096	93.8	96.2	93.7	94.1	96.44	90.62	1024	99.1	98.9	98.7	98.8
							2048	100.0	100.0	100.0	100.0
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.2°	12.2-25°	25-35°	35-50°	50-65°	
8	1.67	1.94	2.04	2.29	2.29		2	2.59	2.93	3.18	3.44	3.12	
32	1.87	2.13	2.24	2.38	2.46		8	3.35	3.45	3.94	4.16	4.01	
128	1.97	2.23	2.31	2.64	2.68		16	3.74	3.90	4.25	
512	1.97	2.14	2.36	2.91	2.75		32	4.04	4.17	4.48	4.79	4.91	
1024	1.95	1.99	2.31	3.02	2.23		128	4.18	4.82	5.01	5.76	5.27	
2048	1.83	1.94	2.22	3.34	2.14		512	4.78	5.19	5.44	5.81	6.57	
4096	2.02	1.91	2.22	2.97	1.78		1024	4.84	5.23	5.40	
							2048	4.93	5.34	5.44	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.2°	12.2-25°	25-35°	35-50°	50-65°	
8	2.81	2.42	1.96	1.84	1.44		2	2.68	2.29	1.92	1.74	1.25	
32	2.93	2.45	1.97	1.75	1.43		8	3.00	2.27	2.01	1.77	1.35	
128	2.95	2.44	1.94	1.85	1.47		16	3.17	2.39	1.99	
512	2.96	2.35	2.00	2.06	1.48		32	3.24	2.40	1.97	1.76	1.43	
1024	3.02	2.24	2.03	2.20	1.22		128	2.98	2.52	1.98	1.90	1.35	
2048	2.87	2.24	2.00	2.51	1.17		512	3.24	2.53	2.00	1.77	1.58	
4096	3.23	2.17	1.99	2.22	1.00		1024	3.22	2.50	1.96	
							2048	3.26	2.52	1.94	

POTASSIUM DICHROMATE (J. AND W.).							POTASSIUM FERROCYANIDE (W.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 12.6^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 13.1^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
4				272.1	326.9	4	162.1	224.1	287.1	341.8	414.5	495.6
8	109.1	150.8	195.5	234.0	292.4	352.9	8	168.8	236.8	305.1	364.5	450.6	543.0
16	116.6	161.5	209.3	248.8	16	179.9	255.0	327.1	394.1
32	122.6	168.8	219.4	260.9	327.3	396.9	32	195.6	277.0	357.8	430.7	535.0	651.0
128	129.9	178.8	231.5	277.3	346.0	417.9	128	236.1	335.5	432.8	523.8	663.1	808.3
512	133.0	182.5	237.3	281.2	351.7	426.8	512	280.7	399.4	516.6	627.0	818.7	1006.3
1024	133.6	185.7	240.6	287.9	1024	295.1	421.4	546.5	660.0
2048	136.8	188.8	245.5	293.6	366.4	448.9	2048	315.0	449.0	578.0	703.0	915.4	1121.3
							S192	328.0	467.0	599.0	724.0	941.9	1153.2
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 12.6^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 13.1^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
4				74.3	72.8	4	49.4	48.0	47.9	47.2	44.0	43.0
8	79.8	79.9	79.6	79.6	79.8	78.6	8	51.5	50.7	50.9	50.3	47.8	47.1
16	85.2	85.5	85.3	84.7	16	54.8	54.6	54.6	54.4
32	89.6	89.4	89.4	88.9	89.3	88.4	32	59.6	59.3	59.7	59.5	56.8	56.4
128	95.0	94.7	94.3	94.4	94.4	93.1	128	72.0	71.8	72.3	72.3	70.4	70.1
512	97.2	96.7	96.7	95.8	96.0	95.1	512	85.6	85.5	86.2	86.6	86.9	87.2
1024	97.7	98.4	98.0	98.1	1024	90.0	90.2	91.2	91.2
2048	100.0	100.0	100.0	100.0	100.0	100.0	2048	96.0	96.1	96.4	97.1	97.2	97.2
							S192	100.0	100.0	100.0	100.0	100.0	100.0
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-12.6°	12.6-25°	25-35°	35-50°	50-65°		<i>v</i>	0-13.1°	13.1-25°	25-35°	35-50°	50-65°	
4				3.65		4	4.73	5.29	5.47	4.85	5.41	
8	3.31	3.60	3.85	3.89	4.03		8	5.19	5.74	5.94	5.74	6.16	
16	3.56	3.85	3.95		16	5.73	6.06	6.70	
32	3.66	4.08	4.15	4.43	4.64		32	6.21	6.79	7.29	6.95	7.73	
128	3.88	4.25	4.39	4.58	4.79		128	7.59	8.18	9.10	9.29	9.68	
512	3.93	4.42	4.45	4.70	5.01		512	9.06	9.75	11.04	12.78	12.51	
1024	4.13	4.43	4.73		1024	9.64	10.51	11.35	
2048	4.13	4.57	4.81	4.85	5.50		2048	10.23	10.84	12.50	14.16	13.73	
							S192	10.61	11.09	12.50	14.60	14.08	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-12.6°	12.6-25°	25-35°	35-50°	50-65°		<i>v</i>	0-13.1°	13.1-25°	25-35°	35-50°	50-65°	
4				1.34		4	2.91	2.36	1.91	1.42	1.30	
8	3.03	2.19	1.97	1.58	1.37		8	3.08	2.42	1.62	1.58	1.36	
16	3.05	2.38	1.89		16	3.19	2.38	2.05	
32	2.98	2.42	1.89	1.70	1.42		32	3.17	2.45	2.04	1.61	1.44	
128	2.99	2.38	1.90	1.65	1.38		128	3.21	2.44	2.10	1.77	1.46	
512	2.95	2.42	1.88	1.67	1.42		512	3.22	2.47	2.14	2.04	1.53	
1024	3.09	2.39	1.97		1024	3.27	2.49	2.08	
2048	3.02	2.42	1.96	1.65	1.50		2048	3.24	2.41	2.16	2.01	1.50	
							S192	3.23	2.37	2.09	2.01	1.50	

POTASSIUM ALUMINIUM SULPHATE (H.).							POTASSIUM ACETATE (WS. AND C.).						
Molecular Conductivity.							Molecular Conductivity.						
<i>v</i>	μ_r0°	$\mu_r12.5^\circ$	μ_r25°	μ_r35°	μ_r50°	μ_r65°	<i>v</i>	μ_r0°	$\mu_r12.5^\circ$	μ_r25°	μ_r35°	μ_r50°	μ_r65°
4	142.3	172.5	196.1	4	46.13	62.62	83.35	99.88	129.2	157.4
8	78.9	108.9	140.3	165.3	207.5	240.6	8	48.60	67.11	88.43	105.77
32	101.2	140.8	182.2	215.7	255.1	317.4	16	144.6	177.1
128	127.6	177.7	232.9	283.7	356.9	426.2	32	53.09	73.59	97.29	117.46
512	158.8	223.7	294.9	358.3	446.9	557.1	64	155.0	190.4
1024	177.8	250.5	332.7	402.8	128	55.57	77.43	102.13	123.03
2048	197.5	281.8	378.4	470.0	626.4	769.4	256	162.3	199.7
4096	218.8	314.7	425.5	528.8	512	57.17	79.91	105.16	126.87
							1024	58.33	81.14	106.84	129.09	165.1	203.7
							2048	59.24	82.09	108.43	129.84	166.7	210.8
							4096	59.06	81.89	108.65	129.90
Percentage Dissociation.							Percentage Dissociation.						
<i>v</i>	$\alpha0^\circ$	$\alpha12.5^\circ$	$\alpha25^\circ$	$\alpha35^\circ$	$\alpha50^\circ$	$\alpha65^\circ$	<i>v</i>	$\alpha0^\circ$	$\alpha12.5^\circ$	$\alpha25^\circ$	$\alpha35^\circ$	$\alpha50^\circ$	$\alpha65^\circ$
4	4	77.8	76.3	76.6	76.9	77.5	74.7
8	8	82.0	81.8	81.3	81.5
32	16	86.7	84.0
128	32	89.6	89.7	89.5	90.4
512	64	93.0	90.3
1024	128	93.7	94.4	93.9	94.7
2048	256	97.4	94.7
4096	512	96.4	97.4	96.7	97.6
							1024	98.4	98.9	98.3	99.3	99.0	96.6
							2048	100.0	100.0	99.7	99.9	100.0	100.0
							4096	99.6	99.8	100.0	100.0
Temperature Coefficients in Conductivity Units.							Temperature Coefficients in Conductivity Units.						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
4	2.01	1.57		4	1.32	1.66	1.65	1.95	1.88	
8	2.40	2.51	2.50	2.81	2.21		8	1.48	1.71	1.74	
32	3.17	3.31	3.35	2.63	4.15		16	2.17	
128	4.01	4.42	5.08	4.88	4.62		32	1.64	1.90	2.02	
512	5.19	5.69	6.34	5.91	7.35		64	2.36	
1024	5.81	6.57	7.01		128	1.75	1.98	2.09	
2048	6.74	7.73	9.16	10.42	11.33		256	2.49	
4096	7.67	8.86	10.33		512	1.82	2.02	2.17	
							1024	1.83	2.06	2.23	2.40	2.57	
							2048	1.83	2.11	2.14	2.46	2.94	
							4096	1.83	2.14	2.13	
Temperature Coefficients in Per Cent.							Temperature Coefficients in Per Cent.						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
4	1.41	0.87		4	2.86	2.64	1.98	1.95	1.46	
8	3.04	2.30	1.78	1.70	1.06		8	3.05	2.55	1.97	
32	3.13	2.35	1.84	1.22	1.63		16	1.50	
128	3.14	2.49	2.18	1.72	1.29		32	3.09	2.58	2.07	
512	3.27	2.54	2.15	1.65	1.64		64	
1024	3.27	2.62	2.11		128	3.15	2.54	2.05	1.52	
2048	3.41	2.74	2.42	2.22	1.81		256	1.53	
4096	3.51	2.82	2.43		512	3.17	2.53	2.06	
							1024	3.14	2.54	2.09	1.86	1.56	
							2048	3.09	2.57	1.97	1.90	1.76	
							4096	3.10	2.61	1.96	

POTASSIUM SULPHOCYANATE (J. AND C.).

Molecular Conductivity.

<i>v</i>	$\mu_t 0^\circ$	$\mu_t 13.5^\circ$	$\mu_t 25^\circ$	$\mu_t 30^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	$\mu_t 65^\circ$
2	57.75	79.47	100.0	110.2			
4					127.6	160.2	191.1
8	62.48	87.87	110.9	121.9	132.9	166.7	201.8
16	64.26	90.81	115.4	126.8			
32	65.99	93.39	118.7	130.8	142.3	179.6	219.6
128	70.70	100.1	127.3	139.4	149.3	190.0	232.4
512	71.28	101.2	129.8	142.3	153.7	192.6	239.3
1024	72.25	102.6	131.5	144.3			
2048	72.86	103.0	133.7	147.3	161.2	206.4	250.9

Percentage Dissociation.

<i>v</i>	$\alpha 0^\circ$	$\alpha 13.5^\circ$	$\alpha 25^\circ$	$\alpha 30^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	79.3	77.2	74.8	74.8			
4					79.2	77.6	76.2
8	85.8	85.3	83.0	82.8	82.4	80.8	80.4
16	88.2	88.2	86.3	86.1			
32	90.6	90.7	88.8	88.8	88.3	87.0	87.5
128	97.0	97.2	95.2	94.6	92.6	92.1	92.6
512	97.8	98.3	97.1	96.6	95.4	93.3	95.4
1024	99.2	99.6	98.4	98.0			
2048	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Temperature Coefficients in Conductivity Units.

<i>v</i>	0-13.5°	13.5-25°	25-30°	30-35°	35-50°	50-65°
2	1.31	1.78	2.04			
4					2.17	2.06
8	1.88	2.00	2.20	2.20	2.25	2.34
16	1.97	2.14	2.28			
32	2.04	2.18	2.41	2.42	2.49	2.67
128	2.18	2.38	2.42	1.99	2.74	2.83
512	2.23	2.46	2.50	2.28	2.60	3.11
1024	2.26	2.49	2.56			
2048	2.24	2.60	2.72	2.78	3.01	2.97

Temperature Coefficients in Per Cent.

<i>v</i>	0-13.5°	13.5-25°	25-30°	30-35°	35-50°	50-65°
2	2.27	2.24	2.04			
4					1.70	1.29
8	3.00	2.28	1.98	1.80	1.69	1.40
16	3.07	2.36	1.98			
32	3.09	2.33	2.03	1.85	1.75	1.49
128	3.08	2.38	1.90	1.43	1.84	1.49
512	3.13	2.43	1.93	1.60	1.69	1.62
1024	3.13	2.43	1.95			
2048	3.07	2.52	2.03	1.89	1.86	1.44

AMMONIUM CHLORIDE (W. AND C.).

Molecular Conductivity.

<i>v</i>	$\mu_t 0^\circ$	$\mu_t 14.5^\circ$	$\mu_t 25^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	$\mu_t 65^\circ$
2	62.76	89.86	109.2	129.9	161.4	194.0
8	66.17	96.11	118.6	142.8	179.4	217.1
16	68.02	99.26	123.2	148.2		
32	70.20	102.4	127.6	153.7	194.0	235.9
128	73.08	107.6	133.4	161.4	206.2	251.1
512	74.39	109.8	136.8	165.4	211.4	259.5
1024	74.84	110.5	137.8	167.2	214.4	269.7
2048					218.3	265.4

Percentage Dissociation.

<i>v</i>	$\alpha 0^\circ$	$\alpha 14.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	84.0	81.3	79.2	77.7	73.9	73.1
8	88.4	87.0	86.1	85.4	82.2	81.8
16	90.8	89.8	89.4	88.6		
32	93.8	92.7	92.6	91.9	88.9	88.9
128	97.6	97.4	96.8	96.5	94.4	94.6
512	99.4	99.4	99.3	98.9	96.8	97.8
1024	100.0	100.0	100.0	100.0	98.2	
2048					100.0	100.0

Temperature Coefficients in Conductivity Units.

<i>v</i>	0-14.5°	14.5-25°	25-35°	35-50°	50-65°
2	1.87	1.84	2.07	2.10	2.17
8	2.06	2.14	2.42	2.44	2.51
16	2.15	2.28	2.50		
32	2.22	2.40	2.61	2.69	2.79
128	2.38	2.46	2.80	2.99	2.99
512	2.44	2.57	2.86	3.07	3.21
1024	2.46	2.60	2.94	3.15	3.69
2048					3.14

Temperature Coefficients in Per Cent.

<i>v</i>	0-14.5°	14.5-25°	25-35°	35-50°	50-65°
2	2.98	2.05	1.90	1.61	1.34
8	3.11	2.23	2.02	1.71	1.40
16	3.16	2.30	2.02		
32	3.16	2.34	2.04	1.75	1.44
128	3.26	2.29	2.10	1.85	1.45
512	3.29	2.34	2.09	1.86	1.52
1024	3.29	2.35	2.13	1.89	1.72
2048					1.44

AMMONIUM BROMIDE (W.).							TETRAETHYL AMMONIUM IODIDE (SH.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
v	$\mu_r 0^\circ$	$\mu_r 12.5^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$	v	$\mu_r 0^\circ$	$\mu_r 12.5^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$
2	67.26	89.81	115.1	136.7	8	38.6	54.6	72.8	88.5
4	174.2	210.6	32	46.5	65.4	86.8	105.0
8	69.36	95.44	123.6	146.8	182.2	220.9	128	51.1	72.1	95.4	114.8
16	71.53	98.06	127.4	153.3	512	52.8	73.9	98.0	118.4
32	73.50	101.1	131.7	158.0	196.3	239.3	1024	53.3	75.2	99.3	119.7
128	76.18	105.5	137.9	165.0	206.2	250.9	2048	54.4	77.0	101.7	122.5
512	77.55	107.8	141.3	168.9	213.7	259.8	4096	54.0	76.5	101.6	122.9
1024	77.06	107.5	140.9	169.5	221.0	267.6							
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
v	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	v	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	87.3	83.5	81.7	80.6	8	69.6	70.9	71.6	72.0
4	78.8	78.7	32	83.9	84.9	85.3	85.4
8	90.0	88.8	87.7	86.6	82.4	82.5	128	92.2	92.3	93.7	93.4
16	92.8	91.2	90.4	90.4	512	95.3	94.6	96.3	96.3
32	95.4	94.1	93.5	93.2	88.8	89.4	1024	96.2	96.2	97.6	97.5
128	98.9	98.1	97.9	97.3	93.3	93.7	2048	100.0	100.0	100.0	99.7
512	100.0	100.0	100.0	99.6	96.7	97.0	4096	98.7	98.0	99.9	100.0
1024	100.0	100.0	100.0	100.0	100.0	100.0							
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
v	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		v	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
2	1.80	2.02	2.16		8	1.28	1.46	1.57	
4	2.43		32	1.51	1.70	1.82	
8	2.09	2.25	2.32	2.36	2.58		128	1.67	1.86	1.94	
16	2.12	2.35	2.59		512	1.69	1.92	2.04	
32	2.21	2.45	2.63	2.55	2.87		1024	1.76	1.93	2.04	
128	2.35	2.59	2.71	2.75	2.98		2048	1.78	1.98	2.08	
512	2.42	2.68	2.76	2.99	3.08		4096	1.80	2.00	2.12	
1024	2.43	2.67	2.86	3.43	3.11								
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
v	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		v	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
2	2.68	2.25	1.88		8	3.31	2.67	2.15	
4	1.39		32	3.25	2.60	2.09	
8	3.01	2.36	1.88	1.61	1.42		128	3.29	2.56	2.03	
16	2.96	2.40	2.03		512	3.20	2.59	2.08	
32	3.01	2.42	2.00	1.61	1.46		1024	3.20	2.58	2.07	
128	3.08	2.46	1.98	1.67	1.45		2048	3.27	2.57	2.04	
512	3.12	2.49	1.85	1.77	1.44		4096	3.32	2.61	2.08	
1024	3.16	2.49	2.03	2.02	1.41								

AMMONIUM NITRATE (WS. AND C.).							AMMONIUM SULPHATE (WS. AND C.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
v	μ_0	$\mu_{12.5}$	μ_{25}	μ_{35}	μ_{50}	μ_{65}	v	μ_0	$\mu_{12.5}$	μ_{25}	μ_{35}	μ_{50}	μ_{65}
2	58.44	78.92	101.51	119.48	148.9	179.8	2	82.37	112.09	145.09	170.72	215.8	257.6
8	64.35	84.25	113.58	135.07	169.3	204.3	8	98.06	136.28	179.57	213.19	270.8	325.2
32	68.81	94.30	123.13	146.53	184.2	223.0	32	115.27	160.26	210.98	254.86	324.3	393.3
128	71.64	98.45	128.44	152.92	195.2	237.5	128	130.95	182.65	241.38	291.69	375.8	461.7
512	73.63	101.39	132.64	157.48	201.4	246.3	512	139.69	195.77	259.21	313.00	417.0	506.5
1024	74.69	102.51	134.43	159.44	203.7	249.3	1024	143.84	202.31	267.62	322.55
2048	75.25	103.39	134.79	160.39	205.3	251.6	2048	150.62	209.74	275.96	337.47	428.4	528.2
4096	76.37	105.51	137.87	163.62	4096	150.44	211.55	280.82	340.32	440.0	538.6
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
v	α_0	$\alpha_{12.5}$	α_{25}	α_{35}	α_{50}	α_{65}	v	α_0	$\alpha_{12.5}$	α_{25}	α_{35}	α_{50}	α_{65}
2	76.5	74.8	73.6	73.0	72.5	71.5	2	54.6	52.9	51.6	50.1
8	84.2	79.9	82.2	82.6	82.5	81.2	8	65.0	64.4	63.9	62.6
32	90.1	89.4	89.3	90.0	89.7	88.6	32	76.5	75.7	75.1	74.8
128	93.8	93.3	93.2	93.5	93.1	94.4	128	86.9	86.3	85.9	85.7
512	96.4	96.1	96.2	96.3	98.1	97.9	512	92.7	92.5	92.3	91.9
1024	97.8	97.2	97.5	97.5	99.2	99.1	1024	95.4	95.6	95.2	94.7
2048	98.5	98.0	97.8	98.0	100.0	100.0	2048	100.0	99.1	98.2	99.1
4096	100.0	100.0	100.0	100.0	4096	99.8	100.0	100.0	100.0
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
v	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		v	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
2	1.64	1.81	1.80	1.96	2.06		2	2.38	2.64	2.56	2.79	
8	1.59	2.33	2.17	2.28	2.33		8	3.06	3.46	3.36	3.63	
32	2.04	2.31	2.34	2.51	2.59		32	3.60	4.06	4.39	4.60	
128	2.15	2.40	2.45	2.82	2.82		128	4.14	4.70	5.03	5.73	
512	2.22	2.50	2.48	2.95	2.99		512	4.49	5.08	5.38	5.97	
1024	2.23	2.55	2.50	2.95	3.04		1024	4.68	5.22	5.49	
2048	2.25	2.52	2.56	2.99	3.09		2048	4.73	5.30	6.15	6.65	
4096	2.33	2.59	2.58		4096	4.89	5.54	5.95	6.57	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
v	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		v	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
2	2.81	2.29	1.77	1.64	1.38		2	2.89	2.36	1.76	1.29	
8	2.47	2.77	1.91	1.69	1.38		8	3.12	2.54	1.87	1.34	
32	2.97	2.45	1.90	1.71	1.41		32	3.12	2.53	2.08	1.42	
128	3.00	2.44	1.91	1.84	1.44		128	3.16	2.57	2.08	1.52	
512	3.02	2.47	1.86	1.87	1.48		512	3.21	2.60	2.08	1.43	
1024	2.99	2.49	1.86	1.85	1.49		1024	3.25	2.58	2.05	
2048	2.99	2.44	1.90	1.86	1.51		2048	3.14	2.53	2.23	1.55	
4096	3.05	2.46	1.87		4096	3.25	2.58	2.12	1.49	

AMMONIUM ACID SULPHATE (WS. AND SH.).							AMMONIUM ALUMINIUM SULPHATE (H.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 12.5^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 12.5^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
2	155.26	186.49	211.99	226.06	223.8	235.3	8	80.0	110.9	143.1	168.8	203.5	236.5
8	183.40	223.84	258.00	277.18	286.0	303.2	16	202.3	247.5	288.0
32	223.58	279.55	322.68	349.24	374.2	396.5	32	102.5	143.1	185.5	220.4
128	265.24	339.00	404.14	444.74	485.9	525.3	64	261.5	325.8	384.8
512	289.79	378.25	463.20	522.24	593.5	666.1	128	130.1	182.7	238.8	284.8	347.5	426.3
1024	295.22	386.88	483.51	547.05	647.1	794.5	512	162.2	230.9	304.5	365.9	477.5	573.5
2048	303.41	400.01	496.86	573.46	681.5	820.6	1024	181.0	257.5	342.4	415.1
4096	304.26	401.96	497.11	576.66	712.5	855.2	2048	201.8	288.2	386.4	485.8	643.1	831.5
							4096	224.2	322.8	437.6	540.3
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	51.0	46.4	42.7	39.2	31.4	27.5	8
8	60.3	55.7	51.9	48.1	40.1	35.5	16
32	73.5	69.6	65.0	60.6	52.5	46.4	32
128	87.1	84.4	81.3	77.1	68.2	61.4	64
512	95.2	94.2	93.2	90.5	83.3	77.9	128
1024	97.0	96.3	97.4	94.9	90.8	93.0	512
2048	99.7	99.6	99.9	99.4	95.6	96.0	1024
4096	100.0	100.0	100.0	100.0	100.0	100.0	2048
							4096
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
2	2.50	2.04	1.41	0.77		8	2.47	2.58	2.57	2.31	2.20	
8	4.04	2.73	1.91	1.15		16	
32	4.48	3.45	2.66	1.49		32	3.25	3.39	3.49	3.01	2.70	
128	5.90	5.21	4.06	2.63		64	4.29	3.93	
512	7.08	6.79	5.90	4.84		128	4.21	4.49	4.60	4.18	5.25	
1024	7.33	7.73	6.35	9.83		512	5.50	5.89	6.14	7.44	6.40	
2048	7.73	7.74	7.66	9.27		1024	6.12	6.79	7.27	
4096	7.81	7.61	7.96	8.85		2048	6.91	7.86	9.94	10.49	12.56	
							4096	7.90	8.38	10.27	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
2	1.61	1.09	0.66	0.34		8	3.09	2.33	1.80	1.37	1.08	
8	2.20	1.22	0.74	0.40		16	
32	2.00	1.23	0.82	0.40		32	3.17	2.37	1.88	1.48	1.09	
128	2.22	1.54	1.01	0.54		64	1.64	1.21	
512	2.44	1.80	1.27	0.82		128	3.24	2.46	1.93	1.47	1.51	
1024	2.48	2.00	1.31	1.52		512	3.39	2.55	2.02	2.03	1.34	
2048	2.55	1.94	1.54	1.36		1024	3.38	2.64	2.12	
4096	2.57	1.89	1.60	1.23		2048	3.42	2.73	2.57	2.16	1.95	
							4096	3.53	2.60	2.35	

AMMONIUM CHROMIUM SULPHATE (H. AND HW.). (VIOLET).							AMMONIUM CHROMIUM SULPHATE (H. AND HW.). (GREEN).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_t 0^\circ$	$\mu_t 12.5^\circ$	$\mu_t 25^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	$\mu_t 65^\circ$	<i>v</i>	$\mu_t 0^\circ$	$\mu_t 12.5^\circ$	$\mu_t 25^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	$\mu_t 65^\circ$
8	77.5	106.4	137.3	162.7	204.92	244.97	8	103.6	133.2	162.9	185.3	223.33	250.70
16	88.9	123.2	159.5	188.3	239.15	288.79	16	119.7	155.4	190.6	219.3	268.08	299.59
32	100.8	140.3	182.2	216.0	274.46	333.50	32	136.4	178.2	220.8	255.1	316.57	352.20
128	129.5	183.0	240.2	285.9	369.58	459.09	128	172.3	228.4	288.1	336.4	436.52	489.76
512	165.5	238.0	321.0	385.9	508.79	648.99	512	202.6	274.4	355.7	423.2	585.31	673.80
1024	187.0	272.0	372.0	455.7	604.32	754.79	1024	215.6	294.2	386.2	471.2	658.87	789.57
2048	211.9	310.7	428.5	530.0	713.72	897.35	2048	222.0	313.5	414.0	518.4	757.75	924.29
4096	240.7	355.6	492.2	617.0	853.42	1050.26	4096	234.4	328.4	458.1	593.8	868.79	1061.73
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
8							8						
16							16						
32							32						
128							128						
512							512						
1024							1024						
2048							2048						
4096							4096						
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
8	2.31	2.47	2.54	2.67		8	2.37	2.38	2.24	1.82	
16	2.74	2.90	2.88	3.31		16	2.70	2.82	2.87	2.10	
32	3.16	3.35	2.38	3.94		32	3.34	3.41	3.43	2.38	
128	4.28	4.57	4.57	5.90		128	4.49	4.78	4.83	3.55	
512	5.80	6.64	6.49	9.35		512	5.74	6.50	6.75	5.90	
1024	6.80	8.00	8.37	10.03		1024	6.29	7.36	8.50	8.71	
2048	7.90	9.40	10.15	12.24		2048	7.32	8.04	10.44	11.10	
4096	9.19	10.93	12.48	13.12		4096	7.52	10.38	13.57	12.56	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
8	2.98	2.32	1.85	1.30		8	2.29	1.79	1.38	0.81	
16	3.08	2.35	1.81	1.38		16	2.26	1.82	1.51	0.78	
32	3.14	2.39	1.86	1.44		32	2.45	1.91	1.55	0.75	
128	3.31	2.50	1.90	1.60		128	2.61	2.09	1.68	0.81	
512	3.51	2.79	2.02	1.84		512	2.83	2.37	1.90	1.01	
1024	3.64	2.94	2.25	1.66		1024	2.92	2.50	2.20	1.32	
2048	3.73	3.03	2.37	1.71		2048	3.37	2.57	2.52	1.46	
4096	3.82	3.07	2.54	1.54		4096	3.21	3.16	2.96	1.48	

AMMONIUM COPPER SULPHATE (H. AND HW.).							CALCIUM CHLORIDE (SH. AND H.).						
Molecular Conductivity.							Molecular Conductivity.						
<i>v</i>	μ_0^0	$\mu_t12.5^\circ$	μ_t25°	μ_t35°	μ_t50°	μ_t65°	<i>v</i>	μ_0^0	$\mu_t12.5^\circ$	μ_t25°	μ_t35°	μ_t50°	μ_t65°
4	106.3	146.6	190.4	225.7	278.3	334.7	2	80.5	109.6	142.1	169.1
8	122.7	169.9	220.7	262.2	323.5	383.1	4	237.7	290.4
32	153.5	213.8	280.2	334.3	417.5	496.9	8	95.3	132.1	172.5	207.4	258.5	318.7
128	187.8	262.4	346.7	412.6	521.1	630.1	32	106.4	149.3	197.5	238.0	306.5	378.5
512	221.6	312.1	411.7	495.7	634.0	768.9	128	117.8	165.6	219.2	265.8	340.8	418.9
1024	236.0	333.5	442.6	532.5	697.8	850.8	512	124.0	174.8	232.4	281.9	362.4	452.5
2048	246.4	347.9	463.6	560.0	744.1	916.2	1024	126.5	179.0	236.1	284.6
4096	259.4	367.3	494.0	597.3	788.3	976.8	2048	131.4	185.0	245.0	298.3	382.0	474.8
							4096	131.4	185.2	246.5	300.0
Percentage Dissociation.							Percentage Dissociation.						
<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
4	2	61.2	59.1	57.6	56.3
8	4	62.2	61.2
32	8	72.5	71.3	69.9	69.1	67.7	67.1
128	32	80.9	80.6	80.1	79.3	80.2	79.7
512	128	89.6	89.4	88.9	88.6	89.2	88.2
1024	512	94.3	94.2	94.6	93.9	94.9	95.3
2048	1024	96.2	96.1	95.7	94.8
4096	2048	100.0	100.0	99.3	99.4	100.0	100.0
							4096	99.9	99.9	100.0	100.0
Temperature Coefficients in Conductivity Units.							Temperature Coefficients in Conductivity Units.						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
4	3.22	3.50	3.53	3.76		2	2.32	2.60	2.70	
8	3.78	4.06	4.15	3.97		4	1.71	
32	4.82	5.31	5.41	5.29		8	2.94	3.23	3.49	3.41	1.62	
128	5.97	6.74	6.59	7.27		32	3.43	3.85	4.05	4.57	1.78	
512	7.24	7.97	8.40	8.99		128	3.82	4.29	4.66	5.00	1.84	
1024	7.80	8.73	8.99	10.20		512	4.06	4.57	4.94	5.37	1.86	
2048	8.12	9.26	9.64	11.47		1024	4.20	4.70	4.85	
4096	8.63	10.14	10.33	12.57		2048	4.28	4.80	5.33	5.58	1.88	
							4096	4.31	4.90	5.35	
Temperature Coefficients in Per Cent.							Temperature Coefficients in Per Cent.						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
4	3.03	2.39	1.85	1.35		2	2.90	2.46	1.90	
8	3.08	2.39	1.88	1.23		4	1.48	
32	3.14	2.48	1.93	1.26		8	3.08	2.44	2.02	1.64	1.55	
128	3.18	2.57	1.90	1.39		32	3.21	2.58	2.05	1.92	1.57	
512	3.27	2.55	2.04	1.42		128	3.24	2.58	2.12	1.89	1.53	
1024	3.31	2.62	2.03	1.46		512	3.27	2.61	2.12	1.90	1.66	
2048	3.30	2.66	2.08	1.54		1024	3.39	2.68	2.05	
4096	3.33	2.76	2.09	1.59		2048	3.02	2.58	2.17	1.87	1.62	
							4096	3.26	2.59	2.17	

CALCIUM BROMIDE (W. AND HW.).							CALCIUM NITRATE (J. AND W.).						
Molecular Conductivity.							Molecular Conductivity.						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 14.4^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 9.7^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
2	85.95	122.7	151.0	181.1	220.00	262.05	2	65.84	85.83	121.0	145.0
8	97.74	144.0	177.5	214.8	278.91	339.40	4	212.6	258.1
16	103.0	150.5	188.4	227.6	296.41	362.30	8	85.50	112.8	157.3	188.2	237.9	287.8
32	108.2	158.4	199.0	240.5	318.70	391.68	16	94.95	123.9	174.2	209.8
128	117.3	173.3	217.9	265.0	350.57	431.83	32	102.3	133.5	187.7	225.6	285.6	350.6
512	122.9	182.0	229.7	278.5	375.49	458.67	128	114.5	151.0	212.0	255.4	323.1	397.7
1024	126.3	186.9	236.5	286.5	386.64	477.18	512	122.6	160.6	226.7	274.2	349.4	432.5
2048	126.8	188.2	239.5	291.5	390.98	487.30	1024	125.7	164.2	235.0	282.9
							2048	130.0	171.4	242.7	292.4	371.8	458.3
Percentage Dissociation.							Percentage Dissociation.						
<i>v</i>	$\alpha 0^\circ$	$\alpha 14.4^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 9.7^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	67.7	65.2	63.1	62.1	56.3	53.8	2	50.7	50.1	49.9	49.6
8	77.1	76.5	74.1	73.7	71.3	69.6	4	57.2	56.3
16	81.2	80.0	78.7	78.1	75.8	74.4	8	65.8	65.8	64.8	64.4	64.0	62.8
32	85.3	84.2	83.1	82.5	81.5	80.4	16	73.0	72.3	71.8	71.8
128	92.5	92.1	91.0	90.9	89.7	88.6	32	78.7	77.9	77.3	77.2	76.8	76.5
512	96.9	96.7	95.9	95.5	96.0	94.1	128	88.1	88.1	87.4	87.4	86.9	86.8
1024	99.6	99.3	98.7	98.3	98.9	97.9	512	94.3	93.7	93.4	93.8	94.0	94.4
2048	100.0	100.0	100.0	100.0	100.0	100.0	1024	96.7	95.8	96.8	96.8
							2048	100.0	100.0	100.0	100.0	100.0	100.0
Temperature Coefficients in Conductivity Units.							Temperature Coefficients in Conductivity Units.						
<i>v</i>	0-14.4°	14.4-25°	25-35°	35-50°	50-65°		<i>v</i>	0-9.7°	9.7-25°	25-35°	35-50°	50-65°	
2	2.55	2.67	3.01	2.84		2	2.04	2.31	2.40	
8	3.21	3.16	3.73	4.03		4	3.03	
16	3.30	3.58	3.92	4.39		8	2.81	2.91	3.09	3.31	3.33	
32	3.49	3.83	4.15	4.86		16	2.98	3.29	3.56	
128	3.89	4.21	4.71	5.42		32	3.22	3.54	3.79	4.00	4.33	
512	4.10	4.50	4.88	5.54		128	3.76	3.99	4.34	4.51	4.97	
1024	4.21	4.68	5.00	6.03		512	3.92	4.32	4.75	5.01	5.54	
2048	4.26	4.84	5.20	6.42		1024	4.01	4.60	4.79	
							2048	4.31	4.64	4.97	5.30	5.77	
Temperature Coefficients in Per Cent.							Temperature Coefficients in Per Cent.						
<i>v</i>	0-14.4°	14.4-25°	25-35°	35-50°	50-65°		<i>v</i>	0-9.7°	9.7-25°	25-35°	35-50°	50-65°	
2	2.97	2.18	1.99	1.30		2	3.10	2.69	1.98	
8	3.28	2.19	2.10	1.44		4	1.42	
16	3.20	2.37	2.08	1.48		8	3.29	2.58	1.96	1.76	1.39	
32	3.23	2.42	2.09	1.52		16	3.14	2.82	2.04	
128	3.32	2.43	2.16	1.55		32	3.15	2.62	2.02	1.77	1.51	
512	3.34	2.47	2.13	1.48		128	3.28	2.64	2.05	1.76	1.53	
1024	3.33	2.50	2.11	1.56		512	3.19	2.69	2.10	1.83	1.58	
2048	3.36	2.57	2.17	1.64		1024	3.19	2.80	2.04	
							2048	3.32	2.71	2.05	1.81	1.55	

CALCIUM CHROMATE (H. AND HW.).							CALCIUM FORMATE (H. AND W.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_t 0^\circ$	$\mu_t 12.5^\circ$	$\mu_t 25^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	$\mu_t 65^\circ$	<i>v</i>	$\mu_t 0^\circ$	$\mu_t 12.5^\circ$	$\mu_t 25^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	$\mu_t 65^\circ$
8	57.7	80.9	105.8	125.4	158.03	187.81	4	58.4	81.7	107.1	128.6	161.3	195.2
16	64.6	90.4	118.5	140.9	180.62	214.73	8	67.2	94.4	124.5	149.7	190.0	230.8
32	72.2	101.4	133.1	158.2	204.40	243.98	32	81.4	115.3	153.1	184.7	235.5	287.8
128	91.2	126.9	167.5	200.8	261.25	315.84	128	92.2	131.2	174.3	211.6	268.6	331.5
512	106.7	150.0	198.7	239.5	315.98	387.01	512	95.7	135.5	181.9	223.5	283.2	349.6
1024	111.6	157.3	208.8	253.3	332.29	401.22	2048	101.4	144.6	190.4	230.6	286.6	358.2
2048	114.4	160.8	214.0	264.0	344.41	418.31	4096	101.3	145.4	190.6	229.2
4096	116.1	162.5	216.1	261.6	340.24	419.18							
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
8	49.7	49.8	49.0	47.9	45.88	44.80	4	57.6	56.2	56.2	56.1	56.3	54.5
16	55.6	55.6	54.8	53.9	52.44	51.23	8	66.3	64.9	65.3	65.3	66.3	64.4
32	62.2	62.4	61.6	60.5	59.35	58.20	32	80.4	79.3	80.3	80.6	82.2	80.3
128	78.5	78.1	77.5	76.8	75.85	75.35	128	91.0	90.2	91.5	92.3	93.7	92.5
512	91.9	92.3	91.9	91.5	91.75	92.33	512	94.5	93.2	95.4	97.5	98.8	97.6
1024	96.1	96.8	96.6	96.8	96.48	95.72	2048	100.0	99.5	99.9	100.0	100.0	100.0
2048	98.5	98.9	99.0	100.0	100.00	99.79	4096	100.0	100.0	100.0	100.0	100.0	100.0
4096	100.0	100.0	100.0	98.79	100.00							
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
8	1.85	1.99	1.96	1.99		4	1.86	2.03	2.15	2.18	2.26	
16	2.06	2.25	2.24	2.27		8	2.18	2.41	2.52	2.69	2.72	
32	2.33	2.54	2.51	2.64		32	2.70	3.02	3.16	3.39	3.49	
128	2.86	3.25	3.33	3.64		128	3.12	3.45	3.73	3.80	4.13	
512	3.46	3.90	4.08	4.74		512	3.18	3.71	4.16	4.00	4.43	
1024	3.66	4.12	4.45	4.60		2048	3.46	3.66	4.02	4.77	
2048	3.71	4.26	5.00	4.93		4096	3.53	3.62	3.86	
4096	3.71	4.29	4.55	5.26								
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
8	3.21	2.46	1.85	1.26		4	3.19	2.49	2.01	1.69	1.40	
16	3.19	2.49	1.89	1.26		8	3.24	2.55	2.02	1.80	1.43	
32	3.23	2.51	1.89	1.29		32	3.32	2.62	2.06	1.84	1.48	
128	3.14	2.56	1.99	1.39		128	3.38	2.63	2.14	1.79	1.54	
512	3.24	2.60	2.05	1.50		512	3.32	2.74	2.29	1.79	1.56	
1024	3.28	2.62	2.13	1.38		2048	3.41	2.53	2.11	1.66	
2048	3.24	2.65	2.34	1.43		4096	3.48	2.49	2.03	
4096	3.20	2.64	2.11	1.55								

STRONTIUM CHLORIDE (J. AND SH.).							STRONTIUM BROMIDE (W.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
v	$\mu_r 0^\circ$	$\mu_r 9.9^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$	v	$\mu_r 0^\circ$	$\mu_r 13.5^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$
2	81.36	106.2	141.5	172.0	2	88.03	122.1	153.8	183.1
8	92.97	124.3	173.7	207.4	265.6	324.4	4	256.3	312.7
16	101.1	134.5	187.7	225.9	285.6	350.2	8	100.0	141.8	180.6	217.2	282.5	343.7
32	106.3	141.5	198.4	238.7	305.7	377.5	16	103.7	148.1	190.0	228.1
128	118.5	157.6	225.0	271.6	342.4	424.6	32	110.0	157.2	202.2	243.9	316.9	388.7
512	125.0	166.1	236.7	285.4	367.7	453.9	128	171.8	170.6	219.1	267.1	356.2	437.6
1024	129.1	171.4	242.8	294.1	373.0	463.3	512	128.8	185.4	239.1	289.9	380.3	470.1
2048	133.9	176.1	248.7	300.3	383.2	476.5	1024	129.1	186.6	239.6	292.3
4096	133.3	176.0	248.6	303.9	392.2	486.9	2048	405.9	501.0
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
v	$\alpha 0^\circ$	$\alpha 9.9^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	v	$\alpha 0^\circ$	$\alpha 13.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	60.8	60.3	56.9	57.3	2	68.2	65.4	64.2	62.6
8	69.5	70.6	69.8	69.1	67.7	66.6	4	63.1	62.4
16	75.5	76.4	75.5	75.2	72.8	71.9	8	77.5	76.0	75.4	74.3	69.6	68.6
32	79.4	80.4	79.8	79.5	77.9	77.5	16	80.3	79.4	79.3	78.0
128	88.5	89.5	90.5	90.5	87.3	87.2	32	85.2	84.2	84.4	83.4	78.1	77.6
512	93.4	94.3	95.2	95.0	93.7	93.2	128	91.2	91.4	91.4	91.4	87.7	87.3
1024	96.4	97.3	97.6	97.9	95.1	95.2	512	99.8	99.4	99.8	99.2	93.7	93.8
2048	100.0	100.0	100.0	100.0	97.7	97.8	1024	100.0	100.0	100.0	100.0
4096	100.0	100.0	100.0	100.0	100.0	100.0	2048	100.0	100.0
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
v	0-9.9°	9.9-25°	25-35°	35-50°	50-65°		v	0-13.5°	13.5-25°	25-35°	35-50°	50-65°	
2	2.51	2.34	3.05		2	2.52	2.76	2.93	
8	3.16	3.27	3.37	3.92		4	3.76	
16	3.38	3.52	3.82	4.25		8	3.10	3.37	3.66	4.08	
32	3.56	3.90	4.03	4.79		16	3.29	3.64	3.81	
128	3.96	4.46	4.66	5.48		32	3.50	3.91	4.17	4.79	
512	4.15	4.67	4.87	5.75		128	3.91	4.22	4.80	5.43	
1024	4.27	4.73	5.13	6.02		512	4.19	4.67	5.08	5.99	
2048	4.27	4.81	5.16	6.22		1024	4.26	4.61	5.27	
4096	4.31	4.81	5.31	6.32		2048	6.34	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
v	0-9.9°	9.9-25°	25-35°	35-50°	50-65°		v	0-13.5°	13.5-25°	25-35°	35-50°	50-65°	
2	3.03	2.20	2.16		2	2.86	2.26	1.91	
8	3.39	2.63	1.94	1.48		4	1.46	
16	3.34	2.62	2.03	1.49		8	3.10	2.38	2.03	1.44	
32	3.35	2.76	2.03	1.56		16	3.17	2.46	2.01	
128	3.34	2.83	2.07	1.60		32	3.18	2.49	2.06	1.51	
512	3.32	2.81	2.06	1.57		128	3.32	2.17	2.19	1.52	
1024	3.31	2.76	2.11	1.62		512	3.25	2.52	2.13	1.57	
2048	3.22	2.73	2.07	1.62		1024	3.30	2.47	2.20	1.50	
4096	3.23	2.73	2.14	1.61		2048	

STRONTIUM NITRATE (J. AND W.).							STRONTIUM ACETATE (W.S. AND W.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	μ_v0°	μ_v10°	μ_v25°	μ_v35°	μ_v50°	μ_v65°	<i>v</i>	μ_v0°	$\mu_v12.5^\circ$	μ_v25°	μ_v35°	μ_v50°	μ_v65°
2	63.24	81.25	112.4	135.4	2	34.94	49.26	66.52	81.11
4	206.1	253.7	4	132.4	160.9
8	84.33	112.8	154.1	181.7	234.3	288.0	8	56.51	80.19	106.96	129.99	153.7	193.8
16	93.33	124.8	171.4	205.7	32	70.69	100.20	135.25	164.88	207.7	256.5
32	100.7	133.3	185.3	223.5	284.2	354.4	128	81.89	117.19	157.69	193.44	244.3	305.0
128	114.8	151.4	211.2	254.0	322.5	400.7	512	88.50	128.09	170.16	209.22	267.0	336.6
512	122.5	161.6	227.1	273.5	351.7	441.0	1024	91.18	131.09	177.44	218.24
1024	126.9	167.0	233.7	282.3	2048	97.30	139.01	180.07	219.77	279.9	354.2
2048	131.3	171.9	238.6	287.5	369.3	460.9	4096	97.89	139.60	184.44	224.75
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha0^\circ$	$\alpha10^\circ$	$\alpha25^\circ$	$\alpha35^\circ$	$\alpha50^\circ$	$\alpha65^\circ$	<i>v</i>	$\alpha0^\circ$	$\alpha12.5^\circ$	$\alpha25^\circ$	$\alpha35^\circ$	$\alpha50^\circ$	$\alpha65^\circ$
2	48.2	47.3	47.1	47.1	2	35.7	35.3	36.1	36.1
4	55.8	55.0	4	47.3	45.4
8	64.2	65.5	64.6	63.2	63.4	62.5	8	57.7	57.4	58.0	57.8	54.9	54.7
16	71.1	72.6	71.8	71.5	32	72.2	71.8	73.4	73.4	74.2	72.4
32	77.7	77.5	77.7	77.7	76.9	76.9	128	83.6	83.9	85.5	86.1	87.3	86.1
128	87.4	88.1	88.5	88.4	87.3	86.9	512	90.4	91.7	92.3	93.1	95.4	95.0
512	93.3	94.0	95.2	95.1	92.2	95.7	1024	93.1	93.9	96.4	97.1
1024	96.7	97.2	97.9	98.2	2048	99.3	99.6	97.7	97.8	100.0	100.0
2048	100.0	100.0	100.0	100.0	100.0	100.0	4096	100.0	100.0	100.0	100.0
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-10°	10-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
2	1.80	2.07	2.30		2	1.15	1.38	1.46	
4	3.17		4	1.80	
8	2.85	2.75	2.76	3.51	3.58		8	1.89	2.14	2.30	2.67	
16	3.14	3.11	3.43		32	2.36	2.80	2.96	2.86	3.25	
32	3.26	3.47	3.82	4.05	4.68		128	2.82	3.24	3.58	3.39	4.05	
128	3.66	3.99	4.28	4.57	5.21		512	3.17	3.37	3.91	3.85	4.64	
512	3.91	4.37	4.64	5.21	5.95		1024	3.19	3.70	4.08	
1024	4.01	4.45	4.86		2048	3.34	3.28	3.97	4.01	4.95	
2048	4.06	4.45	4.89	5.45	6.11		4096	3.34	3.59	4.03	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-10°	10-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
2	2.85	2.55	2.05		2	3.29	2.80	2.20	
4	1.54		4	1.43	
8	3.38	2.44	1.79	1.53		8	3.35	2.67	2.15	1.73	
16	3.36	2.49	2.00		32	3.34	2.79	2.19	1.73	1.56	
32	3.24	2.60	2.06	1.81	1.65		128	3.44	2.77	2.27	1.75	1.66	
128	3.19	2.63	2.03	1.80	1.62		512	3.58	2.63	2.30	1.84	1.74	
512	3.19	2.70	2.04	1.90	1.69		1024	3.50	2.82	2.30	
1024	3.16	2.66	2.08		2048	3.43	2.36	2.21	1.83	1.77	
2048	3.16	2.59	2.05	1.90	1.65		4096	3.41	2.57	2.19	

BARIUM CHLORIDE (W. AND C.).

Molecular Conductivity.

<i>v</i>	$\mu_t 0^\circ$	$\mu_t 4.6^\circ$	$\mu_t 16.5^\circ$	$\mu_t 25^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	$\mu_t 65^\circ$
2	86.62	96.61	128.2	150.0	178.6	220.6	259.8
8	99.06	112.3	151.1	179.0	215.3	272.4	322.3
16	105.2	119.5	161.2	191.6	230.4
32	313.9	375.3
64	116.2	132.4	180.2	215.2	260.3
128	348.7	421.5
256	125.1	142.7	194.7	232.9	282.6
512	126.5	144.3	197.2	235.5	286.2	378.0	453.8
1024	130.9	149.3	203.8	243.4	296.4
2048	132.7	151.2	206.3	247.1	300.5	395.0	478.0

Percentage Dissociation.

<i>v</i>	$\alpha 0^\circ$	$\alpha 4.6^\circ$	$\alpha 16.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	65.3	63.9	62.1	60.7	59.4
8	74.6	74.3	73.2	72.4	71.6
16	79.3	79.0	78.1	77.5	76.6
32
64	87.6	87.6	87.3	87.1	86.6
128
256	94.3	94.4	94.4	94.3	94.0
512	95.3	95.4	95.6	95.3	95.2
1024	98.6	98.7	98.8	98.5	98.6
2048	100.0	100.0	100.0	100.0	100.0

Temperature Coefficients in Conductivity Units.

<i>v</i>	0-4.6°	4.6-16.5°	16.5-25°	25-35°	35-50°	50-65°
2	2.17	2.66	2.56	2.86	2.61
8	2.88	3.26	3.28	3.63	3.33
16	3.11	3.50	3.58	3.88
32	4.09
64	3.52	4.02	4.12	4.51
128	4.85
256	3.83	4.36	4.49	4.97
512	3.87	4.45	4.51	5.07	5.05
1024	4.00	4.57	4.66	5.30
2048	4.02	4.63	4.80	5.34	5.53

Temperature Coefficients in Per Cent.

<i>v</i>	0-4.6°	4.6-16.5°	16.5-25°	25-35°	35-50°	50-65°
2	2.51	2.75	2.00	1.91	1.18
8	2.91	2.90	2.17	2.02	1.22
16	2.96	2.93	2.22	2.03	1.30
32
64	3.03	3.04	2.29	2.10	1.39
128
256	3.06	3.06	2.30	2.13
512	3.06	3.08	2.29	2.19	1.34
1024	3.05	3.06	2.28	2.18
2048	3.03	3.06	2.33	2.16	1.40

BARIUM BROMIDE (J. AND SH.).

Molecular Conductivity.

<i>v</i>	$\mu_t 0^\circ$	$\mu_t 10^\circ$	$\mu_t 25^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	$\mu_t 65^\circ$
2	91.81	119.3	158.6	188.1
8	103.4	137.0	187.4	224.0	280.1	340.1
16	109.3	144.8	198.9	238.8	301.1	367.6
32	114.4	151.0	209.4	251.4	320.2	392.8
128	123.6	163.7	228.5	274.4	358.0	439.2
512	131.8	175.5	246.8	298.2	379.6	467.6
1024	133.8	177.2	249.9	301.6	385.3	475.1
2048	134.2	178.7	252.6	305.7	393.9	484.6
4096	404.5	497.2

Percentage Dissociation.

<i>v</i>	$\alpha 0^\circ$	$\alpha 10^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	68.4	66.8	62.8	61.5
8	77.1	76.7	74.2	73.3	69.2	68.4
16	81.5	81.0	78.7	78.1	74.4	73.9
32	85.3	84.5	82.9	82.2	79.1	79.0
128	92.1	91.6	90.5	89.8	88.5	83.3
512	98.2	98.2	97.7	97.6	93.8	94.0
1024	99.7	99.2	98.9	98.7	95.2	95.5
2048	100.0	100.0	100.0	100.0	97.4	97.4
4096	100.0	100.0

Temperature Coefficients in Conductivity Units.

<i>v</i>	0-10°	10-25°	25-35°	35-50°	50-65°
2	2.74	2.62	2.95
8	3.36	3.36	3.66	4.00
16	3.55	3.60	3.99	4.43
32	3.66	3.89	4.20	4.84
128	4.01	4.32	4.59	5.41
512	4.37	4.75	5.14	5.87
1024	4.34	4.85	5.18	5.99
2048	4.45	4.93	5.24	6.05
4096	6.18

Temperature Coefficients in Per Cent.

<i>v</i>	0-10°	10-25°	25-35°	35-50°	50-65°
2	2.98	2.20	1.86
8	3.25	2.45	1.95	1.42
16	3.25	2.49	2.01	1.47
32	3.20	2.58	2.01	1.51
128	3.24	2.64	2.01	1.51
512	3.32	2.71	2.08	1.54
1024	3.24	2.74	2.07	1.55
2048	3.32	2.76	2.07	1.54
4096	1.53

BARIUM NITRATE (J. AND C.).							BARIUM FORMATE (J. AND SH.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 10^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 10^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
8	76.37	103.0	146.4	177.3	226.1	276.2	2	51.67	67.74	93.97	112.1
16	88.29	117.6	165.2	200.1	8	72.22	95.34	133.4	159.2	201.0	245.4
32	97.62	129.8	183.2	219.8	282.0	334.2	16	77.72	102.7	144.6	173.8	227.3	275.1
128	114.4	150.8	210.0	251.8	325.5	398.3	32	85.56	114.3	160.6	193.1	252.1	307.3
512	124.3	163.8	229.2	275.2	360.7	440.7	128	86.20	114.3	162.4	197.4	289.6	359.6
1024	127.4	167.8	234.2	281.6	512	102.2	133.6	182.0	215.2	308.2	383.6
2048	131.4	171.6	239.8	288.8	378.4	467.0	1024	103.0	135.0	184.0	226.2	313.2	385.5
4096	382.3	475.5	2048	111.8	149.4	210.0	257.6	309.5	376.4
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 10^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 10^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
8	58.1	60.0	61.1	61.4	59.1	58.1	2	46.2	45.3	44.8	43.5
16	67.2	68.5	68.9	69.3	8	64.6	63.8	63.5	61.8	64.2	63.6
32	74.3	75.6	76.4	76.1	73.8	72.4	16	69.5	68.7	68.9	69.0	72.6	71.4
128	87.1	87.9	87.6	87.2	85.1	83.8	32	76.5	76.5	76.5	75.0	80.5	79.7
512	94.6	95.5	95.6	95.3	94.3	92.7	128	77.1	76.5	77.3	76.6	92.4	93.3
1024	97.0	97.8	97.7	97.5	512	91.4	89.4	86.7	83.5	98.4	99.5
2048	100.0	100.0	100.0	100.0	99.0	98.2	1024	92.1	90.3	87.7	87.8	100.0	100.0
4096	100.0	100.0	2048	100.0	100.0	100.0	100.0	98.8	97.6
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-10°	10-25°	25-35°	35-50°	50-65°		<i>v</i>	0-10°	10-25°	25-35°	35-50°	50-65°	
8	2.66	2.89	3.09	3.25	3.34		2	1.60	1.75	1.81	
16	2.93	3.17	3.49		8	2.31	2.54	2.58	2.96	
32	3.22	3.56	3.66	4.16	4.15		16	2.49	2.79	2.92	3.19	
128	3.64	3.95	4.18	4.91	4.85		32	2.87	3.09	3.25	3.68	
512	3.95	4.36	4.60	5.70	5.33		128	2.81	3.27	3.50	4.67	
1024	4.04	4.43	4.74		512	3.15	3.23	3.32	5.03	
2048	4.02	4.55	4.90	5.99	5.91		1024	3.20	3.33	4.22	4.82	
4096	5.23	6.21		2048	3.76	4.04	4.76	4.46	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-10°	10-25°	25-35°	35-50°	50-65°		<i>v</i>	0-10°	10-25°	25-35°	35-50°	50-65°	
8	3.48	2.81	2.11	1.83	1.48		2	3.10	2.58	1.93	
16	3.32	2.70	2.11		8	3.20	2.66	1.93	1.47	
32	3.30	2.74	2.00	1.90	1.47		16	3.20	2.72	2.02	1.43	
128	3.18	2.62	1.99	1.95	1.49		32	3.35	2.70	2.02	1.46	
512	3.18	2.66	2.01	2.07	1.48		128	3.26	2.86	2.16	1.61	
1024	3.17	2.64	2.02		512	3.08	2.41	1.82	1.63	
2048	3.06	2.65	2.04	2.07	1.56		1024	3.10	2.46	2.29	1.54	
4096	1.62		2048	3.36	2.70	2.27	1.44	

BARIUM ACETATE (J.).							MAGNESIUM CHLORIDE (SH. AND H.).						
<i>Molecular Conductivity.*</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_r 0^\circ$	$\mu_r 10^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$	<i>v</i>	$\mu_r 0^\circ$	$\mu_r 12.5^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$
2	40.16	53.25	76.18	89.95	4	80.2	112.1	147.3	177.6	228.0	280.6
8	59.05	79.46	113.3	136.0	8	87.6	123.2	162.1	196.1	249.7	303.8
16	65.68	87.10	124.3	149.3	32	99.9	141.1	187.1	226.4	294.7	364.8
32	72.93	97.58	139.5	168.6	128	110.3	156.1	208.0	252.4	311.8	401.6
128	78.15	104.5	149.0	181.2	512	115.7	164.3	219.4	266.9	348.3	433.1
512	90.75	123.1	176.9	215.8	1024	118.3	168.4	224.9	272.2
1024	92.63	124.7	180.5	219.8	2048	120.3	172.8	230.2	280.1	373.2	465.6
2048	95.96	129.3	186.3	226.7	4096	123.5	176.3	234.7	285.2
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 10^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	41.9	4.12	40.9	39.7	4	64.9	63.6	62.8	62.3	61.1	60.3
8	63.0	61.5	60.8	60.0	8	70.9	69.9	69.1	68.8	66.9	65.3
16	68.4	67.4	66.7	66.0	32	80.9	80.0	79.7	79.4	79.0	78.4
32	76.0	75.5	74.9	74.4	128	89.2	88.6	88.6	88.5	83.5	86.3
128	81.4	80.8	80.0	79.9	512	93.7	93.1	93.5	93.3	93.3	93.0
512	94.6	95.2	95.0	95.2	1024	95.8	95.5	95.8	95.4
1024	96.5	96.4	96.9	97.0	2048	97.3	98.0	98.1	98.2	100.0	100.0
2048	100.0	100.0	100.0	100.0	4096	100.0	100.0	100.0	100.0
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-10°	10-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
2	1.30	1.52	1.37		4	2.55	2.82	3.03	3.36	3.51	
8	2.04	2.26	2.27		8	2.85	3.11	3.40	3.57	3.61	
16	2.14	2.48	2.52		32	3.29	3.68	3.93	4.55	4.67	
32	2.40	2.79	2.91		128	3.67	4.15	4.44	4.00	5.93	
128	2.63	2.97	3.22		512	3.89	4.41	4.74	4.76	5.65	
512	3.23	2.59	3.89		1024	4.02	4.52	4.72	
1024	3.20	3.72	3.93		2048	4.21	4.59	4.98	6.19	6.16	
2048	3.33	3.80	4.04		4096	4.22	4.67	5.05	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-10°	10-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
2	3.24	2.85	1.80		4	3.17	2.51	2.05	1.90	1.54	
8	3.45	2.84	2.00		8	3.25	2.52	2.09	1.82	1.45	
16	3.26	2.85	2.03		32	3.29	2.60	2.10	2.01	1.58	
32	3.38	2.86	2.09		128	3.33	2.65	2.13	1.58	1.90	
128	3.37	2.84	2.16		512	3.36	2.67	2.16	1.78	1.62	
512	3.06	2.91	2.20		1024	3.39	2.68	2.09	
1024	3.45	2.98	2.18		2048	3.48	2.65	2.16	2.21	1.65	
2048	3.47	2.93	2.17		4096	3.32	2.64	2.15	

*Decomposed at higher temperatures.

MAGNESIUM BROMIDE (Ws. AND W.).							MAGNESIUM NITRATE (Ws. AND C.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 12.5^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 12.5^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
2	76.34	104.05	132.92	162.25	2	193.7	234.8
4	251.2	308.3	8	88.91	123.42	160.86	191.88	244.5	298.1
8	93.73	130.12	170.64	206.18	263.2	324.4	32	101.55	141.97	187.10	223.24	283.5	347.4
32	104.56	147.24	194.42	235.51	297.6	367.7	128	110.78	155.50	204.72	247.66	316.8	390.8
128	113.52	159.94	211.91	257.31	332.4	412.8	512	119.01	165.77	220.89	265.33	341.6	421.1
512	118.93	167.72	223.06	270.40	358.0	445.5	1024	120.68	170.27	224.49	272.30
1024	122.80	173.39	230.94	279.38	2048	123.34	173.18	229.70	280.09	357.0	443.4
2048	127.28	179.74	238.70	289.52	377.0	471.3	4096	122.89	173.70	229.58	277.54
4096	130.91	185.06	244.94	305.94							
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	58.3	56.2	54.3	53.0	2
4	66.6	65.4	8	72.1	71.1	70.0	68.5
8	71.6	70.3	69.7	67.4	69.8	68.8	32	82.4	81.7	81.5	79.7
32	79.9	79.5	79.4	76.9	78.9	78.0	128	89.9	89.5	89.1	88.4
128	86.8	86.4	86.5	84.1	88.2	87.6	512	96.5	95.4	96.2	94.7
512	90.9	90.6	91.1	88.3	95.0	94.5	1024	97.9	98.0	99.7	97.2
1024	93.9	93.7	94.3	91.3	2048	100.0	99.7	100.0	100.0
2048	97.3	97.1	97.5	94.6	100.0	100.0	4096	99.7	100.0	100.0	99.1
4096	100.0	100.0	100.0	100.0							
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-60°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
2	2.22	2.31	2.93		2	2.74	
4	3.81		8	2.76	2.99	3.10	3.51	3.57	
8	2.91	3.24	3.55	3.80	4.08		32	3.23	3.61	3.61	4.02	4.26	
32	3.41	3.77	4.11	4.14	4.67		128	3.58	3.54	4.29	4.61	4.93	
128	3.71	4.16	4.54	5.01	5.36		512	3.74	4.41	4.44	5.08	5.30	
512	3.90	4.43	4.73	5.84	5.83		1024	3.97	4.34	4.78	
1024	4.05	4.60	4.84		2048	3.99	4.52	5.04	5.13	5.76	
2048	4.20	4.72	5.08	5.83	6.25		4096	4.06	4.47	4.80	
4096	4.33	4.79	6.10								
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
2	2.91	2.22	2.20		2	1.41	
4	1.41		8	3.10	2.42	1.93	1.83	1.46	
8	3.11	2.49	2.08	1.84	1.46		32	3.18	2.54	1.93	1.83	1.50	
32	3.26	2.56	2.11	1.76	1.54		128	3.23	2.28	2.10	1.87	1.56	
128	3.27	2.60	2.14	1.95	1.57		512	3.14	2.66	2.01	1.91	1.55	
512	3.28	2.64	2.12	2.16	1.56		1024	3.28	2.55	2.12	
1024	3.30	2.65	2.10		2048	3.23	2.61	2.11	1.83	1.61	
2048	3.30	2.63	2.13	2.08	1.59		4096	3.30	2.57	2.09	
4096	3.31	2.59	2.49								

MAGNESIUM SULPHATE (J. AND SH.).							MAGNESIUM FORMATE (WS. AND W.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_t 0^\circ$	$\mu_t 10^\circ$	$\mu_t 25^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	$\mu_t 65^\circ$	<i>v</i>	$\mu_t 0^\circ$	$\mu_t 12.5^\circ$	$\mu_t 25^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	$\mu_t 65^\circ$
2	32.12	43.14	60.57	72.68	90.5	106.5	2	37.33	52.53	69.24	83.25
8	45.70	60.90	85.62	102.4	131.0	155.4	4	135.7	164.4
16	50.95	68.14	96.50	115.0	150.7	179.0	8	58.15	83.44	109.29	132.14	165.2	201.4
32	59.57	79.73	112.4	135.3	174.6	208.6	32	74.68	106.05	141.71	172.31	212.8	261.8
128	71.17	95.38	135.9	164.4	230.3	279.1	128	85.99	122.17	164.06	200.30	253.8	313.8
512	95.57	128.3	183.3	221.9	288.1	353.1	512	88.58	123.84	167.86	205.44	273.7	337.9
1024	102.7	138.4	198.3	240.9	317.7	395.4	1024	94.03	133.87	176.23	209.90
2048	111.1	148.5	215.2	261.0	341.7	422.6	2048	97.22	138.60	184.73	226.37	284.2	352.0
							4096	97.18	138.74	182.91	223.19
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 10^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	28.9	29.1	28.2	27.8	26.5	25.2	2	38.4	37.9	37.5	36.8
8	41.1	41.0	39.8	39.2	38.3	36.8	4	47.7	46.7
16	45.9	45.9	44.8	44.1	44.1	42.4	8	59.8	60.1	59.2	58.4	58.1	57.2
32	53.6	53.7	52.2	51.8	55.1	49.4	32	76.8	76.4	76.7	76.1	74.9	74.4
128	64.1	64.2	63.2	63.0	67.4	66.0	128	88.4	88.1	88.8	88.5	89.3	89.1
512	86.0	84.4	85.2	85.0	84.3	83.6	512	91.1	89.3	90.9	90.7	96.3	96.0
1024	92.4	93.2	92.3	92.3	93.0	93.6	1024	96.7	96.5	95.4	92.7
2048	100.0	100.0	100.0	100.0	100.0	100.0	2048	99.9	99.9	100.0	100.0	100.0	100.0
							4096	100.0	100.0	99.0	98.6
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-10°	10-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
2	1.10	1.16	1.21	1.07		2	1.22	1.33	1.40	
8	1.52	1.65	1.67	1.63		4	1.41	
16	1.71	1.89	1.85	1.89		8	2.02	2.07	2.29	2.20	1.46	
32	2.01	2.18	2.29	2.27		32	2.51	2.85	3.06	2.70	1.54	
128	2.42	2.75	2.85	3.25		128	2.89	3.35	3.62	3.57	1.57	
512	3.27	3.73	3.86	4.33		512	2.82	3.52	3.76	1.56	
1024	3.57	3.99	4.26	5.18		1024	3.19	3.38	3.37	
2048	3.74	4.45	4.58	5.39		2048	3.31	3.69	4.16	3.85	1.59	
							4096	3.32	3.53	4.03	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-10°	10-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
2	3.42	2.69	2.00	1.18		2	3.27	2.53	2.02	
8	3.33	2.71	1.95	1.24		4	1.41	
16	3.36	2.77	1.92	1.27		8	3.47	2.48	2.10	1.67	1.46	
32	3.37	2.73	2.04	1.30		32	3.36	2.69	2.16	1.57	1.54	
128	3.40	2.88	2.10	1.41		128	3.36	2.74	2.21	1.79	1.57	
512	3.42	2.91	2.11	1.50		512	3.18	2.84	2.24	1.56	
1024	3.48	2.88	2.15	1.63		1024	3.39	2.52	1.91	1.59	
2048	3.37	2.99	2.22	1.58		2048	3.40	2.66	2.25	
							4096	3.42	2.54	2.20	

MAGNESIUM ACETATE (W.S. AND W.).							ZINC NITRATE (H. AND HW.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_r 0^\circ$	$\mu_r 12.5^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$	<i>v</i>	$\mu_r 0^\circ$	$\mu_r 12.5^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$
4	37.56	54.50	72.50	88.92	110.8	136.1	4	80.6	110.8	146.6	171.2	211.18	258.65
8	46.35	66.76	89.79	109.86	138.8	171.2	8	87.6	121.2	157.2	188.5	238.25	289.67
32	60.99	87.97	119.31	146.20	187.1	231.7	32	100.0	139.2	182.1	219.0	280.00	343.09
128	71.13	103.35	139.51	172.35	219.7	276.6	128	110.4	154.1	202.6	243.5	312.91	384.97
512	78.03	113.23	153.41	189.50	245.9	310.9	512	114.1	164.9	210.1	254.3	336.48	415.20
1024	80.38	116.73	158.95	201.71	1024	117.1	165.0	216.6	261.3	347.35	428.50
2048	83.85	121.36	164.72	203.07	258.2	327.2	2048	120.4	169.2	222.4	270.2	352.62	434.82
4096	84.99	121.76	165.58	203.70	4096	124.4	175.0	229.1	279.4	359.97	445.53
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
4	44.2	41.8	43.8	43.7	42.9	41.6	4	64.8	63.3	64.0	61.3	58.7	58.1
8	56.6	54.8	51.3	53.9	53.8	52.3	8	70.4	69.3	68.6	67.5	66.2	65.0
32	71.8	72.2	72.1	71.8	72.4	70.8	32	80.4	59.5	79.5	78.4	77.8	77.0
128	83.7	84.9	84.3	84.6	85.1	84.5	128	88.7	88.1	88.4	87.1	86.9	86.4
512	91.9	93.0	92.8	93.0	95.2	95.0	512	91.9	94.3	94.7	91.0	93.5	93.2
1024	94.6	95.9	96.1	99.0	1024	94.1	94.3	94.5	93.5	96.5	96.2
2048	98.7	99.7	99.6	99.7	100.0	100.0	2048	96.8	96.7	97.1	96.7	98.0	97.6
4096	100.0	100.0	100.0	100.0	4096	100.0	100.0	100.0	100.0	100.0	100.0
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
4	1.36	1.44	1.64	1.45	1.69		4	2.42	2.86	2.46	3.16	
8	1.63	1.84	2.01	1.93	2.16		8	2.69	2.88	3.13	3.42	
32	2.16	2.51	2.69	2.73	2.97		32	3.34	3.43	3.69	4.21	
128	2.58	2.89	3.28	3.16	3.79		128	3.50	3.88	4.09	4.80	
512	2.81	3.21	3.61	3.76	4.33		512	4.06	3.62	4.42	5.22	
1024	2.91	3.38	4.28		1024	3.83	4.13	4.47	5.41	
2048	3.00	3.47	3.84	3.67	4.60		2048	3.90	4.26	4.78	5.48	
4096	2.94	3.49	3.83		4096	4.05	4.33	5.03	5.70	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
4	3.62	2.64	2.26	1.63	1.52		4	3.00	2.58	1.68	1.50	
8	3.52	2.76	2.24	1.74	1.56		8	3.07	2.38	1.99	1.44	
32	3.54	2.85	2.25	1.87	1.59		32	3.34	2.46	2.03	1.50	
128	3.63	2.80	2.35	1.83	1.72		128	3.17	2.52	2.02	1.53	
512	3.60	2.83	2.35	2.00	1.76		512	3.56	2.20	2.10	1.55	
1024	3.62	2.89	2.69		1024	3.27	2.50	2.06	1.56	
2048	3.58	2.86	2.33	1.81	1.78		2048	3.24	1.52	2.15	1.55	
4096	3.46	2.87	2.32		4096	3.26	2.47	2.20	1.58	

ZINC SULPHATE (W.).							ZINC ACETATE (H. AND HW.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
v	$\mu_r 0^\circ$	$\mu_r 15^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$	v	$\mu_r 0^\circ$	$\mu_r 12.5^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$
2	30.57	45.56	56.62				4	27.8	38.0	48.0	55.0		
4				84.78	104.6	122.2	8	37.7	52.2	66.6	77.2	90.46	100.61
8	43.20	64.74	80.01	95.66	117.8	137.2	32	55.5	78.6	103.0	122.4	149.28	172.86
16	50.99	75.20	93.6				128	70.0	100.7	134.2	162.1	205.63	243.46
32	59.37	86.96	108.8	128.8	159.3	186.9	512	78.6	113.7	153.2	185.5	242.85	298.49
128	76.61	115.8	144.8	174.0	217.9	259.6	1024	79.9	116.1	156.7	191.6	246.67	298.74
512	97.0	147.3	185.1	225.1	286.5	347.3	2048	83.2	120.8	163.2	200.1	257.81	319.47
1024	104.7	156.9	197.8				4096	83.8	121.3	163.4	201.1	259.11	320.44
2048	113.3	170.4	213.0	263.8	338.4	417.3							
8192	117.0	176.0	218.0	297.8	385.5	477.4							
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
v	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	v	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	26.1	25.9	25.9				4	33.2	31.3	29.4	37.4		
4				28.5	27.1	25.6	8	45.0	43.0	40.8	38.4	34.9	31.4
8	36.9	36.8	36.7	32.1	30.6	28.7	32	66.2	64.8	63.0	60.9	57.6	53.9
16	43.6	42.7	42.9				128	83.6	83.0	82.1	80.6	79.4	76.0
32	50.7	49.4	49.9	43.3	41.3	39.1	512	93.8	93.7	93.8	92.2	93.7	93.1
128	65.5	65.8	66.4	58.4	56.5	54.4	1024	95.3	95.7	95.9	95.3	95.2	93.2
512	82.9	83.7	84.9	77.4	74.3	72.7	2048	99.3	99.6	99.9	99.5	99.5	99.7
1024	89.5	89.2	90.7				4096	100.0	100.0	100.0	100.0	100.0	100.0
2048	96.8	96.8	97.7	88.6	87.8	87.4							
4096	100.0	100.0	100.0	100.0	100.0	100.0							
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
v	0-15°	15-25°	25-35°	35-50°	50-65°		v	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
2	1.00	1.11					4	0.81	0.80	0.70			
4				1.32	1.17		8	1.16	1.15	1.06		0.68	
8	1.44	1.53	1.56	1.47	1.29		32	1.85	1.95	1.94		1.57	
16	1.61	1.84					128	2.45	2.68	2.79		2.52	
32	1.84	2.18	2.00	2.03	1.84		512	2.81	3.16	3.23		3.71	
128	2.61	2.90	2.92	2.93	2.78		1024	2.90	3.25	3.49		3.47	
512	3.36	3.78	4.00	4.09	4.05		2048	3.01	3.39	3.69		4.11	
1024	3.48	4.09					4096	3.00	3.37	3.77		4.09	
2048	3.80	4.26	5.08	4.97	5.26								
8192	3.93	4.20		5.85	6.13								
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
v	0-15°	15-25°	25-35°	35-50°	50-65°		v	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
2	3.27	2.44					4	2.91	2.11	1.46			
4				1.56	1.12		8	3.08	2.20	1.59		0.75	
8	3.33	2.36	1.95	1.54	1.10		32	3.33	2.48	1.88		1.05	
16	3.16	2.45					128	3.50	2.66	2.08		1.23	
32	3.10	2.51	1.84	1.58	1.15		512	3.58	2.78	2.11		1.53	
128	3.41	2.50	2.02	1.68	1.27		1024	3.63	2.79	2.23		1.41	
512	3.46	2.57	2.16	1.82	1.41		2048	3.61	2.81	2.26		1.59	
1024	3.32	2.61					4096	3.58	2.78	2.31		1.58	
2048	3.35	2.50	2.39	1.88	1.55								
8192	3.36	2.39		1.96	1.59								

Cadmium Chloride (Ws. and W.).

Molecular Conductivity.

<i>v</i>	$\mu_t 0^\circ$	$\mu_t 12.5^\circ$	$\mu_t 25^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	$\mu_t 65^\circ$
4	33.65	46.21	60.15	71.92	89.9	106.5
8	45.32	60.85	79.30	94.59	117.3	139.6
32	65.63	90.33	118.55	142.48	179.9	216.2
128	88.34	122.98	162.32	195.71	247.1	300.0
512	106.14	148.36	197.57	236.99	309.5	378.8
1024	113.78	159.65	212.53	258.73
2048	121.19	166.23	221.36	269.00	335.4	440.5
4096	121.03	172.78	232.06	282.43

Percentage Dissociation.

<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
4	27.8	26.7	25.9	25.5	25.3	24.2
8	37.1	35.2	34.2	33.5	33.0	31.7
32	54.2	52.3	51.1	50.5	50.6	49.1
128	72.9	71.2	69.9	69.3	69.5	68.1
512	87.6	85.9	85.1	83.9	87.1	86.0
1024	93.9	92.4	91.6	91.6
2048	100.0	96.2	95.4	95.3	100.0	100.0
4096	99.9	100.0	100.0	100.0

Temperature Coefficients in Conductivity Units.

<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°
4	1.00	1.12	1.18	1.19	1.12
8	1.24	1.47	1.53	1.51	1.49
32	1.97	2.26	2.39	2.49	2.42
128	2.77	3.15	3.34	3.42	3.52
512	3.38	3.94	3.94	4.83	4.62
1024	3.67	4.23	4.62
2048	3.60	4.41	4.76	5.76	5.67
4096	4.14	4.74	5.04

Temperature Coefficients in Per Cent.

<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°
4	2.97	2.42	1.96	1.65	1.25
8	2.74	2.42	1.93	1.60	1.27
32	3.01	2.50	2.02	1.75	1.34
128	3.14	2.54	2.06	1.75	1.42
512	3.18	2.66	1.99	2.04	1.49
1024	3.23	2.65	2.17
2048	2.97	2.65	2.10	2.14	1.59
4096	3.42	2.62	2.12

Cadmium Bromide (Ws. and W.).

Molecular Conductivity.

<i>v</i>	$\mu_t 0^\circ$	$\mu_t 12.5^\circ$	$\mu_t 25^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	$\mu_t 65^\circ$
4	28.63	40.59	53.40	64.51	80.3	96.4
8	37.80	53.36	70.44	84.81	107.0	128.5
32	57.78	82.06	109.34	132.69	167.6	202.3
128	79.77	113.57	151.23	184.16	234.0	286.4
512	101.37	143.25	190.52	232.83	299.1	369.1
1024	110.69	156.85	208.48	252.81
2048	121.23	170.89	227.41	275.22	350.7	436.0
4096	123.76	174.05	232.20	280.84

Percentage Dissociation.

<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
4	23.1	23.3	23.0	23.0	22.9	22.1
8	30.5	30.6	30.3	30.2	30.5	29.5
32	46.7	47.1	47.1	47.3	47.8	46.4
128	64.4	65.2	65.1	65.6	66.7	65.7
512	81.9	82.3	82.1	82.9	85.3	84.6
1024	89.4	90.1	89.8	90.0
2048	97.9	98.2	97.9	98.0	100.0	100.0
4096	100.0	100.0	100.0	100.0

Temperature Coefficients in Conductivity Units.

<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°
4	0.96	1.02	1.11	1.07
8	1.24	1.37	1.44	1.43
32	1.94	2.18	2.34	2.31
128	2.70	3.01	3.29	3.49
512	3.55	3.78	4.23	4.67
1024	3.69	4.13	4.43
2048	3.97	4.52	4.78	5.69
4096	4.02	4.65	4.86

Temperature Coefficients in Per Cent.

<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°
4	3.35	2.51	2.07	1.33
8	3.28	2.56	2.03	1.34
32	3.35	2.66	2.14	1.38
128	3.38	2.65	2.18	1.49
512	3.30	2.64	2.22	1.56
1024	3.33	2.62	2.12	1.62
2048	3.21	2.64	2.10
4096	3.25	2.67	2.79

Cadmium Iodide (Ws. and W.).							Manganous Chloride (W. and Sh.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_t 0^\circ$	$\mu_t 12.5^\circ$	$\mu_t 25^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	$\mu_t 65^\circ$	<i>v</i>	$\mu_t 0^\circ$	$\mu_t 10.4^\circ$	$\mu_t 25^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	$\mu_t 65^\circ$
4	20.45	29.76	39.84	48.41	61.70	74.96	2	68.14	89.64	121.3	145.0	177.3	210.5
8	24.31	35.85	48.44	59.43	77.16	94.61	8	81.98	113.5	156.7	188.1	242.2	293.7
32	39.45	59.23	81.53	101.22	130.4	161.3	16	91.79	121.9	169.0	205.1	266.8	326.6
128	62.73	93.36	127.36	157.35	204.8	254.8	32	97.4	130.0	181.6	221.2	289.1	357.0
512	87.06	127.74	172.93	211.90	276.7	345.5	128	107.0	143.8	202.5	246.7	325.0	402.3
1024	96.31	140.03	188.66	231.10	512	114.1	154.0	216.6	264.5	356.2	447.4
2048	109.01	157.20	209.73	256.42	333.4	414.5	1024	114.9	154.9	216.8	265.4	366.4	459.2
4096	118.78	170.69	224.93	271.27	2048	372.9	468.4
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 10.4^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
4	17.2	17.4	17.7	17.8	18.5	18.5	2	59.3	57.9	56.0	54.6	47.5	44.9
8	20.5	21.0	21.5	21.9	23.1	22.8	8	84.0	73.3	72.3	70.9	64.9	62.7
32	33.2	34.7	36.3	37.3	39.1	38.9	16	79.0	78.7	78.0	77.3	71.5	69.7
128	52.8	54.7	56.6	58.0	61.4	61.4	32	84.8	83.9	83.8	83.1	77.5	76.2
512	73.3	74.8	76.9	78.1	83.0	83.3	128	93.1	92.8	93.4	93.0	87.2	85.9
1024	81.0	82.6	83.9	85.2	512	99.3	99.4	99.0	99.7	95.5	95.5
2048	91.7	92.1	93.3	94.5	100.0	100.0	1024	100.0	100.0	100.0	100.0	98.3	98.1
4096	100.0	100.0	100.0	100.0	2048	100.0	100.0
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-10.4°	10.4-25°	25-35°	35-50°	50-65°	
4	0.75	0.81	0.86	0.88	0.88		2	2.07	2.17	2.37	2.21	
8	0.92	1.01	1.10	1.18	1.16		8	2.74	2.96	3.14	3.43	
32	1.58	1.78	1.97	1.96	2.06		16	2.89	3.23	3.61	3.99	
128	2.45	2.72	3.00	3.16	3.33		32	3.13	3.53	3.96	4.53	
512	3.25	3.62	3.90	4.32	4.59		128	3.54	4.02	4.42	5.15	
1024	3.57	3.82	4.24		512	3.83	4.28	4.79	6.08	
2048	3.86	4.20	4.67	5.13	5.41		1024	3.85	4.24	4.86	6.19	
4096	4.15	4.34	4.63		2048	6.37	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-10.4°	10.4-25°	25-35°	35-50°	50-65°	
4	3.67	2.72	2.16	1.82	1.42		2	3.03	2.42	1.95	1.25	
8	3.78	2.82	2.27	1.99	1.50		8	3.22	2.61	2.00	1.41	
32	4.01	3.01	2.42	1.94	1.58		16	3.15	2.65	2.14	1.49	
128	3.90	2.91	2.36	2.01	1.62		32	3.21	2.72	2.13	1.57	
512	3.73	2.83	2.26	2.04	1.66		128	3.31	2.79	2.18	1.59	
1024	3.71	3.71	2.25		512	3.37	2.80	2.22	1.71	
2048	3.54	3.67	2.23	2.00	1.62		1024	3.35	2.74	2.24	1.79	
4096	3.49	2.54	2.06		2048	1.71	

MANGANOUS NITRATE (SH.).							MANGANOUS SULPHATE (WS. AND H.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 10.2^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 12.5^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
2	66.1	85.4	116.3	138.7	4	37.25	51.80	67.17	79.11	88.0	108.3
8	83.1	104.1	144.3	172.5	8	44.11	61.37	79.77	94.06	112.8	130.0
16	85.5	111.5	154.5	185.1	32	59.65	83.47	109.27	129.72	156.4	181.8
32	90.5	118.8	165.0	197.9	128	79.46	111.74	147.24	176.10	204.1	241.9
128	98.3	129.7	182.0	219.8	512	97.99	138.76	184.58	222.69	277.5	338.7
512	104.8	138.4	194.6	236.2	1024	107.12	152.31	202.94	245.72
1024	105.4	139.3	195.8	237.4	2048	116.15	165.28	221.33	268.33	326.7	404.6
							4096	124.47	177.56	238.20	289.39
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 10.2^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	62.7	61.3	59.4	58.4	4	29.9	29.2	28.2	27.3
8	78.8	74.7	73.7	72.7	8	35.4	34.6	33.5	32.5
16	81.1	80.0	78.9	78.0	32	47.9	47.0	45.9	44.8
32	85.9	85.2	84.3	83.4	128	63.8	62.9	61.8	60.8
128	93.3	93.1	93.0	92.6	512	78.7	78.1	77.5	76.9
512	99.4	99.4	99.4	99.5	1024	86.1	85.8	85.2	84.9
1024	100.0	100.0	100.0	100.0	2048	93.3	93.1	92.9	92.7
							4096	100.0	100.0	100.0	100.0
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-10.2°	10.2-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
2	1.89	2.09	2.24		4	1.16	1.23	1.19	1.35	
8	2.06	2.72	2.82		8	1.38	1.47	1.43	1.25	1.15	
16	2.55	2.90	3.06		32	1.91	2.06	2.05	1.78	1.69	
32	2.77	3.12	3.29		128	2.58	2.84	2.89	2.52	
128	3.07	3.53	3.78		512	3.26	3.67	3.81	3.65	4.08	
512	3.29	3.08	4.16		1024	3.62	4.05	4.28	
1024	3.33	3.82	4.16		2048	3.93	4.48	4.70	3.89	5.19	
							4096	4.25	4.85	5.12	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-10.2°	10.2-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
2	2.86	2.45	1.93		4	3.11	2.38	1.77	1.53	
8	2.48	2.61	1.95		8	3.13	2.40	1.79	1.33	1.04	
16	2.98	2.60	1.98		32	3.20	2.47	1.88	1.37	1.08	
32	3.06	2.63	1.99		128	3.25	2.54	1.96	1.24	
128	3.12	2.72	2.08		512	3.33	2.64	2.06	1.64	1.47	
512	3.13	2.75	2.14		1024	3.38	2.66	2.11	
1024	3.15	2.74	2.13		2048	3.38	2.71	2.12	1.45	1.59	
							4096	3.42	2.73	2.15	

NICKEL CHLORIDE (W.).							NICKEL NITRATE (W. AND SH.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 6.3^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 6^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
2	73.07	86.49	131.7	158.0	2	71.34	83.06	125.3	150.4	182.7	219.7
4	218.0	266.0	8	87.35	102.7	157.9	190.0	237.5	291.9
8	89.51	106.3	164.8	198.9	247.3	301.5	16	93.67	109.9	169.7	204.8
16	95.79	114.4	177.4	215.3	32	99.15	116.8	180.9	218.6	278.3	342.7
32	102.1	122.0	190.5	231.2	288.1	354.7	128	108.3	128.7	200.1	242.9	310.6	386.1
128	112.0	134.7	211.6	256.8	321.4	398.4	512	116.1	137.2	215.4	261.3	336.2	416.0
512	119.0	144.5	227.2	278.6	344.4	426.1	1024	115.8	137.4	214.3	260.1	344.6	427.3
1024	120.7	145.4	229.0	279.4	2048	369.8	453.9
2048	367.9	455.5	4096	364.1	449.8
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 6.3^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 6^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	60.5	59.5	57.5	56.6	2	61.6	60.5	58.5	57.8	49.4	48.4
4	59.3	58.4	8	75.4	74.7	73.7	73.0	64.8	64.3
8	74.2	73.1	72.0	71.2	57.2	66.2	16	80.9	80.0	79.2	78.7
16	79.4	78.7	77.5	77.1	32	85.6	85.0	84.4	84.0	75.3	75.5
32	84.6	83.9	83.1	82.7	78.3	77.9	128	93.5	93.7	93.4	93.4	84.0	85.0
128	92.8	92.6	92.4	91.9	87.4	87.5	512	100.0	99.9	100.0	100.0	91.0	91.6
512	99.3	99.4	99.2	99.1	93.6	93.5	1024	100.0	100.0	100.0	100.0	93.2	94.1
1024	100.0	100.0	100.0	100.0	2048	100.0	100.0
2048	100.0	100.0	4096
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-6.3°	6.3-25°	25-35°	35-50°	50-65°		<i>v</i>	0-6°	6-25°	25-35°	35-50°	50-65°	
2	2.13	2.42	2.63		2	1.95	2.22	2.51	2.47	
4	3.20		8	2.56	2.91	3.21	3.49	
8	2.67	3.13	3.41	3.61		16	2.71	3.15	3.51	
16	2.95	3.37	3.79		32	2.94	3.37	3.77	4.29	
32	3.16	3.66	4.07	4.44		128	3.40	3.76	4.28	5.03	
128	3.57	4.11	4.52	5.13		512	3.52	4.12	4.59	5.32	
512	3.90	4.42	4.96	5.45		1024	3.60	4.05	4.58	5.53	
1024	3.92	4.47	5.04		2048	5.61	
2048	5.84		4096	5.72
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-6.3°	6.3-25°	25-35°	35-50°	50-65°		<i>v</i>	0-6°	6-25°	25-35°	35-50°	50-65°	
2	2.91	2.80	2.00		2	2.73	2.67	2.00	1.35	
4	1.46		8	2.93	2.83	2.03	1.42	
8	2.98	2.94	2.07	1.46		16	2.89	2.87	2.07	
16	3.08	2.95	2.14	1.54		32	2.97	2.89	2.08	1.54	
32	3.10	3.00	2.14		128	3.14	2.92	2.14	1.65	
128	3.19	3.05	2.14	1.59		512	3.03	3.00	2.13	1.58	
512	3.25	3.06	2.18	1.58		1024	3.11	2.95	2.14	1.60	
1024	3.25	3.07	2.20		2048	1.52	
2048	1.59		4096	1.57	

NICKEL SULPHATE (J. AND H.).							NICKEL ACETATE (J. AND HW.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
v	$\mu_v 0^\circ$	$\mu_v 10^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	v	$\mu_v 0^\circ$	$\mu_v 10^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
2	28.77	38.37	54.58	64.38	2	20.11	27.24	39.22	47.46	60.45	72.22
4	95.5	111.8	8	38.95	52.07	74.10	89.29	115.65	138.32
8	40.58	54.42	77.06	90.95	115.5	135.7	16	47.81	64.03	91.60	110.2	144.47	171.27
16	47.78	64.00	90.44	106.9	32	54.11	73.82	105.8	128.1	171.78	206.39
32	54.78	73.23	103.5	123.0	158.2	187.8	128	69.22	92.82	134.6	164.0	223.26	272.67
128	73.95	99.92	140.3	168.4	215.6	259.8	512	76.66	103.5	150.7	184.7	256.95	316.98
512	93.12	124.7	177.5	213.5	278.9	339.7	1024	78.65	105.9	153.9	189.1	270.18	336.46
1024	100.4	134.8	193.8	234.6	2048	82.24	110.9	160.6	196.6	276.44	347.66
2048	108.3	145.5	208.7	253.9	341.3	425.7							
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
v	$\alpha 0^\circ$	$\alpha 10^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	v	$\alpha 0^\circ$	$\alpha 10^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	26.6	25.8	26.2	2	24.5	24.6	24.4	24.1	21.9	20.8
4	8	47.4	47.0	45.1	45.4	41.8	39.8
8	37.5	37.4	36.9	16	56.8	57.7	57.0	56.1	52.3	49.3
16	44.1	44.0	43.3	32	65.8	66.6	65.9	65.2	62.1	59.4
32	50.6	50.3	49.6	128	84.2	83.7	83.8	83.4	80.8	78.4
128	68.3	68.7	67.2	512	93.2	93.3	93.8	93.9	92.9	91.2
512	86.0	85.7	85.1	1024	95.6	95.5	95.8	96.2	97.7	96.8
1024	92.7	92.6	92.9	2048	100.0	100.0	100.0	100.0	100.0	100.0
2048	100.0	100.0	100.0							
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
v	0-10°	10-25°	25-35°	35-50°	50-65°		v	0-10°	10-25°	25-35°	35-50°	50-65°	
2	0.96	1.08	0.98		2	0.71	0.79	0.82	0.78	
4	1.09		8	1.31	1.47	1.51	1.49	
8	1.38	1.50	1.39	1.64	1.35		16	1.62	1.84	1.86	1.79	
16	1.62	1.76	1.64		32	1.97	2.13	2.23	2.31	
32	1.84	2.01	1.95	2.35	1.97		128	2.36	2.78	2.94	3.29	
128	2.59	2.69	2.81	3.15	2.95		512	2.68	3.14	3.40	4.00	
512	3.16	3.52	3.60	4.36	4.05		1024	2.72	3.20	3.52	4.42	
1024	3.44	3.93	4.08		2048	2.86	3.31	3.60	4.73	
2048	3.72	4.21	4.52	5.63								
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
v	0-10°	10-25°	25-35°	35-50°	50-65°		v	0-10°	10-25°	25-35°	35-50°	50-65°	
2	3.34	2.81	1.80		2	3.53	2.90	2.09	1.29	
4	1.14		8	3.39	2.82	2.04	1.29	
8	3.40	2.75	1.80	1.80	1.17		16	3.39	2.87	2.03	1.24	
16	3.39	2.75	1.81		32	3.64	2.89	2.11	1.34	
32	3.36	2.74	1.88	1.91	1.25		128	3.41	3.00	2.18	1.47	
128	3.50	2.69	2.00	1.87	1.37		512	3.50	3.03	2.26	1.56	
512	3.39	2.82	2.03	2.04	1.45		1024	3.46	3.02	2.29	1.64	
1024	3.43	2.91	2.11		2048	3.48	2.98	2.24	1.71	
2048	3.43	2.89	2.17	1.65								

COBALT CHLORIDE (W.).

Molecular Conductivity.

<i>v</i>	$\mu_v 0^\circ$	$\mu_v 7.2^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
2	71.77	87.16	129.5	154.9
4	226.4	274.3
8	87.75	107.4	161.5	195.4	249.4	302.5
16	94.08	115.3	174.2	211.3
32	100.2	122.8	186.7	226.6	288.7	355.6
128	109.6	135.1	207.1	252.1	326.7	404.2
512	116.5	143.7	221.2	270.5	352.2	442.8
1024	116.8	144.0	221.1	270.6
2048	368.7	463.2

Percentage Dissociation.

<i>v</i>	$\alpha 0^\circ$	$\alpha 7.2^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	61.4	60.5	58.6	57.2
4	61.4	59.2
8	75.1	74.6	73.0	72.2	67.6	65.3
16	80.5	80.1	78.8	78.1
32	85.8	85.3	84.4	83.7	78.3	76.8
128	93.8	93.8	93.7	93.2	88.6	87.3
512	99.7	99.8	100.0	100.0	95.5	95.6
1024	100.0	100.0	100.0	100.0
2048	100.0	100.0

Temperature Coefficients in Conductivity Units.

<i>v</i>	0-7.2°	7.2-25°	25-35°	35-50°	50-65°
2	2.14	2.38	2.54
4	3.19
8	2.73	3.04	3.39	3.60	3.54
16	2.95	3.31	3.71
32	3.14	3.59	3.99	4.14	4.46
128	3.54	4.04	4.50	4.99	5.17
512	3.77	4.35	4.93	5.45	6.04
1024	3.78	4.33	4.95
2048	6.30

Temperature Coefficients in Per Cent.

<i>v</i>	0-7.2°	7.2-25°	25-35°	35-50°	50-65°
2	2.98	2.73	1.96
4	1.41
8	3.11	2.83	2.10	1.84	1.42
16	3.14	2.87	2.13
32	3.13	2.92	2.14	1.83	1.54
128	3.23	2.99	2.17	1.98	1.58
512	3.23	3.03	2.22	2.02	1.71
1024	3.24	3.01	2.24
2048	1.71

COBALT BROMIDE (Ws. AND W.).

Molecular Conductivity.

<i>v</i>	$\mu_v 0^\circ$	$\mu_v 12.5^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
4	87.82	120.24	155.60	196.30	239.0	289.6
8	95.04	131.29	171.30	204.48	259.4	315.7
32	105.56	147.10	193.09	233.04	299.5	367.3
128	115.88	162.19	214.02	259.91	329.5	406.7
512	119.47	169.42	221.49	273.44	353.1	436.6
1024	120.80	173.38	231.56	281.16
2048	124.00	174.68	234.28	282.65	370.6	464.3
4096	125.45	177.93	236.78	289.34

Percentage Dissociation.

<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
4	70.0	67.6	65.7	67.8	64.5	62.4
8	75.7	73.8	72.3	70.7	70.0	68.0
32	84.1	82.7	81.5	80.5	80.8	79.1
128	92.3	92.0	90.4	89.8	88.9	87.6
512	95.2	95.2	94.8	94.5	95.3	94.0
1024	96.3	97.5	97.8	97.2
2048	98.8	98.2	98.9	97.7	100.0	100.0
4096	100.0	100.0	100.0	100.0

Temperature Coefficients in Conductivity Units.

<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°
4	2.59	2.83	2.85	3.37
8	2.90	3.20	3.32	3.66	3.75
32	3.32	3.68	4.00	4.43	4.52
128	3.71	4.15	4.59	4.64	5.15
512	4.00	4.41	4.90	5.31	5.57
1024	4.21	4.65	4.96
2048	4.05	4.77	4.84	5.86	6.25
4096	4.20	4.71	5.26

Temperature Coefficients in Per Cent.

<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°
4	2.95	2.33	2.62	1.45	1.41
8	3.05	2.44	1.94	1.79	1.44
32	3.15	2.50	2.07	1.90	1.51
128	3.20	2.56	2.15	1.80	1.56
512	3.35	2.60	2.18	1.94	1.58
1024	3.49	2.68	2.14
2048	3.27	2.73	2.07	2.01	1.68
4096	3.35	2.65	2.22

COBALT NITRATE (W.).							COBALT SULPHATE (J. AND H.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 5.4^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 10^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
2	71.65	82.27	125.9	150.7	2	29.47	39.22	55.10	65.57
4	216.8	263.5	4	95.6	112.7
8	87.07	101.0	157.9	189.9	239.7	291.4	8	42.06	56.00	78.37	93.14	117.2	137.5
16	93.16	108.2	169.2	204.7	16	49.26	65.61	91.97	109.4
32	98.9	114.7	180.8	218.6	276.9	340.2	32	56.26	75.04	105.4	125.8	160.0	189.6
128	108.0	125.8	200.4	242.2	310.1	384.0	128	75.89	101.5	143.4	172.1	203.4	256.6
512	115.9	135.5	215.5	262.1	334.7	414.6	512	94.88	126.9	180.2	218.1	290.7	346.0
1024	116.1	135.4	215.3	262.0	1024	101.9	137.6	196.9	239.2
2048	355.3	439.0	2048	110.9	148.4	214.1	259.2	340.3	421.6
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 5.4^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 10^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	61.7	60.8	58.5	57.5	2	26.6	26.4	25.7	25.3
4	61.0	60.0	4
8	75.0	74.6	73.3	72.5	67.5	66.4	8	37.9	37.7	36.6	35.9
16	80.2	79.9	78.6	78.1	16	44.4	44.2	43.0	42.2
32	85.2	84.7	84.0	83.4	77.9	77.5	32	50.7	50.6	49.2	48.5
128	93.0	92.9	93.1	92.4	87.3	87.5	128	68.4	68.4	67.0	66.4
512	99.8	100.0	100.0	100.0	94.2	94.4	512	85.6	85.5	84.2	84.2
1024	100.0	100.0	100.0	100.0	1024	91.9	92.7	92.0	92.3
2048	100.0	100.0	2048	100.0	100.0	100.0	100.0
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-5.4°	5.4-25°	25-35°	35-50°	50-65°		<i>v</i>	0-10°	10-25°	25-35°	35-50°	50-65°	
2	1.97	2.23	2.48		2	0.97	1.06	1.04	
4	3.11		4	1.14	
8	2.39	2.90	3.20	3.32	3.45		8	1.39	1.49	1.47	1.35	
16	2.79	3.11	3.55		16	1.63	1.76	1.74	
32	2.92	3.37	3.78	3.89	4.22		32	1.88	2.02	2.04	1.97	
128	3.30	3.81	4.18	4.53	4.93		128	2.56	2.79	2.87	3.55	
512	3.63	4.08	4.66	4.84	5.33		512	3.21	3.55	3.79	3.49	
1024	3.57	4.08	4.67		1024	3.57	3.95	4.23	
2048	5.58		2048	3.75	4.38	4.51	5.42	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-5.4°	5.4-25°	25-35°	35-50°	50-65°		<i>v</i>	0-10°	10-25°	25-35°	35-50°	50-65°	
2	2.75	2.71	1.97		2	3.29	2.70	1.89	
4	1.43		4	1.19	
8	2.74	2.87	2.03	1.75	1.44		8	3.30	2.66	1.88	1.15	
16	2.99	2.87	2.09		16	3.31	2.68	1.89	
32	2.95	2.94	2.09	1.78	1.52		32	3.34	2.69	1.94	1.23	
128	3.06	3.03	2.09	1.87	1.59		128	3.37	2.75	2.00	1.74	
512	3.13	3.01	2.16	1.85	1.59		512	3.38	2.79	2.10	1.20	
1024	3.08	3.01	2.17		1024	3.50	2.87	2.15	
2048	1.57		2048	3.38	2.95	2.11	1.59	

COBALT ACETATE (J. AND W.).							SILVER NITRATE (WS. AND C.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 10^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 12.5^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
2	22.20	29.79	42.55	51.02	2	124.9	152.2
4	91.4	110.9	4	51.43	70.55	91.63	109.95
8	41.31	55.27	78.37	94.00	106.8	131.2	8	56.01	76.68	99.80	120.37	150.7	184.8
16	50.07	67.20	95.68	114.9	32	61.80	85.30	111.20	133.14	168.6	207.7
32	56.92	76.66	109.8	132.1	175.8	217.1	128	65.79	91.06	119.14	142.67	180.4	221.4
128	71.25	95.67	136.8	166.3	206.9	256.4	512	69.24	94.99	125.23	148.77	187.7	229.0
512	78.29	106.0	153.6	188.1	241.9	300.7	1024	190.1	230.7
1024	78.88	107.1	155.3	189.8	2048	69.83	96.67	126.81	151.24	191.5	232.4
2048	82.71	113.2	163.7	199.3	260.4	326.0	4096	71.03	99.03	129.68	153.32
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 10^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	26.8	26.3	26.0	25.6	2	65.2	65.5
8	50.0	48.8	47.9	46.1	4	72.4	71.3	70.6	71.7
16	60.5	59.4	58.5	57.7	8	78.8	77.4	76.9	78.5	78.7	79.5
32	68.8	67.7	67.1	66.3	32	87.0	86.2	85.7	86.8	88.0	89.4
128	86.1	84.5	83.6	83.4	128	92.6	92.0	91.8	93.1	94.2	95.3
512	94.7	93.6	93.8	94.4	512	97.4	95.9	96.5	97.0	98.0	98.5
1024	95.4	94.6	94.9	95.2	1024	99.3	99.3
2048	100.0	100.0	100.0	100.0	2048	98.3	97.6	97.7	98.7	100.0	100.0
4096	4096	100.0	100.0	100.0	100.9
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-10°	10-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
2	0.75	0.85	0.87		2	1.53	1.69	1.83	1.82	
4	1.30		4	
8	1.39	1.54	1.56	1.63		8	1.65	1.65	2.06	2.02	2.27	
16	1.71	1.90	1.92		32	1.88	2.07	2.19	2.36	2.61	
32	1.97	2.21	2.23	2.75		128	2.02	2.25	2.35	2.52	2.73	
128	2.44	2.74	2.95	3.30		512	2.06	2.42	2.35	2.60	2.75	
512	2.77	3.15	3.45	3.92		1024	2.71	
1024	2.82	3.21	3.45		2048	2.15	2.41	2.44	2.68	2.73	
2048	3.05	3.37	3.56	4.37		4096	2.24	2.45	2.36	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-10°	10-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
2	3.37	2.85	2.04		2	2.98	2.40	2.00	1.46	
4	1.42		4	
8	3.36	2.79	1.99	1.52		8	2.95	2.15	2.06	1.68	1.51	
16	3.42	2.83	2.01		32	2.94	2.43	1.97	1.78	1.55	
32	3.46	2.88	2.03	1.56		128	2.94	2.47	1.97	1.77	1.51	
128	3.42	2.86	2.16	1.59		512	2.98	2.55	1.87	1.75	1.46	
512	3.54	2.97	2.25	1.62		1024	1.43	
1024	3.58	2.99	2.22		2048	3.01	2.49	1.92	1.79	1.43	
2048	3.69	2.98	2.17	1.68		4096	3.15	2.47	1.82	

CUPRIC CHLORIDE (W.).							CUPRIC BROMIDE (J.).						
<i>Molecular Conductivity.*</i>							<i>Molecular Conductivity.*</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 13.8^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 13.3^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
2	68.95	96.36	119.8	141.3	2	75.27	103.9	135.3	156.1
8	87.57	127.0	158.3	189.9	8	91.31	131.0	169.6	203.8
16	94.82	137.0	173.5	208.6	16	99.30	141.4	183.0	220.3
32	101.3	147.1	187.5	226.2	32	105.0	149.8	194.3	234.1
128	111.5	164.5	210.1	255.6	128	118.2	169.0	220.0	266.0
512	118.4	175.3	224.0	273.4	512	122.2	177.3	230.8	278.4
1024	123.0	181.7	232.2	282.6	1024	125.4	181.2	236.6	285.9
							2048	131.4	187.5	242.7	295.0
							4096	248.8	300.2
							8192	274.8	325.1
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 13.8^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 13.3^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	56.1	53.0	51.6	50.0	2	57.3	55.4	55.7	52.9
8	71.2	69.9	68.2	67.2	8	69.5	69.9	69.9	69.1
16	77.1	75.4	74.7	73.8	16	75.6	75.4	75.4	74.7
32	82.4	81.0	80.7	80.0	32	79.9	79.9	80.1	79.3
128	90.7	90.5	90.5	90.4	128	90.0	90.1	90.6	90.2
512	96.3	96.5	96.5	96.7	512	93.0	94.6	95.1	94.4
1024	100.0	100.0	100.0	100.0	1024	95.4	96.6	97.5	96.9
							2048	100.0	100.0	100.0	100.0
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-13.8°	13.8-25°	15-35°	35-50°	50-65°		<i>v</i>	0-13.3°	13.3-25°	25-35°	35-50°	50-65°	
2	1.99	2.09	2.15		2	2.16	2.68	2.08	
8	2.86	2.79	3.16		8	2.99	3.30	3.42	
16	3.06	3.26	3.51		16	3.17	3.50	3.73	
32	3.32	3.61	3.87		32	3.37	3.75	3.98	
128	3.84	4.07	4.55		128	3.82	4.35	4.60	
512	4.12	4.35	4.94		512	4.14	4.57	4.76	
1024	4.25	4.51	5.04		1024	4.19	4.73	4.93	
							2048	4.22	4.72	5.23	
							4096	5.14	
							8192	5.03	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-13.8°	13.8-25°	25-35°	35-50°	50-65°		<i>v</i>	0-13.3°	13.3-25°	25-35°	35-50°	50-65°	
2	2.89	2.17	1.79		2	2.87	2.58	1.54	
8	3.26	2.20	2.00		8	3.27	2.51	2.02	
16	3.23	2.37	2.02		16	3.19	2.48	2.04	
32	3.28	2.45	2.06		32	3.21	2.50	2.04	
128	3.44	2.47	2.17		128	3.23	2.57	2.09	
512	3.48	2.48	2.20		512	3.38	2.57	2.06	
1024	3.46	2.48	2.17		1024	3.34	2.61	2.08	
							2048	3.21	2.52	2.15	

*Decomposed at higher temperatures.

COPPER NITRATE (W. AND HW.).							COPPER SULPHATE (WS. AND H.).						
<i>Molecular Conductivity.*</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_t 0^\circ$	$\mu_t 5^\circ$	$\mu_t 15.8^\circ$	$\mu_t 25^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	<i>v</i>	$\mu_t 0^\circ$	$\mu_t 12.5^\circ$	$\mu_t 25^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	$\mu_t 65^\circ$
2	69.38	79.17	102.5	123.3	147.1	2	30.06	42.12	55.11	65.15
8	86.48	99.21	130.0	156.7	188.5	4	93.8	107.4
16	93.0	106.7	140.2	169.4	204.0	8	42.30	59.35	77.33	91.16	109.1	124.5
32	99.15	113.8	150.0	181.8	219.9	32	57.24	80.53	105.64	124.94	152.7	173.8
128	109.0	125.5	166.5	201.9	245.0	128	76.91	108.74	143.21	170.60	210.3	247.3
512	117.7	136.1	180.2	218.4	266.6	512	97.88	138.92	184.97	221.08	279.1	237.7
1024	119.8	138.6	183.3	222.9	271.7	1024	105.85	150.86	202.57	245.05
							2048	113.36	161.78	217.71	264.44	343.3	422.7
							4096	119.18	171.07	231.27	281.42
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 5^\circ$	$\alpha 15.8^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	57.9	57.1	55.9	55.3	54.1	2	25.2	24.6	23.8	23.2
8	72.2	71.6	70.9	70.3	69.4	8	35.5	34.7	33.4	32.4
16	77.6	77.0	76.5	76.0	75.1	32	48.0	47.1	45.7	44.4
32	82.8	82.1	81.9	81.6	80.9	128	64.5	63.6	61.9	60.6
128	91.0	90.5	90.8	90.6	90.2	512	82.1	81.2	80.0	78.6
512	98.2	98.2	98.3	98.0	98.0	1024	88.8	88.2	87.6	87.1
1024	100.0	100.0	100.0	100.0	100.0	2048	95.1	94.6	94.1	94.0
							4096	100.0	100.0	100.0	100.0
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-5°	5-15.8°	15.8-25°	25-35°	35-50°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
2	1.96	2.16	2.26	2.38		2	0.96	1.04	1.00	
8	2.55	2.85	2.90	3.18		4	0.91	
16	2.74	3.10	3.17	3.46		8	1.36	1.44	1.38	1.26	1.02	
32	2.93	3.35	3.46	3.81		32	1.86	2.01	1.93	1.85	1.41	
128	3.30	3.80	3.85	4.31		128	2.54	2.76	2.74	2.65	2.45	
512	3.68	4.08	4.15	4.82		512	3.28	3.68	3.61	3.87	3.91	
1024	3.76	4.30	4.30	4.88		1024	3.60	4.14	4.25	
							2048	3.87	4.47	4.67	5.26	5.29	
							4096	4.15	4.82	5.02	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-5°	5-15.8°	15.8-25°	25-35°	35-50°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
2	2.83	2.73	2.20	1.93		2	3.19	2.47	1.82	
8	2.95	2.87	2.23	2.03		4	0.97	
16	2.95	2.91	2.26	2.04		8	3.22	2.43	1.79	1.38	0.93	
32	2.95	2.94	2.31	2.10		32	3.25	2.50	1.83	1.48	0.92	
128	3.03	3.03	2.33	2.14		128	3.30	2.54	1.91	1.55	1.16	
512	3.13	3.00	2.30	2.21		512	3.35	2.65	1.95	1.75	1.40	
1024	3.14	2.99	2.35	2.19		1024	3.40	2.74	2.10	
							2048	3.41	2.76	2.15	1.99	1.54	
							4096	3.48	2.82	2.17	

*Decomposed at higher temperatures.

LEAD CHLORIDE (WS. AND H.).							LEAD NITRATE (J. AND SH.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_t 0^\circ$	$\mu_t 12.5^\circ$	$\mu_t 25^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	$\mu_t 65^\circ$	<i>v</i>	$\mu_t 0^\circ$	$\mu_t 10^\circ$	$\mu_t 25^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	$\mu_t 65^\circ$
64	104.41	144.76	188.71	224.76	277.13	331.22	2	46.30	63.55	92.68	113.0	143.0	175.9
128	116.27	161.56	211.43	252.17	314.89	379.39	8	71.12	97.32	139.8	169.5	218.4	267.8
512	133.10	186.16	246.31	293.05	370.26	452.75	16	84.43	113.3	161.5	195.6	251.7	309.4
1024	136.89	191.98	253.96	306.43	387.25	476.90	32	93.85	128.3	181.5	118.8	281.6	347.8
2048	138.88	195.16	258.49	312.13	412.06	502.84	128	115.1	153.1	214.0	256.7	333.3	410.2
4096	144.70	204.36	270.26	327.80	416.97	515.18	512	129.1	171.9	238.3	287.1	369.6	455.0
							1024	133.6	178.1	247.4	297.5	385.1	477.7
							2048	135.1	178.7	247.2	299.0	397.9	491.8
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 10^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
64	72.2	70.8	69.8	68.6	66.5	64.3	2	34.3	35.6	37.5	37.8	35.9	35.8
128	80.4	79.0	78.2	76.9	75.5	73.6	8	52.6	54.5	55.3	56.7	54.8	54.4
512	92.0	91.1	91.1	89.4	88.8	87.9	16	62.5	63.4	65.3	65.4	63.2	62.9
1024	94.6	93.9	94.0	93.5	92.9	92.6	32	69.5	71.8	73.4	73.2	70.8	70.7
2048	96.0	95.5	95.6	95.2	98.8	97.6	128	85.2	85.7	86.6	85.9	83.8	83.4
4096	100.0	100.0	100.0	100.0	100.0	100.0	512	95.6	96.2	96.4	96.0	92.9	92.5
							1024	98.9	99.7	100.0	99.5	96.8	97.2
							2048	100.0	100.0	100.0	100.0	100.0	100.0
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-10°	10-25°	25-35°	35-50°	50-65°	
64	3.23	3.52	3.61	3.61		2	1.72	1.94	2.03	2.19	
128	3.63	3.99	4.07	4.30		8	2.62	2.83	2.97	3.29	
512	4.25	4.81	4.67	5.50		16	2.88	3.21	3.41	3.85	
1024	4.41	4.96	5.25	5.98		32	3.44	3.55	3.73	4.41	
2048	4.70	5.07	5.36	6.05		128	3.80	4.06	4.27	5.13	
4096	4.77	5.27	5.75	6.57		512	4.28	4.43	4.88	5.69	
							1024	4.45	4.62	5.01	6.17	
							2048	4.36	4.57	5.18	6.36	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-10°	10-25°	25-35°	35-50°	50-65°	
64	3.09	2.43	1.91	1.30		2	3.71	3.05	2.19	1.53	
128	3.12	2.47	1.93	1.37		8	3.68	2.91	2.12	1.51	
512	3.19	2.58	1.90	1.49		16	3.41	2.83	2.11	1.53	
1024	3.22	2.58	2.07	1.54		32	3.67	2.77	2.05	1.53	
2048	3.24	2.60	2.07	1.47		128	3.30	2.65	2.00	1.53	
4096	3.30	2.58	2.13	1.58		512	3.32	2.58	2.05	1.54	
							1024	3.33	2.59	2.03	1.60	
							2048	3.23	2.55	2.10	1.64	

LEAD ACETATE (H. AND HW.).							ALUMINIUM CHLORIDE (WS. AND SH.)						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 12.5^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 12.5^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
4	11.2	16.4	22.1	27.0	34.57	41.42	4	105.90	147.40	193.51	232.54	296.9	361.4
8	16.0	23.3	31.2	37.8	48.18	58.12	8	120.22	168.23	220.86	266.58	341.6	419.1
32	28.8	41.4	54.9	66.2	89.36	102.61	16	381.1	470.9
128	46.4	66.3	87.1	104.2	132.56	158.54	32	142.21	200.06	265.12	322.18
512	65.3	92.7	123.1	146.2	191.61	228.18	64	455.5	567.3
1024	74.5	108.2	139.1	167.2	214.38	255.53	128	162.66	231.08	308.80	377.28
2048	84.3	119.4	156.8	189.1	242.06	289.42	512	176.77	252.75	341.24	421.06	567.5	730.0
4096	87.8	124.6	165.5	198.7	260.97	315.50	1024	184.58	266.73	360.56	446.95	609.3	796.7
							2048	193.37	279.49	381.44	472.46	647.5	868.5
							4096	199.03	290.06	398.79	499.92	703.2	953.2
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
4	12.8	13.2	13.3	13.6	13.2	13.1	4	53.2	50.8	48.5	46.5	42.2	37.9
8	18.2	18.7	18.8	19.0	18.5	18.4	8	60.4	58.0	55.4	53.3	48.6	44.0
32	32.8	33.2	33.2	33.3	32.3	32.5	16	54.2	49.4
128	52.8	53.2	52.6	52.4	50.8	50.2	32	71.5	69.0	66.5	64.4
512	74.4	74.4	74.4	73.6	73.4	72.3	64	64.8	59.5
1024	84.9	86.8	84.0	84.2	82.1	81.0	128	81.7	79.7	77.4	75.5
2048	96.0	95.8	94.7	95.2	92.7	91.7	512	88.8	87.1	85.5	84.2	80.7	76.6
4096	100.0	100.0	100.0	100.0	100.0	100.0	1024	92.8	91.9	90.4	89.4	86.6	83.6
							2048	97.2	96.3	95.6	94.5	92.1	91.1
							4096	100.0	100.0	100.0	100.0	100.0	100.0
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
4	0.41	0.46	0.49	0.46		4	3.32	3.69	3.90	4.30	
8	0.58	0.63	0.66	0.66		8	3.84	4.21	4.57	5.16	
32	1.01	1.08	1.13	1.22		16	5.99	
128	1.59	1.66	1.71	1.73		32	4.63	5.21	5.71	
512	2.19	2.43	2.31	2.44		64	7.45	
1024	2.70	2.47	2.81	2.74		128	5.47	6.22	6.85	
2048	2.81	2.99	3.23	3.16		512	6.08	7.08	7.98	10.83	
4096	2.94	3.27	3.32	3.64		1024	6.57	7.51	8.64	12.49	
							2048	6.89	8.16	9.10	14.73	
							4096	7.28	8.70	10.11	16.66	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
4	3.66	2.81	2.22	1.33		4	3.14	2.50	2.02	1.45	
8	3.63	2.70	2.12	1.37		8	3.19	2.50	2.07	1.51	
32	3.50	2.61	2.06	1.45		16	1.58	
128	3.42	2.50	1.96	1.31		32	3.26	2.60	2.15	
512	3.35	2.62	1.88	1.27		64	1.62	
1024	3.62	2.28	2.02	1.28		128	3.36	2.69	2.22	
2048	3.34	2.50	2.06	1.36		512	3.07	2.80	2.34	1.91	
4096	3.35	2.62	2.15	1.39		1024	3.55	2.82	2.40	2.05	
							2048	3.56	2.92	2.39	2.27	
							4096	3.66	3.00	2.54	2.37	

ALUMINIUM NITRATE (WS. AND SH.).							ALUMINIUM SULPHATE (WS. AND SH.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 12.5^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 12.5^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
4	102.82	139.22	180.52	216.54	276.0	338.6	4	51.90	71.81	92.40	107.72	136.5	152.8
8	115.67	158.84	206.89	248.82	320.8	393.6	8	65.21	89.81	114.44	132.46	166.7	185.7
32	136.32	188.54	247.70	299.96	394.3	487.3	32	89.50	123.63	158.01	183.51	236.7	266.2
128	156.18	217.14	287.05	349.49	464.4	583.9	128	121.87	169.38	219.04	266.22	339.9	395.1
512	166.97	234.81	313.05	384.43	535.8	685.9	512	164.08	230.86	301.01	358.79	497.3	594.6
1024	173.45	247.08	332.20	410.18	575.8	750.5	1024	191.95	271.31	359.16	433.51	613.2	740.2
2048	179.32	255.68	345.82	428.32	613.3	820.9	2048	222.31	317.20	425.03	518.19	746.8	943.0
4096	187.89	272.12	372.07	462.84	656.6	908.2	4096	262.35	378.23	514.06	634.78	936.1	1221.2
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
4	54.7	51.2	48.5	46.8	42.0	37.3	4	19.8	19.0	18.0	17.0	14.6	12.5
8	61.6	58.4	55.6	53.8	48.8	43.4	8	24.9	23.7	22.3	20.9	17.8	15.2
32	72.5	69.3	66.6	64.9	60.0	53.6	32	34.1	32.7	30.7	28.9	25.3	21.8
128	83.1	79.8	77.1	75.6	70.7	64.3	128	46.5	44.8	42.6	41.9	36.3	32.4
512	88.9	86.3	84.1	83.1	82.0	75.5	512	62.5	61.0	58.5	56.5	53.1	48.7
1024	92.3	90.8	89.3	88.7	87.7	82.6	1024	73.2	71.7	69.9	68.3	65.5	60.6
2048	95.4	94.0	92.9	92.6	93.4	90.4	2048	84.7	83.9	82.7	81.6	79.8	72.2
4096	100.0	100.0	100.0	100.0	100.0	100.0	4096	100.0	100.0	100.0	100.0	100.0	100.0
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
4	2.91	3.30	3.60	3.96	4.17		4	1.59	1.65	1.53	1.09	
8	3.45	3.84	4.19	4.79	4.87		8	1.97	1.97	1.80	1.27	
32	4.18	4.75	5.23	6.29	6.20		32	2.73	2.75	2.55	1.97	
128	4.88	5.60	6.25	7.66	7.97		128	3.80	3.97	4.72	3.67	
512	5.45	6.28	7.17	10.09	10.07		512	5.34	5.61	5.78	6.49	
1024	5.93	6.86	7.86	11.04	11.65		1024	6.34	7.03	7.44	8.47	
2048	6.19	7.31	8.37	12.33	13.84		2048	7.59	8.63	9.32	13.08	
4096	6.90	8.19	9.32	12.92	16.77		4096	9.27	10.87	12.07	19.01	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
4	2.83	2.37	1.90	1.83	1.51		4	3.06	2.30	1.66	0.80	
8	2.98	2.42	2.03	1.92	1.52		8	3.02	2.19	1.57	0.76	
32	3.07	2.51	2.11	2.09	1.57		32	3.05	2.23	1.61	0.83	
128	3.12	2.58	2.18	2.19	1.72		128	3.12	2.34	2.16	1.08	
512	3.25	2.67	2.28	2.62	1.88		512	3.25	2.43	1.79	1.31	
1024	3.40	2.77	2.36	2.69	2.01		1024	3.30	2.59	2.07	1.38	
2048	3.44	2.83	2.39	2.88	2.25		2048	3.41	2.72	2.19	1.75	
4096	4.53	2.95	2.45	2.79	2.55		4096	3.53	2.87	2.35	2.03	

FERRIC CHLORIDE (J. AND H.).							FERRIC NITRATE (J.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.*</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 10^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 10^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
2	80.50	104.6	143.6	169.9	2	97.68	128.1	181.6	220.7
4	269.5	327.0	8	138.2	185.7	266.5	328.2
8	127.2	168.5	238.1	285.4	346.9	16	150.7	202.7	295.3	364.3
16	143.4	190.7	274.6	332.7	32	171.4	233.7	342.6	422.6
32	166.7	226.0	328.3	400.4	515.8	1512.5	128	199.5	271.7	399.4	491.4
128	198.9	274.0	401.9	508.9	1037.6	1685.9	512	371.3	408.7	705.7	927.0
512	351.2	563.1	707.2	945.0	1405.4	1024	490.9	571.4	877.7	1116.5
1024	486.3	688.4	892.4	1130.3	2048	585.2	693.5	961.6	1183.0
2048	609.7	799.9	1028.2	1235.6	1487.5	1673.6							
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 10^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 10^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	2
4	8
8	16
16	32
32	128
128	512
512	1024
1024	2048
2048							
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-10°	10-25°	25-35°	35-50°	50-65°		<i>v</i>	0-10°	10-25°	25-35°	35-50°	50-65°	
2	2.41	2.60	2.65		2	3.04	3.57	3.91	
4		8	4.75	5.39	6.17	
8	4.13	4.64	4.73		16	5.20	6.17	6.90	
16	4.73	5.59	5.81		32	6.23	7.26	8.00	
32	5.93	6.82	7.21		128	7.22	8.50	9.20	
128	7.51	8.53	10.70		512	3.74	19.80	22.13	
512	21.1	9.61	23.78		1024	8.05	20.42	23.88	
1024	20.2	13.66	23.60		2048	10.83	18.61	22.14	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-10°	10-25°	25-35°	35-50°	50-65°		<i>v</i>	0-10°	10-25°	25-35°	35-50°	50-65°	
2	2.99	2.49	1.85		2	3.12	2.79	2.15	
4		8	3.44	2.90	2.32	
8	3.25	2.75	1.99		16	3.44	3.04	2.34	
16	3.30	2.93	2.12		32	3.63	3.11	2.34	
32	3.56	3.02	2.20		128	3.62	3.13	2.30	
128	3.78	3.11	2.66		512	1.01	4.84	3.14	
512	6.01	1.71	3.36		1024	1.64	3.57	2.72	
1024	4.15	1.98	2.64		2048	1.85	2.68	2.30	

*Decomposed at higher temperatures.



CHROMIC CHLORIDE (WS. AND SH.).							CHROMIC NITRATE (J. AND SH.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 12.5^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 10^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
4	86.30	116.97	153.32	199.10	2	87.17	112.1	154.7	183.6	231.8	278.5
8	104.53	138.83	184.18	243.55	332.3	410.0	8	117.6	153.1	214.0	256.5	335.9	416.3
32	130.03	182.75	245.00	319.15	431.2	538.5	16	129.7	169.7	238.8	287.4	380.6	473.8
128	162.34	231.28	313.45	393.62	534.3	681.5	32	138.5	181.9	258.1	312.6	420.5	531.2
512	188.46	272.50	372.34	465.10	650.9	834.4	128	149.0	198.9	286.2	350.7	511.2	658.9
1024	200.21	294.55	403.58	504.31	724.2	941.3	512	188.7	253.0	370.2	459.4	634.7	821.2
2048	214.48	316.60	434.36	543.02	783.9	1015.7	1024	203.0	274.0	412.9	511.8	692.0	894.4
4096	229.73	341.14	467.61	580.16	836.5	1101.4	2048	210.4	295.3	438.0	550.9	767.0	999.0
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 10^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
4	37.6	34.3	32.8	34.3	2	41.4	38.0	35.3	33.3	30.2	27.3
8	45.5	40.7	39.4	42.0	39.7	37.2	8	55.9	51.9	48.9	46.6	43.8	41.7
32	56.6	53.6	52.4	55.0	51.6	48.9	16	61.6	57.5	54.5	52.2	49.6	47.4
128	70.7	67.8	67.0	67.9	63.9	61.9	32	65.8	61.8	58.9	56.8	54.8	53.2
512	82.1	79.9	79.6	80.2	77.9	75.7	128	70.8	67.4	65.3	63.7	66.6	65.9
1024	87.2	86.4	86.3	86.9	86.6	85.5	512	89.7	85.7	84.5	83.6	82.7	82.2
2048	93.3	92.9	92.9	93.6	93.8	92.2	1024	96.5	92.8	94.3	93.4	90.2	89.5
4096	100.0	100.0	100.0	100.0	100.0	100.0	2048	100.0	100.0	100.0	100.0	100.0	100.0
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-10°	10-25°	25-35°	35-50°	50-65°	
4	2.45	2.91	4.58		2	2.49	2.84	2.89	3.11	
8	2.74	3.63	5.94	5.18		8	3.55	4.06	4.25	5.36	
32	4.22	4.98	7.42	7.15		16	4.00	4.61	4.06	6.22	
128	5.52	6.57	8.02	9.81		32	4.34	5.08	5.45	7.38	
512	6.72	7.99	9.28	12.23		128	4.99	5.82	6.45	9.85	
1024	7.54	8.72	10.07	14.47		512	6.43	7.81	8.92	12.43	
2048	8.18	9.42	10.87	15.45		1024	7.10	9.26	9.89	13.49	
4096	8.91	10.12	11.26	17.66		2048	8.49	9.51	11.29	15.47	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-10°	10-25°	25-35°	35-50°	50-65°	
4	2.84	2.49	2.99		2	2.86	2.53	1.87	1.34	
8	2.62	2.62	3.23	1.56		8	3.02	2.65	1.99	1.59	
32	3.25	2.73	3.03	1.66		16	3.08	2.72	2.04	1.63	
128	3.40	2.84	2.55	1.83		32	3.13	2.79	2.11	1.75	
512	3.57	2.93	3.95	1.87		128	3.35	2.93	2.25	1.92	
1024	3.77	2.96	2.50	1.99		512	3.41	3.09	2.41	1.96	
2048	3.82	2.98	2.50	1.53		1024	3.50	3.38	2.40	1.95	
4096	3.88	2.97	2.51	1.60		2048	4.04	3.22	2.58	2.01	

CHROMIC SULPHATE (WS. AND SH.)							URANYL CHLORIDE (WS. AND W.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 12.5^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 12.5^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
4	58.14	78.48	99.64	116.41	4	101.45	139.09	180.45	214.70	274.6	333.2
8	77.85	103.64	130.18	151.17	121.1	139.9	8	110.48	157.64	206.01	246.51	318.9	387.8
32	120.59	158.67	197.34	230.37	209.7	228.5	32	133.05	186.56	246.12	297.84	380.3	473.2
128	169.08	225.60	283.56	338.67	328.0	370.6	128	148.39	209.75	279.00	339.40	439.4	548.5
512	215.36	292.66	376.23	472.16	488.8	585.3	512	155.98	220.70	296.56	360.44	491.1	610.6
1024	240.48	329.96	459.83	561.76	585.4	732.1	1024	161.02	231.37	311.92	383.88
2048	293.38	405.65	534.55	708.14	713.3	905.2	2048	168.42	242.69	328.24	405.98	546.8	693.7
4096	315.39	445.16	598.46	808.29	880.9	1132.4	4096	174.98	254.22	348.16	433.68
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
4	18.4	17.6	16.6	14.4	4	58.0	54.7	51.8	49.5
8	24.7	23.3	21.7	18.7	14.5	12.4	8	63.1	62.0	59.2	56.8
32	38.2	35.6	33.0	28.5	23.8	20.2	32	76.0	73.4	70.7	68.7
128	53.6	50.7	47.4	41.9	37.2	32.7	128	84.8	82.5	80.2	78.2
512	68.3	65.7	62.8	58.5	55.5	51.7	512	89.1	86.8	85.2	83.1
1024	76.2	74.1	76.8	69.5	66.5	64.6	1024	92.0	91.0	89.6	88.5
2048	93.0	91.1	89.3	87.7	80.9	80.0	2048	96.3	95.5	94.3	93.6
4096	100.0	100.0	100.0	100.0	100.0	100.0	4096	100.0	100.0	100.0	100.0
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
4	1.63	1.69	1.68	0.79		4	3.01	3.31	3.43	3.99	3.91	
8	2.06	2.12	2.10	1.25		8	3.77	3.87	4.05	4.82	4.59	
32	3.05	2.46	3.30	2.84		32	4.28	4.76	5.17	5.50	6.19	
128	4.52	4.64	5.51	6.43		128	4.91	5.54	6.04	6.66	7.27	
512	6.18	4.69	9.59	9.78		512	5.18	6.07	6.39	7.97	
1024	7.16	10.39	10.10	12.79		1024	5.63	6.44	7.20	
2048	8.98	10.31	17.36	16.77		2048	5.94	6.84	7.77	9.79	
4096	10.38	12.26	20.98		4096	6.34	7.52	8.55	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
4	2.80	2.15	1.69		4	2.97	2.38	1.90	1.86	1.42	
8	2.65	2.05	1.61	0.62		8	3.41	2.46	1.97	1.95	1.44	
32	2.54	1.55	1.67	0.60		32	3.22	2.55	2.10	1.85	1.63	
128	2.67	2.06	1.94	0.86		128	3.31	2.64	2.17	1.96	1.65	
512	2.87	1.60	2.55	1.32		512	3.32	2.75	2.16	1.62	
1024	2.98	3.15	2.22	1.67		1024	3.50	2.78	2.31	
2048	3.06	2.54	3.25	1.78		2048	3.53	2.82	2.37	1.97	
4096	3.29	2.75	3.51	1.94		4096	3.62	2.96	2.46	

URANYL NITRATE (Ws. AND Hw.).							URANYL SULPHATE (Ws. AND Hw.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_r 0^\circ$	$\mu_r 12.5^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$	<i>v</i>	$\mu_r 0^\circ$	$\mu_r 12.5^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$
4	74.91	102.01	132.91	158.84	199.01	245.03	8	78.13	99.77	120.82	136.43	172.5	189.9
8	83.44	114.71	150.57	181.20	226.59	277.69	32	100.65	129.52	156.80	176.52	215.3	231.0
32	97.22	136.35	180.64	219.38	279.42	345.77	128	128.62	166.72	203.02	229.42	279.5	300.1
128	110.14	153.84	207.89	254.21	327.08	406.32	512	157.54	207.90	257.69	295.20	369.5	403.7
512	116.33	166.65	224.95	277.35	376.95	476.52	1024	175.68	235.28	296.95	343.01	421.7	471.0
1024	123.14	177.76	241.47	298.63	404.71	514.08	2048	191.68	260.77	332.57	391.00	498.9	562.6
2048	128.92	187.20	255.38	317.44	422.85	538.35	4096	203.33	285.05	373.65	446.33	570.7	667.9
4096	136.77	200.10	274.50	343.09	467.92	596.77							
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
4	54.8	51.0	48.4	46.3	42.5	41.1	8	38.4	35.0	32.3	30.6	30.2	28.4
8	61.9	57.3	54.9	52.8	48.4	46.5	32	49.5	45.4	42.0	39.6	37.7	34.6
32	71.1	68.1	65.8	63.9	59.7	57.9	128	63.2	58.5	54.3	51.4	49.0	44.9
128	80.5	77.9	75.8	74.1	69.9	68.1	512	77.5	72.9	69.0	66.2	64.7	60.4
512	85.0	83.3	82.0	80.8	80.6	79.8	1024	86.4	82.5	79.5	76.9	73.9	70.5
1024	90.0	88.8	88.0	87.1	86.5	86.1	2048	94.2	91.5	89.0	87.6	87.4	84.2
2048	94.2	93.6	93.1	92.5	90.4	90.2	4096	100.0	100.0	100.0	100.0	100.0	100.0
4096	100.0	100.0	100.0	100.0	100.0	100.0							
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
4	2.17	2.47	2.59	2.68	3.07		8	1.73	1.68	1.56	1.16	
8	2.50	3.07	3.06	3.03	3.41		32	2.31	2.18	1.97	1.05	
32	3.13	3.54	3.87	4.00	4.42		128	3.05	2.90	2.64	1.37	
128	3.66	4.16	4.63	4.86	5.28		512	4.03	3.98	3.75	2.28	
512	4.03	4.66	5.24	6.64	6.64		1024	4.77	4.93	4.61	3.29	
1024	4.37	5.10	5.72	7.07	7.29		2048	5.53	5.74	5.84	4.25	
2048	4.66	5.46	6.21	7.03	7.70		4096	6.54	7.09	7.27	6.48	
4096	5.07	5.95	6.86	8.32	8.59								
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
4	2.90	2.42	1.95	1.69	1.54		8	2.22	1.68	1.29	0.67	
8	3.00	2.68	2.03	1.67	1.50		32	2.30	1.68	1.26	0.49	
32	3.22	2.60	2.14	1.82	1.58		128	2.37	1.74	1.30	0.49	
128	3.32	2.67	2.23	1.91	1.61		512	2.56	1.91	1.46	0.62	
512	3.47	2.80	2.33	2.39	1.76		1024	2.72	2.10	1.55	0.78	
1024	3.55	2.87	2.37	2.37	1.80		2048	2.89	2.20	1.76	0.85	
2048	3.62	2.92	2.43	2.22	1.82		4096	3.22	2.49	1.95	1.14	
4096	3.71	2.97	2.50	2.43	1.84								

URANYL ACETATE (Ws.).							HYDROCHLORIC ACID (W.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 12.5^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 12.5^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
8	30.59	42.75	56.53	68.12	4	223.3	285.9	348.2	397.9
32	39.65	55.08	72.25	86.67	8	227.0	292.2	357.0	407.1
128	51.48	70.66	91.34	108.52	16	231.8	298.7	365.2	415.5
512	63.57	86.06	110.47	129.06	32	235.0	303.3	370.7	423.4
1024	70.13	94.74	120.37	141.12	128	238.8	309.0	379.3	433.3
2048	76.81	103.65	131.78	154.46	512	235.5	304.2	374.7	428.3
4096	83.75	113.81	145.10	170.54	1024	221.5	287.7	353.4	405.3
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
8	36.5	37.6	39.0	40.0	4	93.5	92.5	91.8	91.8
32	47.3	48.4	48.8	50.8	8	95.1	94.6	94.1	93.9
128	61.5	62.1	63.0	63.7	16	97.1	96.7	96.3	95.9
512	75.9	75.6	76.1	75.7	32	98.4	98.2	97.7	97.7
1024	83.7	83.3	83.0	82.8	128	100.0	100.0	100.0	100.0
2048	91.7	91.1	90.8	90.6							
4096	100.0	100.0	100.0	100.0							
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
8	0.97	1.10	1.16		4	5.01	4.98	4.97	
32	1.23	1.37	1.44		8	5.22	5.18	5.01	
128	1.53	1.65	1.72		16	5.35	5.32	5.03	
512	1.80	1.95	1.86		32	5.46	5.39	5.27	
1024	1.97	2.05	2.08		128	5.62	5.62	5.40	
2048	2.15	2.25	2.27		512	5.50	5.64	5.36	
4096	2.41	2.50	2.54		1024	5.30	5.26	5.19	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°	
8	3.12	2.57	2.05		4	2.24	1.74	1.43	
32	3.10	2.49	1.99		8	2.30	1.77	1.40	
128	2.97	2.34	1.88		16	2.31	1.78	1.38	
512	2.83	2.26	1.68		32	2.37	1.77	1.42	
1024	2.81	2.16	1.73		128	2.35	1.82	1.42	
2048	2.80	2.17	1.72		512	2.34	1.85	1.43	
4096	2.88	2.20	1.75		1024	2.39	1.83	1.47	

NITRIC ACID (W.).							SULPHURIC ACID (W.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 12.5^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 16.3^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
4	222.4	284.3	344.4	390.8	4	292.9	382.8	419.3	457.2
8	226.9	290.5	354.4	402.7	8	303.9	393.9	431.5	471.7
16	231.3	296.3	362.0	411.8	16	323.6	417.3	456.6	498.0
32	235.4	301.7	368.7	418.6	32	347.2	450.0	491.4	533.6
128	238.3	308.2	376.6	429.4	128	403.6	535.6	589.4	646.2
512	236.7	306.0	373.9	426.9	512	442.7	601.1	675.2	753.0
1024	231.4	299.9	366.5	419.8	2048	449.2	622.4	709.9	814.4
							8192	441.6	618.2	708.6	816.3
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 12.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 16.3^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
4	93.3	92.2	91.4	91.0	4	65.2	61.5	59.1	56.1
8	95.2	94.3	94.1	93.8	8	67.7	63.3	60.8	57.9
16	97.1	96.1	96.1	95.9	16	72.0	67.0	64.3	61.2
32	98.8	97.9	97.6	97.5	32	77.3	72.3	69.2	65.5
128	100.0	100.0	100.0	100.0	128	89.8	86.1	83.0	79.3
							512	98.6	96.6	95.1	92.5
							2048	100.0	100.0	100.0	100.0
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-16.3°	16.3-25°	25-35°	35-50°	50-65°	
4	4.95	4.81	4.64		4	5.52	4.20	3.79	
8	5.09	5.11	4.83		8	5.52	4.32	4.02	
16	5.20	5.25	4.98		16	5.75	4.52	4.11	
32	5.30	5.36	4.99		32	6.31	4.76	4.22	
128	5.59	5.47	5.28		128	8.10	6.18	5.68	
512	5.54	5.43	5.30		512	9.72	8.52	7.78	
1024	5.48	5.33	5.33		2048	10.63	10.06	10.45	
							8192	10.83	10.39	10.77	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-12.5°	12.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-16.3°	16.3-25°	25-35°	35-50°	50-65°	
4	2.23	1.69	1.35		4	1.88	1.10	0.90	
8	2.24	1.76	1.36		8	1.49	1.10	0.93	
16	2.25	1.77	1.38		16	1.78	1.08	0.91	
32	2.25	1.78	1.35		32	1.82	1.06	0.86	
128	2.34	1.77	1.40		128	2.01	1.15	0.96	
512	2.34	1.77	1.42		512	2.19	1.42	1.15	
1024	2.37	1.78	1.45		2048	2.37	1.62	1.47	
							8192	2.45	1.68	1.52	

DISCUSSION OF THE RESULTS.

THE CONDUCTIVITY MEASUREMENTS.

The conductivities of about 110 salts and mineral acids have been measured and the results are herein recorded. These have been studied from about the most concentrated solution that could be prepared, up to a volume of from 1000 to 4000. The temperature range is from 0° to 65° . Salts of nearly all of the more common metals have been included within this work.

It is almost self-evident that in an investigation of this scope certain peculiarities would be presented by some of the substances studied.

The salts of lithium crystallize with more water than the corresponding salts of the other alkali elements. This means that the lithium ion is more hydrated in aqueous solution than the potassium, sodium, or ammonium ion. The result is that the lithium ion moves more slowly than the other alkali ions, and, consequently, the conductivities of lithium salts are smaller than those of the corresponding salts of sodium and potassium. Before we had the solvate theory it was very difficult to account for the fact that the lithium ion, which has a much smaller mass and smaller atomic volume than either sodium or potassium, should have a smaller velocity. But we now have the explanation of this fact. The larger conductivity of lithium sulphate, especially at high dilutions, as compared with other salts of lithium, is due to this being a ternary electrolyte, while the other three salts are binary electrolytes.

The salts of sodium with the simpler acids call for no special comment. The conductivities are larger than those of the corresponding salts of lithium, since the sodium ion is less hydrated than lithium, and, consequently, moves faster through the solution. Sodium carbonate has very great conductivity, especially at high dilution and elevated temperatures. This is undoubtedly due to large hydrolysis under these conditions. The very large conductivity of disodium phosphate is also probably due to hydrolysis. Sodium ammonium acid phosphate (microcosmic salt) begins, in fairly concentrated solutions, to give off ammonia at 25° , and this is still more marked at 35° .

The unusually high conductivity of sodium ferrocyanide, especially at $N=1024$ and 65° , is due in part to the large number of ions yielded by this substance, and in part to hydrolytic dissociation.

The salts of potassium have somewhat larger conductivity than those of sodium. The potassium ion has less hydrating power than sodium, as is shown by the fact that potassium salts show less tendency to crystallize with water than sodium. Notwithstanding the greater mass of potassium, the ion moves faster than sodium, since it drags less water with it through the solution. This would increase the conductivity of potassium salts over that of sodium. The large conductivities of potassium carbonate, dipotassium phosphate, and tripotassium phosphate are due to hydrolysis. The large values for potassium nickel sulphate, and for both the violet and green potassium chromium sulphates are due chiefly to the large number of ions into which these compounds dissociate. It was shown some time ago by Jones and

Mackay* "that compounds of this type first break down into the constituent sulphates, especially in dilute solution, and these then dissociate as if they alone were present in the solution."

Potassium permanganate underwent slight decomposition, especially at more elevated temperatures. The high conductivity of potassium ferrocyanide is explained by the large number of ions into which it breaks down.

Ammonium salts with the ordinary mineral acids crystallize with little or no water. This means that the ammonium ion is very slightly hydrated in aqueous solution. Ammonium salts, in general, conduct to just about the same extent as potassium salts. Tetraethylammonium iodide decomposes slowly around 50 degrees.

Turning to the bivalent metals, let us consider, first, salts of calcium, strontium, barium, and magnesium. Most of the salts of these metals with the ordinary mineral acids crystallize with six molecules of water; calcium nitrate, which crystallizes with four molecules of water; strontium nitrate, which crystallizes anhydrous; barium chloride and bromide, which crystallize with two molecules of water each, and barium nitrate, which crystallizes without water, are exceptions.

Earlier work in this laboratory on the approximate composition of the hydrates formed by various substances† has shown that salts of calcium, strontium, barium, and magnesium hydrate to approximately the same extent, and that all four of these elements have very great hydrating power. While the masses of the atoms of these four elements vary from magnesium = 24.36, calcium = 40.1, strontium = 87.6, to barium = 137.4, yet the amounts of water with which these substances in solution are combined are so large that the total masses of the four ions when hydrated as they are, especially in dilute solution, are not very different. Further, the atomic volumes of these four substances are not very different, magnesium being somewhat less than the other three. Ionic velocity is a function of the ionic volume and ionic mass of the hydrated ions. We should, therefore, expect the velocities of these four ions to be just about the same, and such is the fact. The velocities are: Mg = 58, Ca = 62, Sr = 63, and Ba = 64.

Conductivity is a function of the number and velocities of the ions taking part in the conduction of the current. Since salts of the above four elements are dissociated to just about the same extent, it follows that salts of calcium, strontium, barium, and magnesium should give conductivities of the same order of magnitude. An examination of the results will show this to be the case. The salts of these elements with the organic acids—formic and acetic—are probably somewhat hydrolyzed, especially the salts of acetic acid. The formate showed a short hydrolysis time factor, while the acetate precipitated a small amount of barium hydroxide on the platinum plates.

Zinc nitrate, like magnesium nitrate, crystallizes with six molecules of water and the two have very nearly the same conductivity. There was evidence that zinc nitrate underwent slight hydrolysis. Zinc sulphate and magnesium sulphate crystallize with the same amount of water—each with seven molecules—and they have very nearly the same conductivities. Zinc acetate was undoubtedly strongly hydrolyzed, especially at the high dilutions and high temperatures. There was an appreciable odor of acetic acid in these solutions.

**Amer. Chem. Journ.*, 19, 83 (1897).

†*Carnegie Institution Publication No. 60.*

The salts of cadmium present several points of interest. The chloride crystallizes with two molecules of water, while the bromide and iodide crystallize without water. Notwithstanding the small hydrating power of the cadmium ion, its salts conduct less than the corresponding compounds of calcium, strontium, barium, and magnesium. The explanation of this is well known. The halides of cadmium are much less dissociated than the halides of the metals related chemically to it, hence the smaller conductivity.

The conductivities of the salts of manganese, nickel, and cobalt call for no special comment. Manganese nitrate underwent some decomposition at 35°. Nickel acetate underwent hydrolysis, the solution having the odor of acetic acid. Salts of these three metals give conductivities that are of the same order of magnitude, and are, indeed, very nearly equal. This would be expected from the relative hydrating power of the manganese, cobalt, and nickel ions.

The above comments also apply to the salts of copper that were investigated. At 65° these salts, in general, underwent decomposition, and the work, therefore, could not be extended to this temperature. The salts of aluminium, iron, and chromium are all quaternary electrolytes, *i. e.*, the molecule breaks down into four ions. The conductivities of these substances are, therefore, large. Many of these salts undergo hydrolysis at the higher temperatures. This is so pronounced with the salts of iron that they could not be studied at all at the higher temperatures. The salts of aluminium, iron, and chromium crystallize with large amounts of water, *i. e.*, these ions have great hydrating power. The order of magnitude of this power can be seen from the earlier work in this laboratory.* That these substances have very large temperature coefficients of conductivity will be seen a little later.

The salts of uranyl undergo hydrolysis, especially at the more elevated temperatures. To this hydrolysis there is an appreciable time factor. This accounts for the difficulties encountered by different workers in obtaining concordant results.

The relations pointed out above will be seen from the table of molecular conductivities on pages 70 and 71. Here the results are given at two dilutions widely removed from one another, and at three temperatures as widely different as possible.

A DEHYDROLYTIC TIME FACTOR.

An observation of some importance was made by Mr. Shaeffer. He took four parts of a $n/32$ solution of chromium chloride. One of these was kept at room temperature. A second was heated for two hours to 50°, a third for the same time to 65°, while a fourth was heated for two hours to 90°. All four solutions were then brought to the same temperature and their conductivities determined. The conductivities of all four solutions were taken at 35°, at 50°, and at 65°, and the results are given in the following table:

CHROMIUM CHLORIDE.

v	T	Not heated	Heated to 50°	Heated to 65°	Heated to 90°
32	35°	330.5	331.4	342.0	415.7
32	50°	424.6	429.7	439.0	519.0
32	65°	532.4	536.9	544.6	624.2

*Carnegie Institution of Washington Publication No. 60, pp. 87-93.

MOLECULAR CONDUCTIVITIES.

	0°		25°		65°	
	$v = 8$	$v = 1024$	$v = 8$	$v = 1024$	$v = 8$	$v = 1024$
LiCl.....	47.27	56.08	88.41	107.2	167.7	208.3
LiBr.....	49.84	57.97	89.78	109.9	170.4
LiNO ₃	43.83	52.0	79.71	98.0	157.7	197.8
Li ₂ SO ₄	66.74	108.1	128.4	211.4	242.7	425.5
NaCl.....	53.5	61.6	98.5	115.4	184.5	225.5
NaBr.....	55.36	100.3	184.1	222.8
NaI.....	55.26	63.14	100.4	116.4	187.5	234.1
NaNO ₃	50.27	59.39	111.3	138.5	171.4	213.2
NaClO ₃	47.4	56.2	86.7	104.1	164.4	211.3
NaClO ₄	49.4	56.8	90.2	105.4
Na ₂ SO ₄	78.51	119.65	146.4	226.34	274.3
Na ₂ CO ₃	70.7	110.8	137.8	218.1	271.9	439.5
Na ₂ HPO ₄	91.9	183.7	393.2
NaNH ₄ HPO ₄	65.6	104.7	193.6
Na ₄ Fe(CN) ₆	136.7	253.4	259.2	482.4	469.61	939.35
Na ₂ B ₄ O ₇	79.20	153.4
CH ₃ COONa.....	34.30	40.65	66.25	79.12	131.7
KCl.....	66.47	75.14	118.6	137.0	215.9	258.3
KBr.....	68.01	79.23	121.3	143.5	218.1	260.3
KI.....	68.45	77.77	120.7	141.8	221.2	268.1
KNO ₃	61.94	76.31	111.0	139.6	199.6	245.2
KClO ₃	58.9	70.6	104.7	127.8	192.1	241.5
KClO ₄	72.0	130.7	240.6
K ₂ SO ₄	101.9	145.0	183.6	268.0	332.8	513.1
KHSO ₄	182.1	254.2	313.3
K ₂ CO ₃	98.74	180.9	291.17
K ₂ HPO ₄	79.19	109.35	143.34	200.52
K ₃ PO ₄	116.6	192.1	217.2	362.5	415.5	697.3
KNaSO ₄	96.1	140.8	170.6	259.2	272.73	469.31
KNi(SO ₄) ₂	122.6	235.5	221.9	437.1	407.67	850.20
KAl(SO ₄) ₂	78.9	177.8	140.3	332.7	240.6
KCr(SO ₄) ₂ violet.....	75.8	186.6	135.3	369.6	242.04	785.37
KCr(SO ₄) ₂ green.....	101.0	229.7	158.4	399.6	248.10	771.94
KMnO ₄	59.34	64.65	104.36	113.95	193.58	215.95
K ₂ CrO ₄	111.3	150.1	196.0	276.2	357.7
K ₂ Cr ₂ O ₇	109.1	133.6	195.5	240.6	352.9
K ₄ Fe(CN) ₆	168.8	295.1	305.1	546.5	543.0
CH ₃ COOK.....	48.6	58.33	88.43	106.84	203.7
CNSK.....	62.48	72.25	110.9	131.5	201.8
NH ₄ Cl.....	66.17	74.84	118.6	137.8	217.1	269.7
NH ₄ Br.....	69.36	77.06	123.6	140.9	220.9	267.6
N(C ₂ H ₅) ₄ I.....	38.6	53.3	72.8	99.3
NH ₄ NO ₃	64.35	74.69	113.38	134.43	204.3	249.3
(NH ₄) ₂ SO ₄	98.06	143.84	179.57	267.62	325.2
NH ₄ HSO ₄	183.40	295.22	258.00	483.51	303.2	794.5
NH ₄ Al(SO ₄) ₂	80.00	181.0	143.1	342.4	236.5
NH ₄ Cr(SO ₄) ₂ violet.....	77.5	187.0	137.3	372.0	244.97	754.79
NH ₄ Cr(SO ₄) ₂ green.....	103.6	215.6	162.9	386.2	250.70	789.57
(NH ₄) ₂ Cu(SO ₄) ₂	122.7	236.0	220.7	442.6	383.1	850.8
CaCl ₂	95.3	126.5	172.5	236.1	318.7
CaBr ₂	97.74	126.3	177.5	236.5	339.4	477.18
Ca(NO ₃) ₂	85.50	125.7	157.3	235.0	287.8
CaCrO ₄	57.7	111.6	105.8	208.8	187.81	401.22
Ca(HCOO) ₂	67.2	124.5	230.8
SrCl ₂	92.97	129.1	173.7	242.8	324.4	463.3
SrBr ₂	100.00	129.1	180.6	239.6	343.7
Sr(NO ₃) ₂	84.33	126.9	154.1	233.7	288.0
Sr(CH ₃ COO) ₂	56.51	91.18	106.96	177.44	193.8
BaCl ₂	99.06	130.9	179.00	243.4	322.3
BaBr ₂	103.4	133.8	187.4	249.9	340.1	484.6

MOLECULAR CONDUCTIVITIES—Continued.

	0°		25°		65°	
	$v=8$	$v=1024$	$v=8$	$v=1024$	$v=8$	$v=1024$
Ba(NO ₃) ₂	76.37	127.4	146.4	234.2	276.2
Ba(HCOO) ₂	72.22	103.0	133.4	184.0	245.4	385.5
Ba(CH ₃ COO) ₂	59.05	92.63	113.3	180.5
MgCl ₂	87.6	118.3	162.1	224.9	303.8
MgBr ₂	93.73	122.8	170.64	230.94	324.4
Mg(NO ₃) ₂	88.91	120.68	160.86	224.49	298.1
MgSO ₄	45.70	102.7	85.62	198.3	102.4	240.9
Mg(HCOO) ₂	58.15	94.03	109.29	176.23	201.4
Mg(CH ₃ COO) ₂	46.35	80.38	89.79	158.95	171.2
Zn(NO ₃) ₂	87.6	117.1	157.2	216.6	289.67	415.20
ZnSO ₄	43.20	104.7	80.01	197.8
Zn(CH ₃ COO) ₂	37.7	79.9	66.6	156.7	100.61	298.74
CdCl ₂	45.32	113.78	79.30	212.53	139.6
CdBr ₂	37.80	110.69	70.44	208.48	128.5
CdI ₂	24.31	96.31	48.44	188.66	94.61
MnCl ₂	84.98	114.9	156.7	216.8	293.7	468.4
Mn(NO ₃) ₂	83.1	105.4	144.3	195.8
MnSO ₄	44.11	107.13	79.77	202.94	130.0
NiCl ₂	89.51	120.7	164.8	229.0	301.5
Ni(NO ₃) ₂	87.35	115.8	157.9	214.3
NiSO ₄	40.58	100.4	77.06	193.8	135.7
NiCH ₃ COO.....	38.95	78.65	74.10	153.9	138.32	336.46
CoCl ₂	87.75	116.8	161.5	221.1	302.5
CoBr ₂	95.04	120.80	171.3	231.56	315.7
Co(NO ₃) ₂	87.07	116.1	157.9	215.3	291.4
CoSO ₄	42.06	101.9	78.37	196.9	137.5
Co(CH ₃ COO) ₂	41.31	78.88	78.37	155.3	131.2
AgNO ₃	56.01	99.80	184.8	230.7
CuCl ₂	87.57	123.0	158.3	232.2
CuBr ₂	91.31	125.4	169.6	236.6
Cu(NO ₃) ₂	86.48	119.8	156.7	222.9
CuSO ₄	42.30	105.85	77.33	202.57	124.5
PbCl ₂	136.89	253.96	476.90
Pb(NO ₃) ₂	71.12	133.6	139.8	247.4	267.8	477.7
Pb(CH ₃ COO) ₂	16.0	74.5	31.2	139.1	58.12	255.53
AlCl ₃	120.22	184.58	220.86	360.56	419.1	796.7
Al(NO ₃) ₃	115.67	173.45	206.89	332.20	393.6	750.5
Al ₂ (SO ₄) ₃	65.21	191.95	114.44	359.16	185.7	740.2
FeCl ₃	127.2	486.3	238.1	892.4
Fe(NO ₃) ₃	138.2	490.9	266.5	877.7
CrCl ₃	104.53	200.21	184.18	403.58	410.0	941.3
Cr(NO ₃) ₃	117.6	203.0	214.0	412.9	416.3	894.4
Cr ₂ (SO ₄) ₃	77.85	240.48	130.18	459.83	139.9	732.1
UO ₂ Cl ₂	110.48	161.02	206.01	311.92	387.8	548.5
UO ₂ (NO ₃) ₂	83.44	123.14	150.57	241.47	277.69	514.08
UO ₂ SO ₄	78.13	175.68	120.82	296.95
UO ₂ (CH ₃ COO) ₂	30.59	70.13	56.53	120.37
HCl.....	227.0	221.5	357.0	353.4
HNO ₃	226.9	231.4	354.4	366.5
H ₂ SO ₄	303.9	431.5

The vessels used for holding the solutions were of Jena glass, which had been treated for months to remove all soluble matter. The increase in conductivity in the heated solutions could, therefore, not have been due to matter dissolved from the glass vessels. It will be seen that the solutions which had been heated had higher conductivity than those which had not. This is especially true of the solution which had been heated to 90°. This was undoubtedly due to hydrolytic dissociation of the salt into acid and base, and these did not completely recombine on cooling the solution to the initial temperature.

The same process was repeated, using a solution of chromium chloride which was *n*/512, heating one part to 50°, another to 65°, still another to 90°, then cooling all down to room temperature, and measuring the conductivities at the following temperatures:

CHROMIUM CHLORIDE.

<i>v</i>	<i>T</i>	Not heated	Heated to 50°	Heated to 65°	Heated to 90°
512	35°	487.4	489.5	500.6	559.7
512	50°	652.2	656.7	667.7	724.6
512	65°	842.5	843.8	856.6	915.1

The results for the more dilute solutions are of the same general character as those for the more concentrated.

To throw some light on the length of time required for the acid and base to recombine, the following experiment was carried out: The *n*/512 solution of chromium chloride, which had been heated to 90°, was cooled to room temperature and allowed to stand for 20 days. It was then warmed to 35°, and its conductivity determined. The value found was 508, while the value found shortly after heating was 559.9. The unheated solution gave a conductivity of 487.4. It is thus obvious that in 20 days the hydrolysis had not all disappeared.

A similar experiment with *n*/512 chromium chloride, which had been heated to 90°, cooled to room temperature and allowed to stand 20 days, and then warmed to 65° and its conductivity determined, gave the value 885. The conductivity shortly after heating was 915.1. The conductivity of the unheated solution was 842.5. This shows that the dehydrolysis, in this case, was not complete even after the solution had stood for 20 days. We propose to study these changes quantitatively in the near future, and see how long it requires for the completion of the dehydrolysis, in the cases especially of those salts which are strongly hydrolyzed.

The bearing of these facts on the purification of salts by recrystallization from water is important. The usual method of purification, by preparing a saturated solution at a higher temperature and then lowering the temperature and allowing the salt to crystallize is open to objection, especially for those salts which are strongly hydrolyzed by water. It has been supposed that when the solution in question was cooled down, the free acid and free base recombined. This work shows that such is not the case. There remains in the solution, for a long time, some free acid; and when the salt crystallizes from such a solution it is likely to occlude some of the free acid.

The better method for purifying hydrolyzable salts by crystallization is to make the saturated solution at low temperatures, and then remove the water by an air-pump or over sulphuric acid. It is well known that hydrolysis increases very rapidly with rise in temperature.

DISSOCIATION OF THE VARIOUS SALTS.

The dissociation of the various salts can be best compared and studied by bringing together the results for the different salts under comparable conditions. For some of the salts it is impossible at present to give their true dissociations. This is due to the fact that they underwent more or less hydrolysis, and the true value of μ_{∞} for the unhydrolyzed salt was not obtained. In some other cases the dissociation may not have been complete, even in the most dilute solution investigated. In such cases the true value of μ_{∞} would not have been reached. However, most of the dissociations given are nearly correct.

DISSOCIATIONS OF THE VARIOUS SALTS.

	0°		25°		65°	
	$v=8$	$v=1024$	$v=8$	$v=1024$	$v=8$	$v=1024$
LiCl.....	82.4	97.8	80.1	97.1	79.6	98.9
LiBr.....	81.6	95.0	78.2	95.7	78.8
LiNO ₃	83.6	99.2	79.5	97.7	79.7	100.0
Li ₂ SO ₄	59.7	96.7	58.5	96.3	56.3	98.7
NaCl.....	85.8	98.9	84.6	99.1	80.7	97.5
NaBr.....	85.9	82.8	81.1	98.2
NaI.....	85.7	97.9	84.3	97.7	80.1	100.0
NaNO ₃	83.9	99.8	77.9	97.8	80.4	100.0
NaClO ₃	84.3	100.0	82.9	100.0	77.7	100.0
NaClO ₄	88.4	99.6	84.5	99.7
Na ₂ SO ₄	61.4	93.6	60.1	93.0	58.5
Na ₂ HPO ₄	99.9	99.8	98.5
NaH ₂ PO ₄	62.6	100.0	100.0	100.0
Na ₄ Fe(CN) ₆	49.6	91.9	49.2	91.5	46.9	97.8
Na ₂ B ₄ O ₇	92.7	93.5
NaCH ₃ COO.....	83.2	100.0	82.7	100.0	80.1	100.0
KCl.....	88.5	100.0	86.6	100.0	83.3	99.6
KBr.....	85.8	100.0	84.5	100.0	82.7	98.7
KI.....	86.4	98.2	82.0	96.3	82.5	100.0
KNO ₃	81.2	100.0	79.5	100.0	81.0	99.5
KClO ₃	81.3	97.5	79.7	97.2	76.8	96.7
KClO ₄	97.0	97.1	95.7
K ₂ CO ₃	75.3	72.3	62.2
K ₂ HPO ₄	71.7	99.0	69.5	97.3
K ₃ PO ₄	60.2	99.2	59.3	99.0	58.7	98.5
KNaSO ₄	66.6	97.6	63.7	96.9	58.6	90.0
K ₂ Ni(SO ₄) ₂	47.0	90.3	45.5	89.7	42.4	88.5
KMnO ₄	88.8	96.8	87.5	95.5	85.5	95.4
K ₂ CrO ₄	73.5	99.1	70.0	98.7
K ₂ Cr ₂ O ₇	79.8	97.7	79.6	98.0	78.6
K ₄ Fe(CN) ₆	51.5	90.0	50.9	91.2	47.1
KCH ₃ COO.....	82.0	98.4	81.3	98.3	96.6
KSCN.....	85.8	99.2	83.0	98.4	80.4
NH ₄ Cl.....	88.4	100.0	86.1	100.0	81.8	100.0
NH ₄ Br.....	90.0	100.0	87.7	100.0	82.5	100.0
N(C ₂ H ₅) ₄ I.....	69.6	96.2	71.6	97.6
HN ₄ NO ₃	84.2	97.8	82.2	97.5	81.2	99.1
(NH ₄) ₂ SO ₄	65.0	95.4	63.9	95.2
NH ₄ HSO ₄	60.3	97.0	51.9	97.4	35.5	93.0

DISSOCIATIONS OF THE VARIOUS SALTS—Continued.

	0°		25°		65°	
	$v=8$	$v=1024$	$v=8$	$v=1024$	$v=8$	$v=1024$
CaCl ₂	72.5	96.2	69.9	95.7	67.1
CaBr ₂	77.1	99.6	74.1	98.7	69.6	97.9
Ca(NO ₃) ₂	65.8	96.7	64.8	96.8	62.8
CaCrO ₄	49.7	96.1	49.0	96.6	44.8	95.7
Ca(HCOO) ₂	66.3	65.3	64.4
SrCl ₂	69.5	96.4	69.8	97.6	69.1	97.9
SrBr ₂	77.5	100.0	75.4	100.0	68.6
Sr(NO ₃) ₂	64.2	96.7	64.6	97.9	62.5
Sr(CH ₃ COO) ₂	57.7	93.1	58.0	96.4	54.7
BaCl ₂	74.6	98.6	72.4	98.5
BaBr ₂	77.1	99.7	74.2	98.9	73.9	97.4
Ba(NO ₃) ₂	58.1	97.0	61.1	97.7	58.1
Ba(HCOO) ₂	64.6	92.1	63.5	87.7	63.6	100.0
Ba(CH ₃ COO) ₂	63.0	96.5	60.8	96.9
MgCl ₂	70.9	95.8	69.1	95.8	65.3
MgBr ₂	71.6	93.9	69.7	94.3	68.8
Mg(NO ₃) ₂	72.1	97.9	70.0	99.7
MgSO ₄	41.1	92.4	39.8	92.3	36.8	93.6
Mg(HCOO) ₂	59.8	96.7	59.2	95.4	57.2
Mg(CH ₃ COO) ₂	56.6	94.6	54.3	96.1	52.3
Zn(NO ₃) ₂	70.4	94.1	68.6	94.5	65.0	96.2
ZnSO ₄	36.9	89.5	36.7	90.7	28.7
Zn(CH ₃ COO) ₂	45.0	95.3	40.8	95.9	31.4	93.2
CdCl ₂	37.4	93.9	34.2	91.6	31.7
CdBr ₂	30.5	89.4	30.3	89.8	29.5
CdI ₂	20.5	81.0	21.5	83.9	22.8
MnCl ₂	74.0	100.0	72.3	100.0	62.7	100.0
Mn(NO ₃) ₂	78.8	100.0	73.7	100.0
MnSO ₄	35.4	86.1	33.5	85.2
NiCl ₂	74.2	100.0	72.0	100.0	66.2
NiNO ₃	75.4	100.0	73.7	100.0	73.0	100.0
NiSO ₄	37.5	92.7	36.9	92.9
NiCH ₃ COO.....	47.4	95.6	45.1	95.8	39.8	96.8
CoCl ₂	75.1	100.0	73.0	100.0	65.3	100.0
CoBr ₂	75.7	96.3	72.3	97.8	68.0
Co(NO ₃) ₂	75.0	100.0	73.3	100.0	66.4
CoSO ₄	37.9	91.9	36.6	92.0
Co(CH ₃ COO) ₂	50.0	95.4	47.9	94.9
AgNO ₃	78.8	76.9	79.5	99.3
CuCl ₂	71.2	100.0	68.2	100.0
CuBr ₂	69.5	95.4	69.9	97.5
Cu(NO ₃) ₂	72.2	100.0	70.3	100.0
CuSO ₄	35.5	88.8	33.4	87.6
PbCl ₂	94.6	94.0	92.6
Pb(NO ₃) ₂	52.6	98.9	55.3	100.0	54.4	97.2
Pb(CH ₃ COO) ₂	18.2	84.9	18.8	84.0	18.4	81.0
AlCl ₃	60.4	92.8	55.4	90.4	44.0	83.6
Al(NO ₃) ₃	61.6	92.3	55.6	89.3	43.4	82.6
Al ₂ (SO ₄) ₃	24.9	73.2	22.3	69.9	15.2	60.6
CrCl ₃	45.5	87.2	39.4	86.3	48.9	85.5
Cr(NO ₃) ₃	55.9	96.5	48.9	94.3	41.7	89.5
Cr ₂ (SO ₄) ₃	24.7	76.2	21.7	76.8	12.4	64.6
UO ₂ Cl ₂	63.1	92.0	59.2	89.6
UO ₂ (NO ₃) ₂	61.0	90.0	54.9	88.0	46.5	86.1
UO ₂ SO ₄	38.4	86.4	32.3	79.5	28.4	70.5
UO ₂ (CH ₃ COO) ₂	36.5	83.7	39.0	83.0

An examination of the preceding tables shows the following relations. The halogen salts of lithium are all dissociated to just about the same extent, the sulphate in the more concentrated solutions very much less.

The salts of sodium with the common mineral acids are all dissociated to just about the same extent, and slightly greater than the corresponding salts of lithium. This applies also to the sulphate in the more concentrated solution. Potassium salts of the common mineral acids show just about the same dissociation. The potassium salts of these acids are, in general, slightly more dissociated than the corresponding sodium salts.

The salts of ammonium are even slightly more dissociated than those of potassium. This points strongly to the correctness of the theory that ammonium hydroxide is a strong and not a weak base. Salts of strong bases are more dissociated than those of weak bases. The fact that ammonium hydroxide has small conductivity and is yet a strong base has been satisfactorily explained by Hantzsch. When ammonia is dissolved in water only a little ammonium hydroxide is formed, and this is strongly dissociated. Most of the ammonia in the presence of water remains there as ammonia and does not form the hydroxide with water. This explains the small conductivity of an aqueous solution of ammonia.

That ammonium hydroxide is a strong base is in keeping with the fact that ammonium salts of strong acids are so little hydrolyzed. Only the salts of comparatively weak bases with strong acids are appreciably hydrolyzed.

Salts of calcium, strontium, barium, and magnesium are dissociated to approximately the same extent, but considerably less than the corresponding salts of the alkali metals under the same conditions of dilution and temperature. Salts of zinc are dissociated somewhat less than those of magnesium. This applies especially to the halogen salts, which were not studied in this work because of the ease with which they break down with water.

The halogen salts of cadmium are dissociated less than those of any other known metal except mercury. What this means we do not know. The comparatively small dissociation of the cadmium halides is seen from the above table. The halides of mercury are scarcely dissociated at all, the aqueous solutions of these salts being practically nonelectrolytes, not conducting the current to any appreciable extent. The salts of manganese, nickel, and cobalt have approximately the same dissociation. These substances are dissociated to just about the same extent as the corresponding salts of calcium, strontium, barium, and magnesium. The same applies to the salts of copper. Lead salts show considerably less dissociation.

The salts of aluminium and iron are quaternary electrolytes, each molecule dissociating into four ions. The percentage dissociation, which, on account of hydrolysis can be taken only as an approximation, is much less than that of the salts of calcium, strontium, barium, magnesium, manganese, nickel, and cobalt.

TEMPERATURE COEFFICIENTS OF CONDUCTIVITY AND THE SOLVATE THEORY OF SOLUTION.

The temperature coefficients of conductivity are expressed both in conductivity units and in per cent. Certain relations between the coefficients in conductivity units and the solvate theory of solution have already been pointed out for a few substances.* We can now see how general these relations are. We have seen that the chief factor conditioning the increase in conductivity with rise in temperature is the increase in the velocities with which the ions move. If we assume that the force which drives the ions is constant, the velocity would be conditional chiefly by the viscosity of the medium through which the ion moves, and by the mass and size of the ion. The force that drives the ion would be greater at the more elevated temperatures, and the viscosity of the medium through which the ion moves would be less. Both of these factors would increase the ionic velocities and, consequently, the conductivity with rise in temperature.

There is, however, another factor which must be taken into account. That many ions in aqueous solution are hydrated seems now to be generally accepted. We have shown that these hydrates are relatively unstable; the higher the temperature the less complex the hydrate existing in solution. One example will make this point clear. In a normal solution of aluminium chloride, every molecule of the salt, or the ions resulting from it, is combined with about 30 molecules of water at the freezing point of the solution. Practically all of the water can be removed from such a solution by boiling it, except six molecules to one of aluminium chloride, this being the number brought out of solution as water of crystallization. The smaller the number of molecules of water combined with the ion the less the mass of the ion, and the less its resistance when moving through the solvent. Consequently, the ion will move faster the higher the temperature.

When we refer to the mass of the ion decreasing with rise in temperature, we do not refer to the charged atom or group of atoms which we usually term the ion, but to this charged nucleus *plus* a larger or smaller number of molecules of water which are attached to it, and which it must drag along with it in its motion through the remainder of the solvent.

The above conclusion can be tested by the results of experiment. If this factor of diminishing complexity of the hydrate of the ion with rise in temperature plays any prominent rôle in determining the large temperature coefficient of conductivity, then we should expect to find those ions with the largest hydrating power, having the largest temperature coefficients of conductivity. This condition can be tested by the results, as can be seen from the tables on page 77.

The hydrating power of a salt (or the ions resulting from it) is roughly proportional to the number of molecules of water with which the salt crystallizes. This is the same as to say that the salt which has the greatest power to bring water with it out of solution as water of crystallization would be the salt which, in solution, would combine with the largest amount of water. Water of crystallization is, then, a good general criterion of the degree of hydration in aqueous solution.

*Amer. Chem. Journ., 35, 445 (1906).

TABLE I.

Substances with slight hydrating power.	Temperature coefficients in conductivity units.			
	25° to 35°		50° to 65°	
	$v=8$	$v=1024$	$v=8$	$v=1024$
Sodium chloride.....	2.00	2.46	2.27	2.82
Sodium bromide.....	1.89	2.18	2.79
Sodium iodide.....	2.12	2.54	2.33	3.14
Sodium nitrate.....	2.04	2.45	2.02	2.67
Sodium chlorate.....	1.77	2.22	2.15	2.90
Potassium chloride.....	2.39	2.84	2.45	3.11
Potassium bromide.....	2.43	2.91	2.45	3.11
Potassium iodide.....	2.38	2.91	2.65	3.37
Potassium nitrate.....	2.08	2.16	2.31	2.83
Potassium chlorate.....	2.02	2.52	2.23	2.94
Potassium permanganate.....	2.04	2.31	2.29	2.23
Potassium sulphocyanate.....	2.20	2.56	2.34
Ammonium chloride.....	2.42	2.94	2.51	3.69
Ammonium bromide.....	2.32	2.86	2.58	3.11
Ammonium nitrate.....	2.17	2.50	2.33	3.04

TABLE II.

Substances with large hydrating power.	Temperature coefficients in conductivity units.			
	25° to 35°		35° to 50°	
	$v=8$	$v=1024$	$v=8$	$v=1024$
Calcium chloride.....	3.49	4.85
Calcium bromide.....	3.73	5.00	4.03	6.03
Calcium nitrate.....	3.09	4.79	3.33
Strontium chloride.....	3.37	5.13	3.92	6.02
Strontium bromide.....	3.66	5.27	4.08
Strontium nitrate.....	2.76	4.86	3.58
Barium chloride.....	3.63	5.30	3.33
Barium bromide.....	3.66	5.18	4.00	5.99
Barium nitrate.....	3.09	4.74	3.34
Magnesium chloride.....	3.40	4.72	3.61
Magnesium bromide.....	3.55	4.84	4.08
Magnesium nitrate.....	3.10	4.78	3.57
Zinc nitrate.....	3.13	4.47	3.43	5.41
Manganous chloride.....	3.14	4.86	3.43	6.37
Nickel chloride.....	3.41	5.04	3.61
Nickel nitrate.....	3.21	4.58
Cobalt chloride.....	3.39	4.95	3.54
Cobalt bromide.....	3.32	4.96	3.75
Cobalt nitrate.....	3.20	4.67	3.05
Cupric chloride.....	3.16	5.04
Cupric bromide.....	3.42	4.93
Cupric nitrate.....	3.18	4.88
Aluminium chloride.....	4.57	8.64	5.16	12.49
Aluminium nitrate.....	4.19	7.86	4.87	11.65

The approximate hydration of a large number of substances has, however, been worked out in this laboratory, and published in monograph No. 60 of the Publications of the Carnegie Institution of Washington. It will be seen that the substances in Table I have little or no water of crystallization, and are therefore only slightly

hydrated in aqueous solution. Those in Table II crystallize with very different amounts of water, but all with fairly large amounts of water. These substances are, therefore, much hydrated in aqueous solution.

It should be noted that the sulphates, single and double phosphates, chromates, bichromates, ferro- and ferri-cyanides, etc., are omitted from both of the above tables. The relations here under discussion do not apply to these more complex substances.

Let us now compare the temperature coefficients of conductivity, expressed in conductivity units per degree rise in temperature, for some of those substances which have slight hydrating power, with the corresponding coefficients for some of those compounds which have a much greater power to combine with water.

The volumes range from 8 to 1024, and the temperature coefficients are calculated between 25° and 35°, and between 50° and 65°. It will be seen, in general, that the substances in Table I have much smaller coefficients of conductivity at all dilutions and all temperatures than those in Table II. This is true, even when we take into account the fact that the substances in Table I are binary electrolytes—each molecule breaking down into two ions; while those in Table II are nearly all ternary electrolytes, each molecule yielding three ions, while the two salts of aluminium are quaternary electrolytes, each molecule breaking down into four ions.

Another fact of equal importance is brought out by comparing the results in Table I with one another, and similarly those in Table II with one another. If the temperature coefficient of conductivity is a function of the decrease in the complexity of the hydrate formed by the ion, with rise in temperature, then we might expect that *those substances which have equal hydrating power would have approximately the same temperature coefficients of conductivity.*

An examination of the above tables will show this to be true. The substances in Table I all have slight hydrating power, as would be expected from the fact that they all crystallize with little or no water. It will be seen that their temperature coefficients of conductivity are all of the same order of magnitude.

The compounds in Table II have different hydrating power, but all have very great hydrating power. Most of them, however, have hydrating power of the same order of magnitude. Indeed, this would be expected, since most of these substances crystallize with six molecules of water. There are a few substances in this table which crystallize with less than six molecules of water. Thus, barium chloride crystallizes with only two molecules, yet it forms hydrates of comparable complexity* with those substances which crystallize with larger amounts of water. That its temperature coefficients of conductivity are of the same order of magnitude as the other substances in the table is, therefore, entirely in keeping with the above relation. The hydrates formed by barium nitrate have not yet been worked out, so that it is impossible to say whether or not it presents an exception to the above relation, it crystallizing without water.

Manganous chloride crystallizes with only four molecules of water, yet the work of Jones and Bassett† has shown that it forms hydrates about as complex as the

*Carnegie Institution of Washington Publication No. 60.

†Amer. Chem. Journ., 33, 562 (1905); Carnegie Institution of Washington Publication No. 60, pp. 75 and 76.

other salts in Table II. Its temperature coefficients of conductivity are of the same order of magnitude as the other compounds included in this table.

The halogen salts of copper present apparent exceptions to the above relation. The chloride crystallizes with only two molecules of water, and yet has temperature coefficients of conductivity that are nearly as large as the salts with six molecules of water of crystallization. It might be inferred from this that this salt has much less hydrating power than the other compounds in Table II. The work of Jones and Bassett,* however, shows that this is not the case. Copper chloride has almost as great hydrating power as the compounds in this table which crystallize with six molecules of water. When we take this fact into account its temperature coefficients of conductivity are not surprisingly large.

Aluminium chloride crystallizes with six molecules of water, and aluminium nitrate with eight. They are, however, quaternary electrolytes, and their temperature coefficients are therefore larger than those of the ternary electrolytes. The hydrating power of these salts has been worked out† and has been found to be of the same order of magnitude as that of the ternary electrolytes in this table.

A third point brought out by the above tables is the following. *The temperature coefficients of conductivity for any given substance are greater at the higher dilution than at the lower.* This is satisfactorily explained on the basis of the above suggestion. The complexity of the hydrates at the higher dilutions is greater than at the lower, as has been shown by Jones and his co-workers, on the composition of the hydrates formed by different substances at different dilutions.‡

The hydrates being more complex at the higher dilutions, the change in the composition of the hydrates with change in temperature would be greater at the higher dilutions; and, consequently, the temperature coefficients of conductivity would be greater the more dilute the solution.

To summarize the above three points:

(a) The temperature coefficients of conductivity of aqueous solutions of salts, expressed in conductivity units, are greater the greater the hydrating power of the salt.

(b) The temperature coefficients of conductivity of aqueous solutions of electrolytes are of the same order of magnitude for those substances having approximately the same hydrating power.

(c) The temperature coefficients of conductivity for any given salt increase with the dilution of the solution, and this increase is greatest for those substances with large hydrating power.

All three of these conclusions are necessary consequences of the assumption that the large change in conductivity with change in temperature is due, in part, to the decreasing complexity of the hydrates formed around the ions, with rise in temperature. As these conclusions are verified by the experimental results, and as there seems to be no other assumption which would lead to these conclusions, we must accept the assumption which led to them as containing a large element of truth.

*Carnegie Institution of Washington Publication No. 60, pp. 84 and 85; Amer. Chem. Journ., **33**, 577, 1905.

†Carnegie Institution of Washington Publications No. 60, pp. 67 and 88.

‡Carnegie Institution of Washington Publication No. 60.

HYDRATION AND IONIC VOLUME.

While discussing the hydrating powers of different ions, the following relation should be pointed out. Jones and Pearce,* after calling attention to the fact that the hydrating power of any salt is primarily a function of the cation, point out this relation:

If the atomic volumes of the elements are plotted as ordinates against the atomic weights as abscissas, we have the well-known atomic-volume curve. The curve contains well-defined maxima and minima. The alkali metals fall at the maxima of the curve. The three elements with the largest atomic volumes are potassium, rubidium, and caesium. Salts of these metals usually crystallize from aqueous solution without water of crystallization, and they, therefore, have very little hydrating power. Lithium and sodium, some of whose salts crystallize with two and three molecules of water, and which, therefore, show some hydrating power in solution, have much smaller atomic volumes. At the minimum of the third section of the atomic-volume curve we find the elements strontium, iron, cobalt, copper, and nickel. The salts of these metals crystallize with relatively large amounts of water, and they show great hydrating power in solution. Aluminium, which has less than half the atomic weight of iron, but slightly greater atomic volume, falls at the second minimum of the atomic-volume curve. Its salts crystallize with six and eight molecules of water and show great hydrating power in solution.

Comparing the metals of the calcium group, we find that barium, whose salts crystallize with two molecules of water, has the largest atomic volume. The salts of the other elements of this group crystallize each with six molecules of water, with the exception of calcium nitrate, which crystallizes with four molecules. The magnesium ion, which has the smallest atomic volume of any element of this group, has the greatest hydrating power. Strontium, which has a slightly larger atomic volume than calcium, has a somewhat smaller hydrating power than calcium.

A careful examination of all of the evidence available shows that the *hydrating power of the cation is an inverse function of its atomic volume*.

This explains why it is that ions with large mass often have larger migration velocities than ions with smaller mass, which is the reverse of what would be expected. Thus, potassium, rubidium, and caesium have larger migration velocities than sodium and lithium, notwithstanding the greater mass and volume of the former. This was for a long time inexplicable. We now have the explanation. Lithium and sodium have smaller atomic volume than potassium, rubidium, and caesium, and, consequently, greater hydrating power. The hydrated lithium and sodium ions move more slowly, due to the atmosphere of the solvent which they must drag with them through the solution.

A large number of similar relations have been pointed out by Jones and Pearce.†

The question arises, Why this relation between hydrating power and atomic volume? It probably has to do with the electrical density upon the ion. The smaller the ion the greater the electrical density, and, consequently, the greater the power of the ion to condense molecules of the solvent upon it and hold them there in a state of loose combination.

*Amer. Chem. Journ., 38, 736 (1907).

†Ibid, 38, 737-740 (1907).

It should be noted, before leaving the discussion of the temperature coefficients expressed in "conductivity units," that these coefficients in general increase with rise in temperature. This increase is only slight in the cases of those substances which are only a little hydrated, as will be seen in Table I. Table II shows a large increase in the coefficients with rise in temperature, and it will be recalled that this table contains those substances that have large hydrating power. This shows that the hydrates became more and more unstable the higher the temperature, there being more decomposition of the hydrates between 50° and 65° than between, say, 20° and 35°. This is what would be expected from the results already obtained in this laboratory* in connection with the effect of temperature on hydrates in aqueous solution.

Certain of the temperature coefficients from 35° to 50° are not given. This is due to the fact that one set of solutions was used from 0° to 35°, and an entirely different set from 35° to 65°. The solutions of these substances are more or less hydrolyzed, and probably have an hydrolysis time factor. Since the two sets of solutions of the substances in question stood for different lengths of time before using, this factor would make its influence felt.

The agreements, in general, between the two sets of results for the two sets of solutions at 35° were very good. In those cases where the deviations were more than a fraction of 1 per cent, the work, as has already been stated, was repeated.

TEMPERATURE COEFFICIENTS OF CONDUCTIVITY IN PER CENT.

The temperature coefficients of conductivity are also expressed in "per cent." These are the temperature coefficients in conductivity units divided by the conductivity at the lower temperature. The relations between the coefficients expressed in per cent can best be seen from the table on pages 82 and 83, which contains practically all of the salts studied in this investigation. The coefficients are given for two dilutions $V=8$ and $V=1024$, and over two ranges in temperature 25° to 35° and 50° to 65°. This will enable us to see the effect of dilution and of temperature on these coefficients.

The most striking feature of the table is the following: Take any one column, which gives the results for the different substances at the same dilution and temperature. It will be seen that for nearly all of these different types of salts, and the number is large, the temperature coefficients of conductivity in per cent is approximately the same; and not very widely removed from two, for $V=8$; and the range of temperature from 25° to 35°. There are some exceptions to this conclusion.

There are two lithium salts, the nitrate and sulphate, which are, the one much less, and the other much greater than two. Then there are exceptions among the complex salts. Potassium sodium sulphate, potassium chromium sulphate, potassium aluminium sulphate, and potassium ferrocyanide have values considerably less than two. Ammonium acid sulphate is a marked exception, the significance of which we shall try to work out in the future. Similarly, the green variety of ammonium chromium sulphate has a coefficient of only 1.38.

*Carnegie Institution of Washington Publication No. 60, 156 (1907).

The salts of calcium, strontium, barium, and magnesium have, in general, coefficients which do not differ widely from 2; although strontium nitrate has a value of only 1.79. It might be mentioned that strontium nitrate crystallizes without water. Zinc acetate also has a small coefficient, 1.59. This may be due to hydrolysis. Cadmium iodide, which crystallizes without water, has the large coefficient 2.27. Manganous sulphate has the rather small value 1.79, and copper sulphate has the same value. Aluminium sulphate has the very low value 1.57, chromium sulphate 1.61, and uranyl sulphate only 1.29.

Notwithstanding these apparent exceptions, there is unmistakably this general relation, that the temperature coefficients for $V=8$ and over this temperature range, for a large number of very widely different compounds, are very nearly the same and not widely removed from 2.

If we examine the other columns of data corresponding to other dilutions and other temperatures, we find relations similar to the above. Thus, for $V=1024$, and the temperature range 25° to 35° , the average value of the coefficient is a round 2.1. The average value of the coefficients for $V=8$, between 50° and 65° , is from 1.4 to 1.5, while the average value for $V=1024$, between 50° and 65° , is slightly greater.

We thus see that change in volume, range of temperature being constant, has very little effect on the temperature coefficients of conductivity expressed in per cent.

The effect of rise in temperature is to decrease the magnitude of these coefficients.

TEMPERATURE COEFFICIENTS IN PER CENT.

Substances.	25° to 35°		50° to 65°	
	$v=8$	$v=1024$	$v=8$	$v=1024$
Lithium chloride.....	2.13	2.15	1.51	1.62
Lithium bromide.....	2.19	2.13	1.49
Lithium nitrate.....	1.67	1.98	1.94	2.50
Lithium sulphate.....	2.65	2.24	3.00	1.77
Sodium chloride.....	2.03	2.13	1.51	1.54
Sodium bromide.....	1.88	1.44	1.54
Sodium iodide.....	2.11	2.18	1.52	1.67
Sodium nitrate.....	2.24	2.15	1.43	1.54
Sodium chloride.....	2.05	2.13	1.62	1.78
Sodium perchlorate.....	2.00	2.12
Sodium sulphate.....	2.17	2.19	1.58
Sodium carbonate.....	2.23	2.37	1.59	1.70
Sodium ferrocyanide.....	2.09	2.05	1.42	1.68
Sodium acetate.....	2.23	2.46	1.61
Potassium chloride.....	2.01	2.07	1.37	1.47
Potassium bromide.....	2.00	2.03	1.35	1.46
Potassium iodide.....	1.97	2.05	1.46	1.35
Potassium nitrate.....	1.87	1.53	1.40	1.40
Potassium chlorate.....	1.93	1.97	1.40	1.49
Potassium sulphate.....	2.00	2.25	1.35	1.48
Potassium phosphate.....	2.13	2.14	1.61	1.56
Potassium sodium sulphate.....	1.79	2.08	1.44	1.51
Potassium nickel sulphate.....	1.96	2.06	1.25	1.48
Potassium chromium sulphate.....	1.78	2.01	1.33	2.27
Potassium permanganate.....	1.96	2.03	1.44	1.22
Potassium chromate.....	2.01	1.96	1.35
Potassium bichromate.....	1.97	1.97	1.37
Potassium ferrocyanide.....	1.62	2.08	1.36
Potassium aluminium sulphate.....	1.78	2.11	1.06
Potassium acetate.....	1.97	2.09	1.56
Potassium sulphocyanate.....	1.98	1.95	1.40
Ammonium chloride.....	2.02	2.13	1.40	1.72
Ammonium bromide.....	1.88	2.03	1.42	1.41
Ammonium nitrate.....	1.91	1.86	1.38	1.49

TEMPERATURE COEFFICIENTS IN PER CENT—Continued.

Substances.	25° to 35°		50° to 65°	
	$v=8$	$v=1024$	$v=8$	$v=1024$
Ammonium sulphate.....	1.87	2.05	1.34
Ammonium acid sulphate.....	0.74	1.31	0.40	1.52
Ammonium aluminium sulphate.....	1.80	2.12	1.08
Ammonium chromium sulphate (violet).....	1.85	2.25	1.30	1.66
Ammonium chromium sulphate (green).....	1.38	2.20	0.81	1.32
Ammonium copper sulphate.....	1.88	2.03	1.23	1.46
Calcium chloride.....	2.02	2.05	1.55
Calcium bromide.....	2.10	2.11	1.44	1.56
Calcium nitrate.....	1.96	2.04	1.39
Calcium chromate.....	1.85	2.13	1.26	1.38
Calcium formate.....	2.02	1.43
Strontium chloride.....	1.94	2.11	1.48	1.62
Strontium bromide.....	2.03	2.20	1.44	1.50
Strontium nitrate.....	1.79	2.08	1.53
Strontium acetate.....	2.15	2.30	1.73
Barium chloride.....	2.17	2.28	1.22
Barium bromide.....	1.95	2.07	1.42	1.51
Barium nitrate.....	2.11	2.02	1.48
Barium formate.....	1.93	2.29	1.47	1.54
Barium acetate.....	2.00	2.18
Magnesium chloride.....	2.09	2.09	1.45
Magnesium bromide.....	2.08	2.10	1.46
Magnesium nitrate.....	1.93	2.12	1.46
Magnesium sulphate.....	1.95	2.15	1.24	1.63
Magnesium formate.....	2.10	1.91	1.46
Magnesium acetate.....	2.24	2.69	1.56
Zinc nitrate.....	1.99	2.06	1.44	1.56
Zinc sulphate.....	1.95	1.10
Zinc acetate.....	1.59	2.23	0.75	1.41
Cadmium chloride.....	1.93	2.17	1.27
Cadmium bromide.....	2.03	2.12	1.34	1.62
Cadmium iodide.....	2.27	2.25	1.50
Manganous chloride.....	2.00	2.24	1.41	1.71
Manganous nitrate.....	1.95	2.13
Manganous sulphate.....	1.79	2.11	1.04
Nickel chloride.....	2.07	2.18	1.46	1.58
Nickel nitrate.....	2.03	2.14
Nickel sulphate.....	1.80	2.11	1.17
Nickel acetate.....	2.04	2.29	1.29	1.64
Cobalt chloride.....	2.10	2.24	1.42
Cobalt bromide.....	1.94	2.14	1.44
Cobalt nitrate.....	2.03	2.17	1.44
Cobalt sulphate.....	1.88	2.15	1.15
Cobalt acetate.....	1.99	2.22	1.52
Silver nitrate.....	2.06	1.51
Copper chloride.....	2.00	2.17
Copper bromide.....	2.02	2.08
Copper nitrate.....	2.03	2.19
Copper sulphate.....	1.79	0.93
Lead chloride.....	2.07	1.54
Lead nitrate.....	2.12	1.51
Lead acetate.....	2.12	2.02	1.37	1.28
Aluminium chloride.....	2.07	2.40	1.51	2.05
Aluminium nitrate.....	2.03	2.36	1.52	2.01
Aluminium sulphate.....	1.57	2.07	0.76	1.38
Ferrie chloride.....	1.99	2.64
Ferrie nitrate.....	2.32	2.72
Chromium chloride.....	3.23	2.50	1.56	1.99
Chromium nitrate.....	1.99	2.40	1.59	1.95
Chromium sulphate.....	1.61	2.22	0.60	1.67
Uranyl chloride.....	1.97	2.31	1.44
Uranyl nitrate.....	2.03	2.37	1.50	1.80
Uranyl sulphate.....	1.29	1.55
Uranyl acetate.....	2.05	1.73

PART II.—ORGANIC ACIDS.

THE EXPERIMENTAL WORK IN PART II WAS CARRIED OUT BY
DOCTORS CLOVER, JACOBSON, KREIDER, SMITH,
SPRINGER, WHITE, AND WIGHTMAN.

ORGANIC ACIDS.

The acids used were all obtained from Kahlbaum. Each acid was purified by the method best adapted to that particular acid, and its purity tested.

The method of work was, in general, the same as that followed with the inorganic salts. The cell constants were determined as in the work with salts. The following table of data will show how well the constants as calculated from three different readings with three different resistances agreed with one another, the table being taken from the work of Wightman; W being the resistance in the rheostat, b the distance on the wire from the point of contact to one end of the wire, and K the cell constants.

CELL CONSTANTS.

Cell	Solution	W	b	K	Mean	Cell	Solution	W	b	K	Mean
VIII	0.02 N	100	559.0	328.82	328.82	I	0.002 N	40	505.6	11.240	11.243
		140	475.2	328.84				46	470.5	11.241	
		150	458.0	328.80				48	460.0	11.245	
VII	0.02 N	80	471.3	184.99	184.97	A	0.0005 N	40	451.0	2.381	2.381
		84	459.1	184.94				42	439.0	2.381	
		88	447.6	184.97				44	427.5	2.381	
VI	0.02 N	60	458.0	131.52	131.52	V	0.002 N	250	555.7	138.68	138.66
		63	445.9	131.52				260	546.0	138.67	
		66	434.5	131.54				270	536.5	138.75	
V	0.02 N	40	454.3	86.38	86.38	IV	0.002 N	250	511.2	138.66	138.66
		42	442.2	88.37				260	501.5	138.60	
		44	430.8	86.40				270	492.0	138.64	
IV	0.02 N	30	481.6	72.30	72.30	II	0.0005 N	340	473.4	143.49	143.44
		32	465.5	72.30				350	466.0	143.64	
		34	450.4	72.24				370	452.3	143.46	
III	0.002 N	200	445.0	44.10	44.10	I	0.0005 N	160	495.0	143.39	143.44
		210	433.0	44.10				170	479.9	143.41	
		220	421.6	44.10				180	465.6	143.39	
II	0.002 N	100	443.7	21.94	21.94						
		110	420.5	21.95							
		120	469.9	21.94							

The first eight cells were used with the various dilutions of the acid. Cell A is the cell with cylindrical electrodes with very small constant, and was employed to determine the conductivity of the water.

Cells V, IV, II, and I were used to determine the molecular conductivity of a 0.002 normal and a 0.0005 normal solution of potassium chloride at 25°, these solutions being used to standardize the cells with small constants. The data show how concordant were the results obtained.

DISSOCIATION OF ORGANIC ACIDS.

The dissociation of most of the organic acids cannot be determined directly by simply increasing the dilution of the solution until complete dissociation is reached. The dilution at which μ_{∞} would be reached for these weakly dissociated compounds would be so great that the conductivity method could not be applied to them. It is well known that we have an indirect method of determining the dissociation of

solutions of such weakly dissociated substances. This method is based upon Kohlrausch's law of the independent migration velocities of the ions. If we knew the value of μ_{∞} for the sodium salt of the acid it is only necessary to subtract from this the constant for sodium and add the constant for hydrogen to obtain the value of μ_{∞} for the acid in question. Thus:

$$\mu_{\infty} \text{ acid} = \mu_{\infty} \text{HCl} + \mu_{\infty} \text{Na. salt of acid} - \mu_{\infty} \text{NaCl.} \quad (1)$$

The μ_{∞} for hydrochloric acid, as calculated from the equation, $\mu_{\infty} = 245.4 + 6.06t - 0.00776t^2$, for the increase in conductivity with temperature (t = temperature), is 331.1 at 14.82° , while the value obtained by direct measurement is 331.0. The value of μ for sodium chloride at 12.13° calculated from the equation

$$\mu_{\infty} = 63.04 + 204t - 0.00823t^2$$

is 88.99, while the value found is 88.98.

From equation (1) we see that it is also necessary to know the value of μ_{∞} for the sodium salt of the acid in question. This has been determined directly for a number of the acids.

Values of μ_{∞} for the Sodium Salts of the Organic Acids.—Ostwald obtained μ_{∞} for the sodium salts of the organic acids, by calculating the difference between the conductivity of sodium chloride at a certain dilution, *e. g.*, $V = 32$, and at infinite dilution. This difference he assumed to be constant for all sodium salts, and, therefore, by adding it to the conductivity of the sodium salt of any acid at the dilution $V = 32$, μ_{∞} for that acid could be obtained. Instead of using this method in this investigation, μ_{∞} for the sodium salts was determined directly from conductivity measurements.

The sodium salts were prepared as follows: A dilute solution of the acid (usually about $n/128$) was titrated with a standard solution of sodium hydroxide, using a drop of phenolphthaleine as indicator. Alizarine is also a good indicator, and was used in later work because it is less sensitive to carbonic acid.

In a few cases the purified sodium salts were weighed out and made up to the desired concentrations. The sodium hydroxide used for titrating the organic acids was prepared as follows:

One hundred grams of sodium hydroxide, purified from alcohol, was dissolved in 100 grams of conductivity water (obtained as above described) and the concentrated solution was allowed to stand in a closed vessel for about a week. By that time practically all the carbonate, etc., was precipitated, and there was left a perfectly clear solution of sodium hydroxide, portions of which were pipetted out and diluted to the proper strength with conductivity water. The dilute solution was then standardized by means of the standard sulphuric acid, and otherwise. When thus prepared the solution is very nearly free from carbonate, as is shown by the fact that it does not give a precipitate of barium carbonate with barium hydroxide, and that when titrated with indicators, both those that are sensitive and those that are not sensitive to carbonates, the results are practically the same.

The conductivities of the sodium salts of a large number of the acids used in this work are given in the table on pp. 89 and 90.

CONDUCTIVITIES OF SODIUM SALTS OF CERTAIN ACIDS.

Sodium.	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 15^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>Kt</i> =
Acetate.....	1024	43.35	84.82	104.9
	2048	44.56	87.69	107.9	130.4	164.5	44.56+1.520 <i>t</i> +0.00822 <i>t</i> ²
	4096	44.60	87.64	106.8
Trichloracetate.....	1024	41.96	64.75	82.45	101.98	41.96+1.38 <i>t</i> +0.00952 <i>t</i> ²
Cyanacetate.....	2048	44.65	65.43	86.80	106.0	135.6	171.9	44.65+1.52 <i>t</i> +0.00668 <i>t</i> ²
Phenylacetate.....	2048	97.0	121.1	157.0
	1024	39.82	78.60	96.86
Propionate.....	2048	40.57	81.00	100.6	132.0	165.8	40.57+1.378 <i>t</i> +0.00959 <i>t</i> ²
	4096	40.58	81.03	100.8
	1024	42.10	65.04	84.26	105.4
α -Brompropionate.....	2048	44.94	69.83	89.61	108.2	151.8	(<i>a</i>)	44.94+1.74 <i>t</i> +0.002 <i>t</i> ²
	4096	46.63	70.38	90.40	111.2
β -Iodopropionate.....	2048	41.54	63.70	81.16	102.8	(<i>a</i>)	(<i>a</i>)	41.54+1.18 <i>t</i> +0.0168 <i>t</i> ²
Levulinate.....	2048	38.47	59.11	75.13	92.94	121.0	151.0	38.47+1.242 <i>t</i> +0.00898 <i>t</i> ²
	1024	39.33	77.69	96.39
Butyrate.....	2048	40.51	80.95	100.2	128.3	161.1	40.51+1.401 <i>t</i> +0.00868 <i>t</i> ²
	4096	40.54	80.86	100.1
	1024	41.50	64.16	81.90	101.0
β -Brombutyrate.....	2048	42.46	65.07	82.53	102.6	(<i>a</i>)	(<i>a</i>)	42.46+1.32 <i>t</i> +0.0115 <i>t</i> ²
	4096	43.34	66.33	84.32	103.4
Isobutyrate.....	2048	80.95	100.2	92.29	89.46
Hydroxyisobutyrate.....	2048	40.44	62.36	79.42	97.74	126.2	158.3	40.44+1.36 <i>t</i> +0.00779 <i>t</i> ²
Isovalerate.....	2048	39.64	60.62	77.5	95.5	123.0	153.8	34.64+1.357 <i>t</i> +0.00708 <i>t</i> ²
Caprylate.....	2048	42.67	61.85	77.61	95.77	119.4	159.9	42.67+1.099 <i>t</i> +0.0120 <i>t</i> ²
	1024	25.1	69.5	86.2
Benzilate.....	2048	36.3	71.5	88.9	113.6	140.7	36.3+1.17 <i>t</i> +0.0095 <i>t</i> ²
	4096	35.8	70.8	88.1
	1024	35.65	70.77	86.74
Hippurate.....	2048	36.23	71.54	87.98	112.43	120.6	36.23+1.250 <i>t</i> +0.00651 <i>t</i> ²
	4096	36.31	71.60	88.20
Pyromucate.....	2048	40.89	81.84	100.5	126.1	160.7	40.89+1.478 <i>t</i> +0.00639 <i>t</i> ²
Crotonate.....	2048	39.53	79.00	97.03	130.1	164.8	39.53+1.416 <i>t</i> +0.00639 <i>t</i> ²
Phenylpropionate.....	2048	39.86	61.41	78.81	95.63	125.1	160.3
Benzoate (solution of dry salt).....	2048	38.93	77.69	96.04	38.93+1.348 <i>t</i> +0.00811 <i>t</i> ²
Benzoate (by titration).....	2048	38.91	77.73	96.25
<i>o</i> -Chlorbenzoate.....	2048	38.03	58.97	75.47	93.18	123.0	153.5	38.03+1.30 <i>t</i> +0.0078 <i>t</i> ²
<i>o</i> -Nitrobenzoate.....	2048	123.8	155.5
<i>m</i> -Nitrobenzoate.....	2048	124.4	156.3
	1024	38.85	75.71	93.30
<i>p</i> -Nitrobenzoate.....	2048	39.78	76.48	95.80	123.0	153.8	39.78+1.14 <i>t</i> +0.0133 <i>t</i> ²
	4096	38.91	75.86	94.00
1, 2, 4-Dinitro-benzoate.....	2048	37.80	58.25	74.77	92.90 <i>b</i>	121.1	151.8	37.80+1.24 <i>t</i> +0.0095 <i>t</i> ²
					92.83 <i>c</i>
1, 3, 5-Dinitro-benzoate (by titration).....	2048	37.83	58.30	74.60	92.93	121.7	152.6	37.83+1.24 <i>t</i> +0.0095 <i>t</i> ²
	1024	36.74	56.53	71.81	87.70
1, 3, 5-Dinitro-benzoate (from dry salt).....	2048	37.46	57.56	73.13	86.64
	4096	37.98	58.10	74.60	91.70
Picrate.....	2048	106.6	127.6
	1024	40.02	78.09	96.21
Salicylate.....	2048	40.55	79.97	98.90	127.6	160.3	40.51+1.353 <i>t</i> +0.00902 <i>t</i> ²
	4096	40.56	80.00	98.90
Acetylsalicylate.....	2048	38.41	59.90	76.42	93.90	122.5
<i>m</i> -Hydroxybenzoate.....	2048	79.97	98.90	128.2	159.8
<i>p</i> -Hydroxybenzoate.....	2048	79.97	98.90	127.4	158.9
1, 2, 4-Dihydroxy-benzoate.....	2048	39.64	60.72	77.49	95.11	122.6	153.4	39.64+1.337 <i>t</i> +0.00708 <i>t</i> ²
1, 2, 5-Dihydroxy-benzoate.....	2048	39.36	60.58	77.52	95.62	(<i>a</i>)	(<i>a</i>)	39.36+1.324 <i>t</i> +0.0081 <i>t</i> ²
Gallate.....	2048	37.91	74.38	91.80	114.10	135.15	37.91+1.259 <i>t</i> +0.00799 <i>t</i> ²
<i>o</i> -Aminobenzoate.....	2048	38.20	75.26	92.51	38.20+1.308 <i>t</i> +0.00696 <i>t</i> ²

a Acid decomposed.*b* By titration.*c* From dry salt.

CONDUCTIVITIES OF SODIUM SALTS OF CERTAIN ACIDS—Continued.

Sodium.	ν	$\mu_t 0^\circ$	$\mu_t 15^\circ$	$\mu_t 25^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	$\mu_t 65^\circ$	Kt=
<i>m</i> -Aminobenzoate.....	2048	28.63	69.36	89.49	$38.20 + 1.308t + 0.00696t^2$
<i>p</i> -Aminobenzoate.....	2048	38.20	75.26	92.51	
Metanilate.....	2048	77.69	95.60	125.0	160.2	
Sulphanilate.....	1024	38.47	76.20	93.81	$39.52 + 1.307t + 0.00879t^2$
	2048	39.52	77.69	96.05	125.0	160.2	
	4096	39.36	77.70	95.85	
<i>p</i> -Sulphamido-benzoate.....	2048	39.30	60.23	76.57	94.00	123.3	154.4	$39.30 + 1.31t + 0.0072t^2$
	1024	37.82	74.04	91.87	
<i>o</i> -Toluate.....	2048	38.26	70.48	92.68	125.09	156.8	
	4096	38.18	74.92	92.58	
	1024	38.02	74.33	92.16	
<i>m</i> -Toluate.....	2048	38.25	75.63	92.88	125.05	162.7	
	4096	38.28	75.59	92.79	
	1024	38.02	74.90	91.93	
<i>p</i> -Toluate.....	2048	38.25	75.44	92.40	124.12	159.65	
	4096	38.28	75.28	92.29	
	1024	27.15	72.86	89.91	
Cinnamate.....	2048	37.69	74.49	92.06	125.1	158.7	$37.69 + 1.271t + 0.00811t^2$
	4096	37.60	74.41	91.95	
	2048	38.49	59.95	76.54	93.21	122.50	155.83	
Anisate.....	2048	39.36	60.12	76.96	95.04	125.06	158.68	
Vanillate.....	2048	38.98	60.08	76.64	93.26	
Naphthionate.....	2048	39.54	57.28	79.05	97.10	123.00	156.02	
Mandelate.....	2048	38.25	76.00	93.20	130.74	160.78	
Coumarate.....	2048	38.50	59.97	76.56	93.81	123.00	168.37	




FIG. 5.

The μ_∞ for a number of the acids used in this work could not be determined as above described. These acids are di- or polybasic, and their sodium salts do not give a μ_∞ value even at a dilution of $n/4096$.

The method first used in this laboratory by Wightman for determining the μ_∞ for such acids is as follows: A curve was plotted in which the ordinates are the values of μ_∞ for a number of organic acids, and the abscissas are the number of

atoms in the molecules of the acids. These curves were drawn for the various temperatures used in the work.

By placing the dibasic acid in question in its proper position on one of these curves (the position being determined by the number of atoms in its molecule) the μ_{∞} value for the acid can be read off at once.

To show how this method works the preceding figure (fig. 5) is given. The dots represent the positions of a number of acids on the curves, the asterisks the positions of a number of dibasic acids, whose μ_{∞} values were found by this method.

VALUES OF μ_{∞} FOR THE ORGANIC ACIDS.

Acid.	$\mu_{\infty}0^{\circ}$	$\mu_{\infty}15^{\circ}$	$\mu_{\infty}25^{\circ}$	$\mu_{\infty}35^{\circ}$	$\mu_{\infty}50^{\circ}$	$\mu_{\infty}65^{\circ}$
Acetic.....	227	292 (12°)	361.0	412.0		
Dichloroacetic.....	221.7	305.6	359.3	408.7	477.3	545.8
Trichloroacetic.....	224.8	303.9	355.9	406.4	478.5	520.9
Cyanoacetic.....	227.0	304.5	360.0	410.0	480.6	551.1
Phenylacetic.....	221.0	290.0 (13.2°)	349.0	400.0	466.0	535.2
Propionic.....	223.0	260.0 (6.9°)	354.0	405.0	477.0	545.0
α -Bromopropionic.....	229.0	308.9	363.6	415.2		
β -Iodopropionic.....	223.9	302.8	354.4	406.8		
<i>n</i> -Butyric.....	223.0	273 (9.4°)	354.0	404.0	473.3	540.3
α -Bromobutyric.....	224.9	304.1	357.5	407.4		
Isobutyric.....	223.0	310 (16.46°)	353.8	403.0	437.3	468.7
Hydroxyisobutyric.....	222.8	301.4	352.6	401.7	471.2	537.5
Isovaleric.....	222.0	299.7	350.0	399.5	468.0	533.0
Caprylic.....	225.1	300.9	350.8	399.8	464.4	539.1
Malonic.....	223.0	250.0 (4.9°)	355.0	405.0	477.0	546.0
Dimethylmalonic.....	222.2	300.4	352.0	400.0	470.0	539.0
Ethylmalonic.....	222.2	300.4	352.0	400.0	470.0	539.0
Diethylmalonic.....	219.4	296.1	346.2	393.9	464.8	533.9
Methylethylmalonic.....	221.0	299.0	349.8	397.3	464.0	533.0
Isopropylmalonic.....	221.0	299.0	349.8	397.3	464.0	533.0
Dipropylmalonic.....	218.6	295.1	345.7	392.8	458.0	520.0
Butylmalonic.....	219.4	296.1	346.2	393.9	464.8	533.9
Benzylmalonic.....	219.0	295.6	345.7	393.2	464.0	533.0
Allylmalonic.....	221.4	299.3	350.9	400.0	468.0	537.0
Succinic.....	223.0	249.8 (5.7°)	355.0	405.8	472.1	539.1
Monobromosuccinic.....	222.2	302.1	354.1			
Dibromosuccinic.....						
Pyrotartaric.....	221.0	290.0 (12°)	349.0	397.0	468.0	533.0
L-Tartaric.....	221.0	298.8	350.0	399.9	469.3	534.9
Racemic.....	222.0	286.0 (12°)	350.0	398.0	468.2	534.9
Thiodiglycolic.....	221.6	300.2	351.1	401.0	470.8	537.5
Tricarballic.....	219.9	296.7	347.6	396.8	468.0	535.0
Cyanuric.....				405.0		
(Benzilic) or diphenylglycolic.....	218.7	280.5 (12°)	344.7	392.9	458.6	519.9
Hippuric.....	219.0	280.0 (12°)	345.0	392.0	446.4	499.8
Uric.....	221.0	298.8	350.0	399.9		
Citric.....	219.0	311 (18.1°)	345.0	392.0	464.5	528.5
Pyromucic.....	223.0	286 (12°)	355.0	405.0	471.0	539.2
Crotonic.....	222.0	286 (12°)	352.0	402.0	475.1	544.0
Maleic.....	223.0	289 (12°)	353.0	402.0	475.0	544.0
Fumaric.....	223.0	289 (12°)	353.0	402.0	475.0	544.0
Itaconic.....	221.3	284.6 (12°)	351.0	400.0	471.0	537.5
Citraconic.....	221.3	284.6 (12°)	351.0	400.0	471.0	537.5
Mesaconic.....	221.3	284.6 (12°)	351.0	400.0	471.0	537.5
Phenylpropionic.....	222.2	300.4	352.0	400.0	470.0	539.0
Benzoic.....	222.0	304.0 (15.8°)	351.0	400.0	471.0	537.5
<i>o</i> -Chlorbenzoic.....	220.4	301.8	348.7	397.2	468.0	532.7
<i>o</i> -Nitrobenzoic.....	222.2	284.6 (12°)	349.7	399.8	468.8	534.7
<i>m</i> -Nitrobenzoic.....	222.2	284.6	349.7	399.8	469.4	535.2
<i>p</i> -Nitrobenzoic.....	222.2	284.6	347.9	399.8	468.0	533.2
1, 2, 4-Dinitrobenzoic.....	220.0	297.3	347.9	396.8	466.1	531.0
1, 3, 5-Dinitrobenzoic.....	220.2	297.4	347.4	396.9	466.7	531.8

VALUES OF μ_{∞} FOR THE ORGANIC ACIDS—Continued.

Acid.	$\mu_{\infty} 0^{\circ}$	$\mu_{\infty} 15^{\circ}$	$\mu_{\infty} 25^{\circ}$	$\mu_{\infty} 35^{\circ}$	$\mu_{\infty} 50^{\circ}$	$\mu_{\infty} 65^{\circ}$
Pieric					451.6	506.8
Salicylic	237.0	260.0 (6.9°)	353.0	403.0	472.5	539.0
Acetylsalicylic	220.8	297.4	344.0	397.9	463.5
Sulphosalicylic						
<i>m</i> -Hydroxybenzoic	223.0	260.0 (6.9°)	353.0	403.0	472.5	539.0
<i>p</i> -Hydroxybenzoic	223.0	260.0 (6.9°)	353.0	403.0	472.5	539.0
1, 2, 4-Dihydroxybenzoic	222.0	299.8	350.7	399.1	467.6	532.6
1, 2, 5-Dihydroxybenzoic	221.8	299.6	350.7	399.6	467.6	532.6
Gallic	220.0	254.0 (6.5°)	348.0	396.0	459.1	513.4
<i>o</i> -Aminobenzoic	221.0	269 (7.5°)	349.0	396.0		
<i>m</i> -Aminobenzoic	211.0	305.8 (18°)	332.6	393.5		
<i>p</i> -Aminobenzoic	221.0	260 (7.5°)	349.0	396.0		
Metanilic	222.0	255 (6.3°)	351.0	400.0	470.0	538.8
Sulphanilic	222.0	255 (6.3°)	351.0	400.0	470.0	538.8
Picramic	221.7	299.1	350.2	399.0	470.0	537.2
<i>p</i> -Sulphaminobenzoic	221.7	299.3	349.8	398.0	468.3	533.6
Benzenesulphonic	228.0	309.0	359.0	410.0	475.3	544.3
<i>m</i> -Nitrobenzenesulphuric	204.5	275.5 (16°)	323.5	369.4	432.6	591.0
<i>p</i> -Toluenesulphonic	210.6	269.7 (12°)	332.7	379.3	445.9	503.4
1, 2, 4-Nitrotoluenesulphonic	200.5	276.5	318.4	361.9	487.5	556.3
1, 4, 2-Nitrotoluenesulphonic	228.9	318.5 (16°)	362.3	413.6	487.5	556.3
<i>o</i> -Toluic	221.0	284.0 (12°)	349.0	397.0	470.1	536.0
<i>m</i> -Toluic	221.0	284.0	349.0	397.0	470.1	540.2
<i>p</i> -Toluic	221.0	284.0	349.0	397.0	469.1	535.9
Cinnamic	220.0	248.0 (5.3°)	348.0	399.2	470.0	537.2
Hydrocinnamic	220.8	299.9	349.7	397.2	463.5	532.6
<i>o</i> -Phthalic	221.0	267.0 (8.2°)	349.0	397.0	470.0	538.8
4, 5-Dichlorophthalic						
Tetrachlorophthalic						
Anisic	221.7	299.1	350.2	399.0	470.0	537.2
Vanillic	221.3	299.1	349.8	397.3	464.0	532.8
Naphthionic	221.9	296.3	352.2	401.1	468.0	534.5
Mandelic	221.0	283.0 (12°)	349.0	397.0	475.4	540.0
Camphoric	218.3	279.8 (12°)	344.5	392.0	458.2	519.0
Coumaric	220.9	298.9	349.8	397.9	468.0	534.4

ACETIC ACID (WT. AND C.).							DICHLORACETIC ACID (SP.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
ν	$\mu_r 0^\circ$	$\mu_r 9.2^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$	ν	$\mu_r 0^\circ$	$\mu_r 15^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$
2	1.270	1.560	2.089	2.359	2.72	3.02	32	166.0	220.3	253.9	286.9	330.8	356.8
8	2.656	3.292	4.342	4.948	5.62	6.24	128	203.7	272.6	318.0	360.4	418.3	453.3
32	5.328	6.612	8.699	9.912	11.19	12.40	512	220.5	300.0	352.8	403.8	468.6	528.4
128	10.48	13.04	17.11	19.46	22.04	24.48	1024	221.7	305.6	359.3	408.7	470.0	535.8
512	20.45	25.40	33.24	37.75	41.84	46.31	2048	217.0	302.1	358.1	408.5	477.3	545.8
1024	28.03	34.95	45.87	52.09	58.29	65.20							
2048	39.05	48.65	63.00	70.89							
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
ν	$\alpha 0^\circ$	$\alpha 9.2^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	ν	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	0.56	0.56	0.58	0.57	0.57	0.55	32	74.87	72.09	70.67	70.20	69.32	65.37
8	1.18	1.19	1.20	1.20	1.18	1.14	128	91.88	89.20	88.51	88.12	87.64	83.05
32	2.37	2.40	2.41	2.41	2.35	2.28	512	99.46	98.17	98.18	98.80	98.18	96.81
128	4.62	4.71	4.74	4.72	4.63	4.50	1024	100.00	100.00	100.00	100.00	98.47	98.17
512	8.80	9.13	9.21	9.16	8.80	8.51	2048	97.88	98.85	99.67	99.95	100.00	100.00
1024	12.35	12.51	12.71	12.64	12.26	11.99							
2048	17.20	17.56	17.45	17.21							
<i>Dissociation Constants $\times 10^3$.</i>							<i>Dissociation Constants $\times 10^3$.</i>						
ν	0°	9.2°	25°	35°	50°	65°	ν	0°	15°	25°	35°	50°	65°
2	0.157	0.159	0.169	0.165	0.163	0.155	2
8	0.175	0.179	0.183	0.182	0.176	0.164	8
32	0.179	0.184	0.186	0.185	0.177	0.166	32
128	0.175	0.182	0.184	0.183	0.175	0.165	128
512	0.166	0.179	0.182	0.181	0.165	0.154	512
1024	0.170	0.175	0.181	0.179	0.165	0.159	1024
2048	0.174	0.179	0.180	0.175	0.167							
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
ν	0-9.2°	9.2-25°	25-35°	35-50°	50-65°		ν	0-15°	15-25°	25-35°	35-50°	50-65°	
2	0.03	0.03	0.03	0.03	0.019		32	3.62	3.36	3.30	2.93	1.75	
8	0.07	0.07	0.06	0.05	0.041		128	4.59	4.54	4.24	3.86	2.33	
32	0.14	0.13	0.12	0.08	0.080		512	5.30	5.28	5.10	4.19	3.99	
128	0.28	0.26	0.24	0.17	0.16		1024	5.46	5.37	4.94	4.09	4.39	
512	0.54	0.50	0.45	0.27	0.30		2048	5.67	5.60	5.04	4.59	4.57	
1024	0.72	0.69	0.62	0.42	0.46								
2048	1.04	0.91	0.79								
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
ν	0-9.2°	9.2-25°	25-35°	35-50°	50-65°		ν	0-15°	15-25°	25-35°	35-50°	50-65°	
2	2.49	2.15	1.30	1.27	0.72		32	2.18	1.53	1.30	1.02	0.52	
8	2.61	2.02	1.40	1.01	0.73		128	2.25	1.66	1.33	1.07	0.56	
32	2.62	2.00	1.39	0.81	0.72		512	2.41	1.76	1.43	1.04	0.87	
128	2.66	1.98	1.37	0.87	0.74		1024	2.46	1.75	1.37	1.00	0.90	
512	2.63	1.96	1.36	0.72	0.71		2048	2.61	1.85	1.41	1.12	0.95	
1024	2.57	1.95	1.32	0.81	0.79								
2048	2.67	1.87	1.25								

TRICHLORACETIC ACID (W.M.)							CYANACETIC ACID (W.M.)						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_r 0^\circ$	$\mu_r 15^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$	<i>v</i>	$\mu_r 0^\circ$	$\mu_r 15^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$
8	193.02	256.24	298.40	334.67	388.8	426.6	8	38.27	51.66	59.53	66.15	74.72	80.43
32	208.75	277.67	322.46	363.69	423.7	465.0	32	68.70	92.26	106.47	118.79	134.00	144.50
128	221.73	297.62	344.90	389.83	455.1	501.8	128	114.23	154.10	178.86	199.67	227.80	249.00
512	223.65	302.33	353.96	403.45	476.5	519.5	512	164.90	223.37	259.64	293.00	337.30	368.00
1024	224.77	303.94	355.94	406.44	478.5	520.9	1024	187.49	252.59	291.56	332.00	381.70	426.90
2048	221.52	300.21	349.57	397.46	473.0	513.4	2048	199.90	270.40	314.30	356.60	418.10	472.60
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
8	85.87	84.31	83.83	82.34	81.25	81.90	8	16.86	16.97	16.54	16.13	15.55	14.59
32	92.87	91.36	90.59	89.88	88.55	89.27	32	30.26	30.30	29.58	28.97	27.88	26.22
128	98.65	97.92	96.90	95.91	95.11	96.33	128	50.31	50.60	49.68	48.70	47.40	45.18
512	99.50	99.47	99.44	99.26	99.58	99.73	512	72.63	73.36	72.12	71.46	70.18	66.78
1024	100.00	100.00	100.00	100.00	100.00	100.00	1024	82.58	82.96	80.99	80.98	79.42	77.46
2048							2048	88.04	88.80	87.30	86.97	86.99	85.75
<i>Dissociation Constants $\times 10^4$.</i>							<i>Dissociation Constants $\times 10^4$.</i>						
<i>v</i>	0°	15°	25°	35°	50°	65°	<i>v</i>	0°	15°	25°	35°	50°	65°
8	8	43	42	41	39	36	31
32	32	41	40	39	37	34	29
128	128	40	39	38	36	33	29
512	512	38	37	36	35	32	26
1024	1024	38	36	35	34	30	26
2048	2048	32	31	29	28	27	25
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°	
8	4.25	4.22	3.63	3.61	2.52		8	0.893	0.787	0.662	0.57	0.38	
32	4.60	4.48	4.12	4.00	2.75		32	1.67	1.42	1.23	1.01	0.70	
128	5.06	4.73	4.49	4.34	3.11		128	2.66	2.48	2.08	1.87	1.41	
512	5.25	5.16	4.95	4.87	2.87		512	3.90	3.63	3.04	2.95	2.05	
1024	5.28	5.20	5.05	4.80	2.83		1024	4.35	3.97	4.04	3.31	3.01	
2048	5.24	4.94	4.79	5.04	2.69		2048	4.70	4.39	4.23	4.10	3.63	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°	
8	2.20	1.65	1.22	1.08	0.65		8	2.33	1.52	1.11	0.87	0.51	
32	2.20	1.61	1.28	1.10	0.65		32	2.29	1.54	1.16	0.85	0.52	
128	2.28	1.59	1.30	1.11	0.68		128	2.33	1.61	1.16	0.93	0.62	
512	2.35	1.70	1.40	1.21	0.60		512	2.36	1.62	1.17	1.01	0.60	
1024	2.35	1.71	1.42	1.18	0.59		1024	2.32	1.57	1.39	1.00	0.79	
2048	2.37	1.65	1.37	1.27	0.57		2048	2.35	1.62	1.35	1.15	0.87	

PHENYLACETIC ACID (WT. AND SP.).

PROPIONIC ACID (WT. AND WM.).

*Molecular Conductivity.**Molecular Conductivity.*

<i>v</i>	$\mu_e 0^\circ$	$\mu_e 13.25^\circ$	$\mu_e 25^\circ$	$\mu_e 35^\circ$	$\mu_e 50^\circ$	$\mu_e 65^\circ$
32	9.00	11.76	14.15	15.90	17.79	19.26
128	17.82	23.39	27.96	31.26	34.75	37.53
512	33.35	43.51	52.39	58.55	65.64	70.98
1024	45.68	59.59	71.63	79.84	88.31	95.18
2048	61.00	79.49	95.50	106.3	120.00	130.00

<i>v</i>	$\mu_e 0^\circ$	$\mu_e 6.9^\circ$	$\mu_e 25^\circ$	$\mu_e 35^\circ$	$\mu_e 50^\circ$	$\mu_e 65^\circ$
2	1.030	1.217	1.700	1.913	2.195	2.444
8	2.291	2.700	3.704	4.207	4.740	5.231
32	4.631	5.450	7.436	8.422	9.59	10.39
128	9.004	10.60	14.57	16.50	18.88	20.29
512	17.47	20.59	28.40	32.14	36.30	39.23
1024	23.82	28.03	38.94	44.06	50.01	54.25
2048	32.43	39.24	53.47	60.28	67.00	73.66

*Percentage Dissociation.**Percentage Dissociation.*

<i>v</i>	$\alpha 0^\circ$	$\alpha 13.25^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
32	4.07	4.06	4.05	4.01	3.86	3.60
128	8.06	8.06	8.01	7.87	7.46	7.01
512	15.09	15.01	14.97	14.75	14.08	13.26
1024	20.67	20.55	20.52	20.11	18.95	17.78
2048	27.60	27.41	27.36	26.77	25.75	24.29

<i>v</i>	$\alpha 0^\circ$	$\alpha 6.9^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
2	0.46	0.47	0.48	0.47	0.46	0.45
8	1.03	1.04	1.05	1.04	0.99	0.96
32	2.08	2.10	2.10	2.08	2.01	1.91
128	4.04	4.08	4.12	4.07	3.96	3.72
512	7.83	7.92	8.02	7.93	7.61	7.20
1024	10.69	10.78	11.00	10.87	10.48	9.95
2048	14.99	15.09	15.10	14.88	14.04	13.51

*Dissociation Constants $\times 10^4$.**Dissociation Constants $\times 10^4$.*

<i>v</i>	0°	13.25°	25°	35°	50°	65°
32	0.540	0.536	0.536	0.522	0.484	0.420
128	0.552	0.553	0.545	0.526	0.470	0.413
512	0.524	0.518	0.515	0.499	0.451	0.396
1024	0.526	0.519	0.518	0.494	0.433	0.375
2048	0.514	0.507	0.504	0.478	0.436	0.381

<i>v</i>	0°	6.9°	25°	35°	50°	65°
2	0.107	0.111	0.116	0.112	0.102	0.101
8	0.133	0.136	0.138	0.137	0.125	0.126
32	0.138	0.140	0.141	0.138	0.129	0.116
128	0.133	0.135	0.138	0.135	0.128	0.113
512	0.130	0.133	0.137	0.134	0.122	0.109
1024	0.125	0.127	0.123	0.130	0.120	0.108
2048	0.129	0.131	0.131	0.127	0.112	0.103

*Temperature Coefficients in Conductivity Units.**Temperature Coefficients in Conductivity Units.*

<i>v</i>	0-13.25°	13.25-25°	25-35°	35-50°	50-65°
32	0.21	0.20	0.18	0.13	0.098
128	0.41	0.40	0.33	0.23	0.185
512	0.77	0.76	0.62	0.47	0.356
1024	1.05	1.03	0.82	0.57	0.451
2048	1.40	1.36	1.06	0.91	0.666

<i>v</i>	0-6.9°	6.9-25°	25-35°	35-50°	50-65°
2	0.03	0.03	0.02	0.02	0.02
8	0.06	0.06	0.05	0.04	0.03
32	0.12	0.11	0.10	0.08	0.05
128	0.23	0.22	0.19	0.16	0.09
512	0.45	0.43	0.37	0.28	0.19
1024	0.61	0.59	0.51	0.40	0.28
2048	0.84	0.79	0.68	0.45	0.44

*Temperature Coefficients in Per Cent.**Temperature Coefficients in Per Cent.*

<i>v</i>	0-13.25°	13.25-25°	25-35°	35-50°	50-65°
32	2.32	1.73	1.23	0.81	0.550
128	2.32	1.70	1.18	0.73	0.494
512	2.30	1.72	1.18	0.80	0.542
1024	2.30	1.72	1.15	0.71	0.511
2048	2.29	1.71	1.13	0.86	0.555

<i>v</i>	0-6.9°	6.9-25°	25-35°	35-50°	50-65°
2	2.63	2.19	1.25	1.05	0.75
8	2.59	2.05	1.36	0.95	0.69
32	2.56	2.01	1.33	0.95	0.56
128	2.58	2.07	1.32	0.97	0.50
512	2.59	2.10	1.31	0.88	0.54
1024	2.56	2.11	1.31	0.91	0.57
2048	2.52	2.01	1.27	0.75	0.66

α -BROMPROPIONIC ACID (W.M.)							β -IODOPROPIONIC ACID (W.M.)						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
v	$\mu_v 0^\circ$	$\mu_v 15^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	v	$\mu_v 0^\circ$	$\mu_v 15^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
32	38.00	49.38	55.86	61.5	†	*	8	6.30	8.42	9.73	11.12	§	§
128	77.10	100.00	114.4	125.9	32	12.57	16.81	19.37	21.98
512	124.7	164.1	186.8	206.7	128	23.79	31.86	36.67	41.69
1024	151.7	200.8	229.5	257.0	512	44.36	59.47	68.42	78.04
2048	171.5	227.4	262.0	295.3	1024	58.61	78.67	91.05	104.24
							2048	76.55	102.87	118.35	135.40
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
v	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	v	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
32	16.60	15.99	15.38	14.81	8	2.84	2.78	2.75	2.74
128	33.37	32.37	31.47	30.33	32	5.66	5.55	5.48	5.42
512	54.45	53.13	50.21	49.79	128	10.71	10.56	10.37	10.29
1024	66.25	65.01	62.98	61.90	512	19.97	19.64	19.35	19.26
2048	77.52	73.62	72.06	71.12	1024	26.38	25.98	25.75	25.73
							2048	34.46	33.98	33.47	33.42
<i>Dissociation Constants $\times 10^4$.</i>							<i>Dissociation Constants $\times 10^4$.</i>						
v	0°	15°	25°	35°	50°	65°	v	0°	15°	25°	35°	50°	65°
32	10.3	10.2	8.7	8.0	8	1.04	1.00	0.97	0.97
128	13.4	13.2	11.3	10.3	32	1.04	1.02	0.99	0.97
512	12.7	13.1	9.9	9.6	128	1.00	0.97	0.94	0.93
1024	12.7	13.5	10.6	9.8	512	0.97	0.94	0.91	0.90
2048	13.1	11.9	11.4	8.4	1024	0.92	0.89	0.87	0.87
							2048	0.89	0.85	0.82	0.82
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
v	0-15°	15-25°	25-35°	35-50°	50-65°		v	0-15°	15-25°	25-35°	35-50°	50-65°	
32	0.76	0.65	0.56	†		8	0.14	0.13	0.14	
128	1.53	1.44	1.15		32	0.28	0.26	0.26	
512	2.63	2.27	1.99		128	0.54	0.48	0.50	
1024	3.27	2.87	2.75		512	1.01	0.89	0.96	
2048	3.70	3.46	3.33		1024	1.34	1.24	1.32	
							2048	1.75	1.55	1.70	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
v	0-15°	15-25°	25-35°	35-50°	50-65°		v	0-15°	15-25°	25-35°	35-50°	50-65°	
32	2.00	1.31	1.00	†	†		8	2.23	1.56	1.43	
128	1.99	1.44	1.01		32	2.25	1.52	1.35	
512	2.11	1.38	1.07		128	2.26	1.51	1.37	
1024	2.16	1.43	1.17		512	2.27	1.51	1.41	
2048	2.16	1.52	1.127		1024	2.28	1.57	1.45	
							2048	2.29	1.51	1.44	

*Decomposes very rapidly at this temperature. †Decomposes.

‡This acid decomposes slowly at 50°, but very rapidly at 65°.

§Decomposes slowly at 35°, and rapidly at higher temperatures.

LEVULINIC OR β -ACETYLPROPIONIC ACID (Wm.).							<i>n</i> -BUTYRIC ACID (Wt. and Sm.).						
Molecular Conductivity.							Molecular Conductivity.						
<i>v</i>	$\mu_e 0^\circ$	$\mu_e 15^\circ$	$\mu_e 25^\circ$	$\mu_e 35^\circ$	$\mu_e 50^\circ$	$\mu_e 65^\circ$	<i>v</i>	$\mu_e 0^\circ$	$\mu_e 9.4^\circ$	$\mu_e 25^\circ$	$\mu_e 35^\circ$	$\mu_e 50^\circ$	$\mu_e 65^\circ$
8	2.939	4.114	4.851	5.539	6.463	7.19	2	1.090	1.341	1.730	1.930	2.217	2.414
32	5.85	8.24	9.71	11.10	12.96	14.39	8	2.501	3.062	3.891	4.351	4.862	5.265
128	11.57	16.13	19.08	21.84	25.54	28.38	32	5.072	6.230	7.902	8.801	9.95	10.80
512	22.06	30.78	36.37	41.68	48.08	51.79	128	10.00	12.23	15.45	17.14	19.77	21.23
1024	29.81	41.92	49.85	56.99	66.15	72.81	512	19.44	23.79	29.86	33.00	37.80	41.11
2048	39.41	56.31	66.24	76.53	86.98	95.76	1024	26.82	32.83	41.22	45.26
							2048	37.37	45.63	57.20	62.71	70.83	77.48
Percentage Dissociation.							Percentage Dissociation.						
<i>v</i>	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 9.4^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
8	1.33	1.38	1.39	1.40	1.39	1.36	2	0.49	0.49	0.49	0.48	0.47	0.45
32	2.65	2.76	2.79	2.80	2.78	2.71	8	1.12	1.12	1.10	1.08	1.03	0.97
128	5.24	5.41	5.48	5.50	5.48	5.35	32	2.27	2.28	2.23	2.18	2.10	2.00
512	9.99	10.32	10.44	10.50	10.32	9.77	128	4.48	4.48	4.36	4.24	4.18	3.93
1024	13.50	14.06	14.31	14.36	14.19	13.73	512	8.72	8.71	8.44	8.17	7.98	7.61
2048	17.84	18.89	19.02	19.28	18.66	18.06	1024	12.02	12.02	11.64	11.20
							2048	16.76	16.71	16.15	15.52	14.96	14.34
Dissociation Constants $\times 10^4$.							Dissociation Constants $\times 10^4$.						
<i>v</i>	0°	15°	25°	35°	50°	65°	<i>v</i>	0°	9.4°	25°	35°	50°	65°
8	0.224	0.234	0.245	0.249	0.244	0.233	2	0.120	0.120	0.120	0.115	0.111	0.102
32	0.225	0.238	0.250	0.252	0.249	0.237	8	0.159	0.159	0.153	0.147	0.133	0.118
128	0.226	0.235	0.248	0.250	0.248	0.236	32	0.165	0.166	0.157	0.152	0.141	0.127
512	0.217	0.226	0.238	0.241	0.232	0.207	128	0.164	0.164	0.152	0.147	0.142	0.125
1024	0.206	0.219	0.233	0.235	0.229	0.213	512	0.163	0.163	0.152	0.142	0.135	0.122
2048	0.189	0.209	0.218	0.225	0.209	0.194	1024	0.161	0.161	0.150	0.138
							2048	0.165	0.164	0.152	0.139	0.128	0.117
Temperature Coefficients in Conductivity Units.							Temperature Coefficients in Conductivity Units.						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-9.4°	9.4-25°	25-35°	35-50°	50-65°	
8	0.078	0.074	0.069	0.062	0.048		2	0.08	0.03	0.02	0.019	0.013	
32	0.160	0.147	0.139	0.124	0.095		8	0.06	0.05	0.05	0.034	0.027	
128	0.304	0.295	0.276	0.247	0.189		32	0.12	0.11	0.09	0.077	0.057	
512	0.581	0.559	0.531	0.43	0.247		128	0.24	0.21	0.17	0.176	0.097	
1024	0.807	0.793	0.714	0.61	0.441		512	0.46	0.39	0.31	0.32	0.221	
2048	1.126	0.993	1.029	0.70	0.585		1024	0.64	0.54	0.41	
							2048	0.88	0.74	0.55	0.54	0.443	
Temperature Coefficients in Per Cent.							Temperature Coefficients in Per Cent.						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-9.4°	9.4-25°	25-35°	35-50°	50-65°	
8	2.66	1.79	1.42	1.12	0.75		2	2.44	1.87	1.16	0.98	0.59	
32	2.74	1.78	1.43	1.12	0.74		8	2.38	1.74	1.19	0.78	0.55	
128	2.63	1.83	1.45	1.15	0.74		32	2.43	1.72	1.14	0.87	0.57	
512	2.63	1.82	1.46	1.03	0.51		128	2.44	0.69	1.09	1.03	0.49	
1024	2.71	1.89	1.43	1.07	0.67		512	2.38	1.64	1.05	0.97	0.58	
2048	2.86	1.76	1.55	0.91	0.67		1024	2.38	1.64	0.98	
							2048	2.35	1.61	0.96	0.86	0.62	

α -BROMBUTYRIC ACID (W.M.).							ISOBUTYRIC ACID (Wt. AND SM.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
v	$\mu_v 0^\circ$	$\mu_v 15^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	v	$\mu_v 0^\circ$	$\mu_v 16.46^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
32	42.75	54.70	61.0	66.42	2	1.034	1.450	1.633	1.841	1.969	2.109
128	84.94	109.5	122.8	134.3	8	2.453	3.412	3.821	4.272	4.409	4.76
512	133.7	173.2	195.2	214.9	32	4.912	6.809	7.621	8.514	8.831	9.44
1024	160.6	209.3	239.8	266.0	128	9.736	13.48	15.13	16.90	17.60	18.60
2048	180.7	238.0	275.0	305.9	512	18.91	26.01	29.30	32.70	33.71	35.81
							1024	26.32	36.18	40.90	45.54	46.27	49.01
							2048	35.96	49.22	55.01	61.35	60.92	64.01
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
v	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	v	$\alpha 0^\circ$	$\alpha 16.46^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
32	18.53	17.99	17.06	16.30	2	0.47	0.47	0.46	0.46	0.45	0.45
128	36.82	36.00	34.35	32.97	8	1.10	1.10	1.08	1.06	1.01	1.02
512	57.97	56.92	54.59	52.74	32	2.20	2.20	2.15	2.11	2.02	2.02
1024	69.61	68.82	67.08	65.30	128	4.37	4.35	4.27	4.18	4.02	3.97
2048	78.32	78.26	76.91	75.91	512	8.48	8.39	8.28	8.09	7.71	7.64
							1024	11.80	11.67	11.55	11.27	10.58	10.46
							2048	16.13	15.88	15.54	15.19	13.93	13.66
<i>Dissociation Constants $\times 10^4$.</i>							<i>Dissociation Constants $\times 10^4$.</i>						
v	0°	15°	25°	35°	50°	65°	v	0°	16.46°	25°	35°	50°	65°
32	13.1	13.2	11.0	10.1	2	0.108	0.110	0.108	0.108	0.102	0.102
128	16.8	17.2	14.0	12.7	8	0.153	0.153	0.147	0.141	0.128	0.131
512	15.6	16.4	12.8	11.5	32	0.155	0.154	0.148	0.142	0.130	0.129
1024	15.6	17.0	13.2	12.0	128	0.156	0.154	0.149	0.143	0.131	0.128
2048	13.8	16.6	12.5	11.1	512	0.154	0.150	0.146	0.139	0.125	0.123
							1024	0.154	0.150	0.147	0.140	0.122	0.119
							2048	0.151	0.146	0.140	0.133	0.110	0.105
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
v	$0-15^\circ$	$15-25^\circ$	$25-35^\circ$	$35-50^\circ$	$50-65^\circ$		v	$0-16.46^\circ$	$16.46-25^\circ$	$25-35^\circ$	$35-50^\circ$	$50-65^\circ$	
32	0.79	0.63	0.54		2	0.03	0.02	0.02	0.009	
128	1.64	1.33	1.15		8	0.06	0.05	0.05	0.024	
512	2.63	2.20	1.97		32	0.12	0.10	0.09	0.041	
1034	3.25	3.05	2.62		128	0.23	0.19	0.18	0.067	
2048	3.82	3.70	3.09		512	0.43	0.36	0.34	0.14	
							1024	0.60	0.51	0.46	0.18	
							2048	0.81	0.68	0.63	0.21	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
v	$0-15^\circ$	$15-25^\circ$	$25-35^\circ$	$35-50^\circ$	$50-65^\circ$		v	$0-16.46^\circ$	$16.46-25^\circ$	$25-35^\circ$	$35-50^\circ$	$50-65^\circ$	
32	1.86	1.15	0.89		2	2.45	1.48	1.27	0.47	
128	1.93	1.21	0.94		8	2.38	1.40	1.18	0.54	
512	1.97	1.27	1.01		32	2.35	1.40	1.17	0.46	
1024	2.02	1.46	1.09		128	2.33	1.43	1.17	0.38	
2048	2.11	1.55	1.12		512	2.28	1.41	1.16	0.41	
							1024	2.28	1.41	1.13	0.39	
							2048	2.24	1.38	1.15	0.34	

NOTE—Solutions more concentrated than $v=128$ decompose at 35° , and all dilutions decompose rapidly at 50° .

HYDROXYISOBUTYRIC ACID (W.M.).							ISOVALERIC ACID (W.M.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 15^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 15^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
8	6.075	8.553	10.147	11.576	13.32	14.73	8	2.573	3.391	3.869	4.392	4.877	5.115
32	12.11	17.04	20.19	22.97	26.84	29.43	32	5.365	7.061	8.052	8.927	9.89	10.57
128	23.50	33.04	39.18	44.65	51.41	56.78	128	10.68	14.04	16.01	17.68	19.52	20.94
512	44.06	61.74	73.16	83.41	96.52	106.80	512	20.52	26.97	30.74	33.71	36.95	39.92
1024	58.80	81.95	97.00	111.60	128.30	141.80	1024	28.28	37.11	42.18	46.33	50.85	53.48
2048	76.78	106.95	126.20	144.07	166.10	181.40	2048	37.16	49.90	56.86	62.55	69.79	72.93
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
8	2.75	2.838	2.89	2.89	2.83	2.72	8	1.16	1.13	1.11	1.07	1.04	0.96
32	5.47	5.653	5.75	5.74	5.70	5.43	32	2.42	2.36	2.30	2.24	2.11	1.98
128	10.62	10.96	11.15	11.15	10.91	10.48	128	4.81	4.69	4.57	4.34	4.17	3.93
512	19.92	20.48	20.82	20.84	20.48	19.71	512	9.24	9.00	8.78	8.44	7.90	7.49
1024	25.58	27.19	27.61	27.88	27.23	26.17	1024	12.34	12.38	12.05	11.60	11.87	10.03
2048	34.70	35.48	35.92	36.00	35.24	33.48	2048	16.74	16.65	16.25	15.66	14.91	13.68
<i>Dissociation Constants $\times 10^4$.</i>							<i>Dissociation Constants $\times 10^4$.</i>						
<i>v</i>	0°	15°	25°	35°	50°	65°	<i>v</i>	0°	15°	25°	35°	50°	65°
8	0.97	1.05	1.08	1.08	1.03	0.95	8	0.170	0.162	0.154	0.145	0.137	0.116
32	0.99	1.06	1.10	1.10	1.08	0.98	32	0.187	0.178	0.169	0.160	0.143	0.125
128	0.99	1.17	1.09	1.09	1.05	0.96	128	0.189	0.180	0.171	0.160	0.142	0.126
512	0.97	1.03	1.07	1.07	1.03	0.95	512	0.184	0.180	0.165	0.152	0.132	0.119
1024	0.94	0.99	1.03	1.08	1.00	0.91	1024	0.170	0.171	0.161	0.149	0.130	0.109
2048	0.90	0.95	0.98	0.99	0.94	0.82	2048	0.164	0.162	0.154	0.140	0.128	0.101
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°	
8	0.16	0.16	0.14	0.12	0.094		8	0.055	0.048	0.052	0.032	0.016	
32	0.33	0.31	0.28	0.26	0.17		32	0.113	0.099	0.087	0.064	0.045	
128	0.64	0.61	0.55	0.45	0.36		128	0.224	0.197	0.167	0.123	0.095	
512	1.18	1.14	1.03	0.88	0.68		512	0.430	0.377	0.297	0.216	0.138	
1024	1.54	1.51	1.46	1.11	0.90		1024	0.589	0.507	0.415	0.301	0.175	
2048	2.01	1.93	1.79	1.47	1.02		2048	0.844	0.686	0.569	0.483	0.209	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°	
8	2.72	1.86	1.41	1.00	0.71		8	2.12	1.41	1.35	0.74	0.33	
32	2.71	1.85	1.38	1.13	0.65		32	2.10	1.40	1.07	0.72	0.46	
128	2.71	1.86	1.40	1.01	0.70		128	2.10	1.40	1.04	0.70	0.49	
512	2.68	1.85	1.40	1.06	0.71		512	2.10	1.40	0.97	0.64	0.37	
1024	2.62	1.84	1.50	1.01	0.70		1024	2.08	1.37	0.98	0.65	0.34	
2048	2.62	1.80	1.41	1.02	0.61		2048	2.28	1.39	1.00	0.77	0.45	

CAPRYLIC ACID (WM.).							MALONIC ACID (WT. AND C.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 15^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 4.9^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
512	27.79	31.07	34.52	37.53	2	11.81	13.34	19.61	22.51
1024	24.39	32.76	37.84	42.35	47.28	50.57	4	37.38	41.47
2048	32.84	44.08	51.08	56.89	63.69	66.26	8	23.19	26.20	38.40	44.03
							16	71.76	79.73
							32	43.51	49.25	72.23	82.55
							64	130.8
							128	78.30	88.83	129.8	148.2	173.8	145.8
							512	127.1	143.4	208.7	237.4	277.8	191.7
							1024	153.3	173.2	251.2	281.8	331.6	310.9
							2048	176.9	199.1	289.1	327.6
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 4.9^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
512	7.96	7.80	7.43	6.96	2	5.30	5.34	5.53	5.55
1024	10.84	10.89	10.84	10.64	10.18	9.38	8	10.40	10.48	10.81	10.87
2048	14.60	14.65	14.63	14.29	13.71	12.29	32	19.57	19.70	20.34	20.38
							128	35.12	35.53	36.58	36.59	36.43	35.11
							512	56.99	57.36	58.80	58.60	58.24	56.94
							1024	68.74	69.28	70.76	70.31	69.52
							2048	79.32	79.66	81.45	80.89
<i>Dissociation Constants $\times 10^4$.</i>							<i>Dissociation Constants $\times 10^4$.</i>						
<i>v</i>	0°	15°	25°	35°	50°	65°	<i>v</i>	0°	4.9°	25°	35°	50°	65°
512	0.134	0.129	0.117	0.102	2	14.8	15.0	16.1	16.4
1024	0.129	0.130	0.129	0.124	0.113	0.095	8	15.1	15.3	16.4	16.5
2048	0.122	0.123	0.123	0.116	0.106	0.084	32	14.8	15.1	16.3	16.3
							128	14.8	15.3	16.4	16.5
							512	14.8	15.1	16.4	16.2	16.3	14.8
							1024	14.8	15.3	16.7	16.3	15.9	14.7
							2048	14.9	15.3	17.5	16.8	15.5
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-4.9°	4.9-25°	25-35°	35-50°	50-65°	
512	0.33	0.23	0.20		2	0.31	0.31	0.29	
1024	0.56	0.51	0.45	0.33	0.22		4	0.27	
2048	0.75	0.70	0.47	0.45	0.17		8	0.61	0.61	0.58	
							16	0.53	
							32	1.17	1.14	1.03	
							64	1.00	
							128	2.09	2.04	1.84	1.70	1.19	
							512	3.33	3.25	2.87	2.70	2.21	
							1024	4.06	3.88	3.36	3.12	
							2048	4.53	4.48	3.75	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-4.9°	4.9-25°	25-35°	35-50°	50-65°	
512	1.18	0.74	0.58		2	2.64	2.34	1.48	
1024	2.29	1.55	1.17	0.78	0.46		4	0.73	
2048	2.28	1.58	1.12	0.80		8	2.66	2.32	1.47	
							16	0.74	
							32	2.69	2.32	1.43	
							64	0.76	
							128	2.67	2.30	1.42	1.15	0.68	
							512	2.62	2.27	1.38	1.14	0.80	
							1024	2.65	2.24	1.31	1.09	
							2048	2.56	2.25	1.30	

DIMETHYLMALONIC ACID (SP.).							ETHYLMALONIC ACID (SP.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 15^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 15^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
8	16.08	22.06	25.82	29.27	34.10	38.10	8	20.85	28.08	32.62	36.64	41.67	46.09
32	32.00	43.76	51.23	58.41	68.80	77.10	32	40.90	55.22	64.42	72.53	82.52	90.66
128	59.00	80.57	94.61	107.29	124.82	139.53	128	73.08	98.35	114.55	129.09	146.60	161.77
512	101.42	136.94	160.28	182.49	217.20	240.72	512	119.83	161.73	188.90	213.00	243.30	269.91
1024	124.10	169.74	198.93	226.05	266.68	299.26	1024	146.45	197.80	231.24	260.00	297.95	330.62
2048	151.89	205.71	241.10	273.66	314.71	349.53	2048	166.73	225.40	263.52	298.32	345.30	384.70
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
8	7.24	7.35	7.34	7.32	7.25	7.07	8	9.38	9.34	9.27	9.17	8.85	8.55
32	14.40	14.59	14.56	14.62	14.63	14.30	32	18.41	18.38	18.31	18.15	17.56	16.82
128	26.55	26.86	26.89	26.85	26.56	25.88	128	32.89	32.73	32.56	32.30	31.20	30.01
512	45.64	45.65	45.56	45.66	46.17	44.66	512	53.93	53.82	53.70	53.30	51.77	50.08
1024	55.85	56.58	56.55	56.56	56.72	55.52	1024	65.91	65.83	65.72	65.06	63.40	61.34
2048	68.36	68.57	68.53	68.48	67.00	64.75	2048	75.04	75.00	74.91	74.65	73.47	71.37
<i>Dissociation Constants $\times 10^4$.</i>							<i>Dissociation Constants $\times 10^4$.</i>						
<i>v</i>	0°	15°	25°	35°	50°	65°	<i>v</i>	0°	15°	25°	35°	50°	65°
8	7.06	7.28	7.27	7.27	7.08	6.72	8	12.1	12.0	11.8	11.6	10.7	10.0
32	7.57	7.79	7.75	7.82	7.82	7.45	32	12.9	12.9	12.8	12.5	11.6	10.6
128	7.50	7.71	7.73	7.70	7.51	7.06	128	12.6	12.4	12.3	12.0	11.0	10.0
512	7.48	7.49	7.45	7.50	7.69	7.04	512	12.3	12.2	12.2	11.9	10.9	9.8
1024	6.90	7.20	7.21	7.20	7.26	6.77	1024	12.4	12.3	12.3	11.8	10.7	9.5
2048	7.21	7.30	7.29	7.28	6.64	5.84							
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°	
8	0.40	0.38	0.35	0.32	0.27		8	0.48	0.45	0.40	0.34	0.29	
32	0.78	0.75	0.72	0.69	0.55		32	0.95	0.92	0.81	0.67	0.54	
128	1.44	1.40	1.27	1.17	0.98		128	1.68	1.62	1.45	1.70	1.01	
512	2.37	2.33	2.22	2.13	1.57		512	2.79	2.72	2.41	2.02	1.64	
1024	3.04	2.92	2.71	2.71	2.17		1024	3.42	3.34	2.88	2.53	2.18	
2048	3.59	3.54	3.26	2.74	2.32		2048	3.91	3.81	3.48	3.13	2.63	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°	
8	2.44	1.70	1.34	1.08	0.79		8	2.13	1.61	1.23	0.91	0.71	
32	2.43	1.70	1.40	1.18	0.80		32	2.33	1.66	1.27	0.92	0.66	
128	2.42	1.74	1.34	1.09	0.79		128	2.30	1.65	1.26	0.90	0.69	
512	2.33	1.70	1.38	1.17	0.72		512	2.33	1.68	1.27	0.95	0.67	
1024	2.45	1.72	1.36	1.18	0.82		1024	2.33	1.69	1.25	0.97	0.71	
2048	2.36	1.72	1.35	1.00	0.74		2048	2.35	1.69	1.32	1.04	0.76	

DIETHYLMALONIC ACID (Sp.).							METHYLETHYLMALONIC ACID (Sp.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_e 0^\circ$	$\mu_e 15^\circ$	$\mu_e 25^\circ$	$\mu_e 35^\circ$	$\mu_e 50^\circ$	$\mu_e 65^\circ$	<i>v</i>	$\mu_e 0^\circ$	$\mu_e 15^\circ$	$\mu_e 25^\circ$	$\mu_e 35^\circ$	$\mu_e 50^\circ$	$\mu_e 65^\circ$
8	52.38	67.87	76.92	84.66	94.03	100.32	8	23.60	31.90	37.34	42.22	48.28	54.11
32	92.77	121.64	138.84	153.60	174.26	186.22	32	45.89	61.89	72.45	82.00	93.61	104.35
128	141.81	187.35	215.34	240.20	274.96	299.01	128	81.39	110.44	129.71	147.18	168.51	188.20
512	189.03	252.30	292.24	328.73	378.84	422.61	512	129.95	175.96	206.32	234.00	269.50	304.26
1024	201.22	268.24	311.98	353.56	413.66	462.78	1024	156.21	211.25	248.19	280.01	323.20	365.54
2048	201.63	272.23	317.25	360.50	424.37	471.64	2048	178.18	240.31	280.64	315.06	365.46	411.58
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
8	23.88	22.92	22.22	21.49	20.23	18.79	8	10.68	10.67	10.67	10.61	10.39	10.15
32	42.29	41.08	40.10	39.00	37.49	34.87	32	20.78	20.70	20.71	20.61	20.17	19.58
128	64.65	63.27	62.19	60.98	59.15	56.00	128	36.85	36.94	37.08	36.99	36.31	35.31
512	86.17	85.21	84.40	83.46	81.56	79.14	512	58.84	58.85	58.99	58.81	58.08	57.08
1024	91.73	90.59	90.10	89.76	89.00	86.66	1024	70.73	70.66	70.96	70.37	69.65	68.58
2048	91.92	91.94	91.62	91.52	91.30	88.32	2048	80.68	80.38	80.24	79.18	78.76	77.22
<i>Dissociation Constants $\times 10^4$.</i>							<i>Dissociation Constants $\times 10^4$.</i>						
<i>v</i>	0°	15°	25°	35°	50°	65°	<i>v</i>	0°	15°	25°	35°	50°	65°
8	8	16.0	15.9	15.9	15.7	15.6	14.3
32	32	17.0	16.9	16.9	16.7	15.9	14.5
128	128	16.8	16.9	17.1	17.0	16.1	15.0
512	512	16.4	16.4	16.6	16.4	15.7	14.8
1024	1024	16.7	16.6	16.9	16.3	15.6	14.6
2048	2048	16.5	16.1	15.9	15.0	14.3	12.8
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°	
8	1.03	0.91	0.77	0.73	0.42		8	0.55	0.54	0.49	0.40	0.39	
32	1.92	1.72	1.48	1.38	0.80		32	1.07	1.06	0.95	0.77	0.72	
128	3.04	2.80	2.49	2.33	1.67		128	1.94	1.93	1.75	1.42	1.31	
512	4.22	3.99	3.65	3.34	2.92		512	3.07	3.04	2.77	2.37	2.32	
1024	4.47	4.37	4.16	4.01	3.27		1024	3.67	3.69	3.18	2.88	2.82	
2048	4.71	4.50	4.32	4.26	3.83		2048	4.14	4.03	3.44	3.36	3.07	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°	
8	1.97	1.33	1.00	0.85	0.44		8	2.34	1.70	1.30	0.96	0.72	
32	2.07	1.41	1.06	0.89	0.46		32	2.33	1.71	1.31	0.94	0.76	
128	2.14	1.49	1.15	0.97	0.61		128	2.38	1.74	1.34	0.96	0.77	
512	2.23	1.58	1.25	1.01	0.77		512	2.36	1.72	1.34	1.01	0.85	
1024	2.22	1.63	1.33	1.13	0.79		1024	2.35	1.75	1.28	1.02	0.87	
2048	2.33	1.65	1.36	1.18	0.90		2048	2.32	1.70	1.23	1.07	0.83	

ISOPROPYLMALONIC ACID (SP.).							DIPROPYLMALONIC ACID (SP.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_r 0^\circ$	$\mu_r 15^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$	<i>v</i>	$\mu_r 0^\circ$	$\mu_r 15^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$
32	40.07	54.69	64.92	73.63	84.05	91.73	32	103.16	135.09	154.54	170.31
128	72.21	98.65	117.00	132.34	151.88	168.00	128	152.25	201.36	234.92	261.75	297.53	304.18
512	118.6	161.6	192.95	217.62	248.81	278.36	512	192.10	258.80	300.65	339.30	386.50	430.81
1024	144.1	197.0	234.00	264.40	307.7	343.80	1024	203.51	272.90	317.78	359.10	417.00	468.00
2048	167.4	228.9	272.20	307.9	357.0	402.50	2048	209.35	281.11	328.93	372.98	434.61	490.90
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
32	18.14	18.29	18.56	18.50	18.11	17.21	32	47.18	45.78	44.70	43.35
128	32.69	33.00	33.45	33.26	32.73	31.52	128	69.63	69.25	67.95	66.60	64.96	62.34
512	53.70	54.04	55.15	54.69	53.62	52.23	512	87.85	87.70	86.97	86.35	84.40	82.77
1024	65.24	65.89	66.89	66.44	66.31	64.50	1024	93.07	92.48	91.92	91.41	91.06	90.00
2048	75.79	76.59	77.80	77.30	75.94	75.51	2048	95.74	95.26	95.15	94.93	94.89	94.40
<i>Dissociation Constants $\times 10^4$.</i>							<i>Dissociation Constants $\times 10^4$.</i>						
<i>v</i>	0°	15°	25°	35°	50°	65°	<i>v</i>	0°	15°	25°	35°	50°	65°
32	12.5	12.8	13.2	13.1	12.5	11.2	32	132.0	121.0	113.0	104.0
128	12.4	12.7	13.1	12.9	12.5	11.3	128	125.0	121.0	113.0	104.0	90	81
512	12.2	12.4	13.2	12.9	12.1	11.2	512	124.0	122.0	113.0	106.0	89	78
1024	12.0	12.4	13.2	12.8	12.5	11.4	1024	122.0	111.0	102.0	95.0	90	79
2048	11.6	12.2	13.3	12.9	12.5	11.3	2048	105.0	93.0	91.0	90.0	90	78
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°	
32	0.97	1.02	0.87	0.69	0.51		32	2.13	1.94	1.58	
128	1.76	1.83	1.53	1.30	1.07		128	3.47	3.06	2.68	2.39	1.78	
512	2.86	3.14	2.47	2.08	1.97		512	4.45	4.18	3.86	3.15	2.95	
1024	3.53	3.70	3.04	2.89	2.41		1024	4.63	4.49	4.14	3.86	3.40	
2048	4.10	4.32	3.77	3.27	3.03		2048	4.78	4.78	4.41	4.11	3.75	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°	
32	2.43	1.87	1.34	0.94	0.61		32	2.06	1.41	1.02	
128	2.43	1.86	1.31	0.98	0.71		128	2.28	1.49	1.14	0.91	0.60	
512	2.41	1.88	1.28	0.96	0.79		512	2.31	1.62	1.28	0.93	0.74	
1024	2.45	1.88	1.30	0.92	0.78		1024	2.27	1.64	1.30	1.09	0.81	
2048	2.45	1.88	1.38	1.06	0.85		2048	2.29	1.70	1.34	1.10	0.86	

BUTYLMALONIC ACID (NORMAL) (SP.).							BENZYLMAONIC ACID (SP.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_t 0^\circ$	$\mu_t 15^\circ$	$\mu_t 25^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	$\mu_t 65^\circ$	<i>v</i>	$\mu_t 0^\circ$	$\mu_t 15^\circ$	$\mu_t 25^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	$\mu_t 65^\circ$
32	37.53	50.60	58.72	66.30	76.00	83.93	32	45.06	60.54	69.82	78.31	89.05	97.76
128	68.80	92.04	107.34	121.86	141.00	156.00	128	80.22	107.44	124.99	140.37	160.03	175.82
512	113.8	154.2	180.90	204.84	236.22	264.25	512	128.30	171.80	199.60	225.13	258.98	285.80
1024	140.0	187.2	218.3	248.0	286.2	320.1	1024	153.05	205.65	239.44	269.62	310.79	345.35
2048	163.7	218.8	255.4	291.3	340.0	382.6	2048	177.75	236.16	273.66	310.02	357.93	395.32
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
32	17.11	17.09	16.96	16.83	16.35	15.71	32	20.57	20.48	20.19	19.91	19.18	18.33
128	31.36	31.08	31.00	30.92	30.33	29.21	128	36.63	36.34	36.16	35.70	34.49	32.98
512	51.88	52.08	52.25	52.00	50.82	49.48	512	58.58	58.11	57.74	57.24	55.81	53.62
1024	63.82	63.22	63.05	62.96	61.57	60.00	1024	69.88	69.56	69.26	68.57	66.98	64.79
2048	74.62	73.89	73.48	73.95	73.15	71.65	2048	81.16	79.89	79.16	78.86	77.14	74.16
<i>Dissociation Constants $\times 10^4$.</i>							<i>Dissociation Constants $\times 10^4$.</i>						
<i>v</i>	0°	15°	25°	35°	50°	65°	<i>v</i>	0°	15°	25°	35°	50°	65°
32	11.0	11.0	10.8	10.6	10.0	9.15	32	16.6	16.5	16.0	15.5	14.2	12.8
128	11.2	11.0	10.9	10.8	10.3	9.4	128	16.5	16.2	16.0	15.5	14.1	12.7
512	10.9	11.0	11.1	11.0	10.2	9.5	512	16.2	15.7	15.4	15.0	13.8	12.1
1024	11.0	10.6	10.5	10.4	9.6	8.8	1024	15.8	15.5	15.2	14.6	13.3	11.7
2048	10.7	10.2	10.0	10.3	9.7	8.8	2048	17.0	15.5	14.7	14.4	12.7	10.4
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°	
32	0.87	0.81	0.78	0.65	0.53		32	1.03	0.93	0.85	0.72	0.57	
128	1.55	1.53	1.45	1.28	1.00		128	1.81	1.75	1.54	1.31	1.05	
512	2.69	2.67	2.39	2.09	1.87		512	2.90	2.78	2.55	2.26	1.79	
1024	3.15	3.11	2.97	2.55	2.26		1024	3.50	3.38	3.02	2.75	2.30	
2048	3.67	3.66	3.59	3.25	2.84		2048	3.89	3.85	3.64	3.19	2.49	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°	
32	2.32	1.60	1.32	0.98	0.69		32	2.29	1.53	1.22	0.91	0.65	
128	2.25	1.66	1.35	1.04	0.71		128	2.20	1.57	1.23	0.93	0.66	
512	2.36	1.73	1.32	1.02	0.79		512	2.29	1.61	1.27	1.00	0.69	
1024	2.25	1.66	1.36	1.02	0.79		1024	2.29	1.64	1.26	1.02	0.74	
2048	2.23	1.67	1.40	1.11	0.83		2048	2.19	1.63	1.32	1.04	0.69	

ALLYLMALONIC ACID (SP.).							SUCCINIC ACID (WT. AND C.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_t 0^\circ$	$\mu_t 15^\circ$	$\mu_t 25^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	$\mu_t 65^\circ$	<i>v</i>	$\mu_t 0^\circ$	$\mu_t 5.7^\circ$	$\mu_t 25^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	$\mu_t 65^\circ$
8	24.25	32.63	37.73	42.26	48.94	53.61	8	4.570	5.371	8.032	9.251	11.00	12.40
32	45.62	61.58	71.47	80.30	92.02	101.16	32	9.211	10.72	16.01	18.36	21.94	24.71
128	80.81	109.08	126.33	142.15	164.78	181.65	128	18.24	21.35	31.24	35.80	42.64	48.07
512	130.49	176.28	204.36	231.00	264.51	293.23	512	34.75	40.59	59.34	67.87	82.36	91.17
1024	158.93	214.00	248.67	281.00	322.75	358.28	1024	47.89	55.91	81.31	92.89	109.9	125.4
2048	176.38	237.89	277.43	313.85	358.56	401.52	2048	64.61	75.29	109.6	124.8	145.8	162.7
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 5.7^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
8	10.95	10.90	10.76	10.56	10.46	9.98	8	2.05	2.15	2.26	2.28	2.33	2.30
32	20.60	20.57	20.37	20.07	19.66	18.84	32	4.13	4.29	4.51	4.53	4.64	4.58
128	36.49	36.43	36.01	35.54	35.21	33.82	128	8.18	8.54	8.80	8.84	9.03	8.91
512	58.93	58.87	58.26	57.75	56.52	54.61	512	15.58	16.24	16.72	16.76	17.43	16.90
1024	71.77	71.47	70.89	70.25	68.96	66.72	1024	20.47	22.37	22.91	22.91	23.26	23.25
2048	79.65	79.45	79.08	78.46	76.62	74.77	2048	28.97	30.11	30.88	30.81	30.86	30.17
<i>Dissociation Constants $\times 10^4$.</i>							<i>Dissociation Constants $\times 10^4$.</i>						
<i>v</i>	0°	15°	25°	35°	50°	65°	<i>v</i>	0°	5.7°	25°	35°	50°	65°
8	16.8	16.6	16.2	15.6	15.3	13.8	8	0.537	0.590	0.655	0.667	0.695	0.677
32	16.7	16.6	16.2	15.7	15.0	13.7	32	0.556	0.600	0.666	0.673	0.705	0.687
128	16.4	16.3	15.8	15.3	14.9	13.5	128	0.569	0.623	0.664	0.670	0.701	0.681
512	16.5	16.5	15.9	15.4	14.4	12.8	512	0.562	0.615	0.655	0.659	0.719	0.671
1024	14.9	13.1	1024	0.572	0.629	0.665	0.665	0.688	0.688
2048	2048	0.577	0.634	0.675	0.670	0.673	0.637
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-5.7°	5.7-25°	25-35°	35-50°	50-65°	
8	0.56	0.51	0.45	0.44	0.31		8	0.14	0.14	0.12	0.12	0.09	
32	1.06	0.99	0.88	0.78	0.61		32	0.28	0.27	0.24	0.24	0.18	
128	1.88	1.72	1.58	1.51	1.12		128	0.55	0.51	0.46	0.46	0.36	
512	3.05	2.81	2.66	2.23	1.92		512	1.02	0.97	0.85	0.90	0.59	
1024	3.67	3.47	3.23	2.78	2.37		1024	1.41	1.32	1.16	1.13	1.03	
2048	4.10	3.95	3.64	2.98	2.86		2048	1.87	1.78	1.52	1.40	1.13	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-5.7°	5.7-25°	25-35°	35-50°	50-65°	
8	2.30	1.56	1.20	1.05	0.63		8	3.07	2.57	1.52	1.30	0.84	
32	2.33	1.60	1.23	0.98	0.66		32	3.03	2.56	1.47	1.31	0.84	
128	2.33	1.58	1.25	1.06	0.68		128	2.99	2.40	1.46	1.29	0.85	
512	2.33	1.59	1.30	0.97	0.72		512	2.95	2.39	1.44	1.33	0.71	
1024	2.31	1.62	1.30	0.99	0.73		1024	2.94	2.36	1.42	1.21	0.94	
2048	2.32	1.66	1.31	0.95	0.79		2048	2.90	2.36	1.39	1.12	0.77	

MONOBROMSUCCHINIC ACID (SP.).							DIBROMSUCCHINIC ACID (SP.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 15^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 15^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
128	101.46	136.01	158.19	32	175.64	222.20	245.56	262.92	293.37	342.63
512	156.00	210.27	246.72	128	254.34	326.83	367.56	399.68	448.57	509.85
1024	189.44	252.44	293.74	512	339.15	438.40	497.38	546.48	614.97	685.91
2048	208.37	283.02	328.50	1024	381.64	501.79	571.44	634.97	707.13	786.10
							2048	416.07	550.04	631.94	704.86	792.16	879.40
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
128	45.66	45.02	44.67	128
512	70.20	70.40	69.66	512
1024	85.25	83.55	82.94	1024
2048	93.77	93.67	92.76	2048
<i>Dissociation Constants $\times 10^4$.</i>							<i>Dissociation Constants $\times 10^4$.</i>						
<i>v</i>	0°	15°	25°	35°	50°	65°	<i>v</i>	0°	15°	25°	35°	50°	65°
128	30.0	28.8	28.2	128
512	32.3	32.7	31.2	512
1024	48.1	41.4	39.4	1024
2048	68.9	67.7	58.0	2048
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°	
128	2.30	2.21		32	3.10	2.34	1.74	2.03	3.28	
512	3.62	3.60		128	4.83	4.07	3.21	3.26	4.08	
1024	4.20	4.13		512	6.62	5.99	4.91	4.56	4.73	
2048	4.71	4.55		1024	8.01	6.96	6.35	4.81	5.26	
							2048	8.93	8.19	7.39	5.82	5.82	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°	
128	2.27	1.60		32	1.77	1.05	0.71	0.77	1.09	
512	2.32	1.62		128	1.89	1.24	0.87	0.82	0.91	
1024	2.22	1.60		512	1.95	1.34	0.98	0.83	0.77	
2048	2.26	1.61		1024	2.10	1.39	1.11	0.76	0.74	
							2048	2.14	1.49	1.15	0.83	0.73	

*Decomposed at higher temperatures.

PYROTARTARIC ACID (WT. AND SM.).							L-TARTARIC ACID (WM.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
v	$\mu_v 0^\circ$	$\mu_v 12^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	v	$\mu_v 0^\circ$	$\mu_v 15^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
8	5.403	7.150	9.045	10.41	12.10	13.77	8	15.64	22.58	26.93	31.12
32	10.94	14.41	18.13	20.80	24.36	27.28	32	34.18	49.03	58.72	67.65	80.62	90.80
128	21.08	27.68	35.00	40.00	46.80	52.92	128	62.81	90.12	107.4	123.5	145.3	165.4
512	40.45	53.06	67.02	76.56	86.64	98.14	512	109.3	156.8	186.9	213.0	248.9	280.7
1024	54.18	71.31	89.73	102.4	157.90	1024	136.0	192.0	229.4	261.6	308.4	348.9
2048	73.00	96.00	120.3	137.7	176.35	2048	171.7	241.0	285.4	325.5	386.7	434.4
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
v	$\alpha 0^\circ$	$\alpha 12^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	v	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
8	2.44	2.46	2.59	2.62	2.58	2.58	8	7.08	7.56	7.69	7.78
32	4.95	4.97	5.20	5.24	5.20	5.11	32	15.47	16.41	16.78	16.91	17.18	16.97
128	9.54	9.55	10.03	10.08	10.00	9.92	128	28.42	30.16	30.68	30.88	30.96	30.92
512	18.30	18.30	19.21	19.29	18.51	18.41	512	49.46	52.48	53.40	53.25	53.03	52.47
1024	24.51	24.60	25.71	25.79	1024	61.54	64.26	65.54	65.40	65.71	65.23
2048	33.03	33.11	34.46	34.69	33.73	33.08	2048	77.69	80.66	81.54	81.38	82.40	81.21
<i>Dissociation Constants $\times 10^4$.</i>							<i>Dissociation Constants $\times 10^4$.</i>						
v	0°	12°	25°	35°	50°	65°	v	0°	15°	25°	35°	50°	65°
8	0.77	0.78	0.86	0.89	0.85	0.85	8	6.7	7.7	8.0	8.2
32	0.81	0.81	0.89	0.90	0.89	0.85	32	8.9	10.1	10.6	10.8	11.1	11.1
128	0.79	0.79	0.87	0.88	0.86	0.85	128	8.8	10.2	10.6	10.8	10.8	10.8
512	0.80	0.80	0.89	0.90	0.82	0.81	512	9.5	11.3	12.0	11.8	11.7	11.3
1024	0.78	0.78	0.87	0.88	0.83	0.79	1024	9.6	11.3	12.2	12.1	12.3	11.9
2048	0.80	0.80	0.88	0.90	2048	13.2	16.4	17.6	17.4	18.8	17.1
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
v	0-12°	12-25°	25-35°	35-50°	50-65°		v	0-15°	15-25°	25-35°	35-50°	50-65°	
8	0.15	0.15	0.14	0.11	0.11		8	0.46	0.43	0.42	
32	0.29	0.29	0.27	0.24	0.29		32	0.99	0.97	0.89	0.86	0.68	
128	0.56	0.56	0.50	0.45	0.38		128	1.89	1.73	1.61	1.45	1.34	
512	1.05	1.07	0.95	0.67	0.76		512	3.17	3.01	2.61	2.40	2.12	
1024	1.43	1.42	1.27		1024	3.73	3.74	3.22	3.12	2.70	
2048	1.92	1.87	1.74	1.35	1.23		2048	4.62	4.44	4.09	4.08	3.18	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
v	0-12°	12-25°	25-35°	35-50°	50-65°		v	0-15°	15-25°	25-35°	35-50°	50-65°	
8	2.70	2.04	1.49	1.06	0.82		8	2.96	1.93	1.55	
32	2.64	1.99	1.47	1.15	0.79		32	2.94	1.98	1.52	1.27	0.84	
128	2.61	2.03	1.43	1.13	0.82		128	3.00	1.92	1.47	1.17	0.92	
512	2.60	2.02	1.42	0.88	0.88		512	2.90	1.92	1.40	1.13	0.85	
1024	2.63	1.99	1.42		1024	2.75	1.95	1.40	1.19	0.88	
2048	2.62	1.95	1.45	0.99	0.77		2048	2.69	1.84	1.40	1.26	0.82	

RACEMIC ACID (WT. AND SM.).							THIODIGLYCOLIC ACID (WM.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 12^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 15^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
8	18.02	24.35	30.97	35.98	39.97	44.88	8	15.70	21.40	25.00	28.16	32.50	35.68
32	34.60	46.85	59.65	69.03	77.91	87.21	32	28.86	39.38	46.27	52.18	60.64	66.48
128	63.24	85.15	108.2	124.7	141.44	159.40	128	52.79	72.42	84.80	96.00	111.0	122.5
512	110.6	147.8	187.0	215.1	243.91	271.34	512	93.31	127.47	148.93	169.03	194.9*	214.7
1024	139.0	183.7	230.0	264.3	302.97	336.09	1024	119.93	164.00	191.30	216.13	249.8*	278.9
2048	175.3	231.5	290.4	333.8	375.37	414.73	2048	152.20	207.38	242.65	275.70	318.0	355.3
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 12^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
8	8.15	8.51	8.85	9.04	8.53	8.39	8	7.09	7.13	7.12	7.02	6.90	6.64
32	15.66	16.38	17.04	17.34	16.64	16.30	32	13.03	13.11	13.17	13.01	12.88	12.37
128	28.62	29.77	30.91	31.32	30.21	29.61	128	23.83	24.12	24.14	23.94	23.58	22.79
512	50.03	51.68	53.42	54.04	52.09	50.72	512	42.12	42.45	42.39	42.15	41.40	39.94
1024	62.90	64.22	65.70	66.40	64.7	62.83	1024	54.14	54.61	54.46	53.90	53.06	51.88
2048	79.30	80.93	82.96	83.85	80.2	77.53	2048	68.70	69.06	69.10	68.76	67.51	66.10
<i>Dissociation Constants $\times 10^4$.</i>							<i>Dissociation Constants $\times 10^4$.</i>						
<i>v</i>	0°	12°	25°	35°	50°	65°	<i>v</i>	0°	15°	25°	35°	50°	65°
8	9.1	9.9	10.8	11.2	9.94	9.60	8	6.77	6.85	6.82	6.63	6.39	5.90
32	9.1	10.0	10.9	11.3	9.96	9.91	32	6.10	6.18	6.24	6.08	5.95	5.46
128	9.0	9.9	10.8	11.2	10.36	9.63	128	5.83	5.99	6.00	5.89	5.68	5.26
512	9.8	10.8	12.0	12.4	11.06	10.19	512	5.99	6.11	6.09	6.00	5.71	5.19
1024	10.4	11.3	12.3	12.3	10.92	10.37	1024	6.24	6.33	6.36	6.16	5.86	4.52
2048	18.8	16.8	19.7	21.3	14.80	13.06	2048	7.36	7.53	7.54	7.39	6.86	6.29
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-12°	12-25°	25-35°	35-50°	50-65°		<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°	
8	1.53	0.51	0.50	0.27	0.33		8	0.38	0.36	0.32	0.29	0.21	
32	1.02	0.99	0.95	0.60	0.62		32	0.70	0.69	0.59	0.57	0.39	
128	1.83	1.77	1.65	1.19	1.20		128	1.31	1.24	1.12	1.00	0.77	
512	3.10	3.02	2.81	1.92	1.83		512	2.28	2.15	2.01	1.67	1.32	
1024	3.73	3.56	3.43	2.58	2.21		1024	2.94	2.73	2.48	2.24	1.94	
2048	4.68	4.53	4.34	2.77	2.62		2048	3.68	2.53	3.31	2.82	2.49	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-12°	12-25°	25-35°	35-50°	50-65°		<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°	
8	2.93	2.09	1.62	0.75	0.82		8	2.42	1.68	1.26	1.03	0.65	
32	2.93	1.10	1.59	0.87	0.80		32	2.43	1.75	1.28	1.09	0.64	
128	2.89	2.08	1.53	0.95	0.85		128	2.48	1.71	1.32	1.04	0.69	
512	2.80	2.04	1.50	0.89	0.75		512	2.44	1.68	1.35	0.99	0.68	
1024	2.68	2.94	1.49	0.98	0.73		1024	2.45	1.67	1.30	1.04	0.78	
2048	2.67	1.95	1.50	0.83	0.70		2048	2.42	1.70	1.36	1.03	0.78	

*Interpolated values.

TRICARBALLYLIC ACID (W.M.).							CYANURIC ACID (W.M.).							
Molecular Conductivity.							Molecular Conductivity.							
v	$\mu_v 0^\circ$	$\mu_v 15^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	v	$\mu_v 0^\circ$	$\mu_v 15^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	
8	8.26	11.73	14.05	16.24	19.29	22.09	128	1.46	
32	16.39	23.41	28.02	32.38	37.97	42.97	512	2.78	
128	31.82	45.13	53.98	62.28	73.72	82.46	1024	3.52	
512	59.35	83.65	99.99	115.38	135.70	150.20	2048	4.67	
1024	78.79	110.53	131.67	152.40	180.20	203.10								
2048	103.03	143.90	170.85	196.65	230.80	261.60								
Percentage Dissociation.							Percentage Dissociation.							
v	$\alpha 0^\circ$	$\alpha 15^\circ$		$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	v	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
		From graph.	From equation.											
8	3.76	3.95	3.95	4.04	4.09	4.12	4.13	128	0.36
32	7.45	7.89	7.88	8.07	8.16	8.11	8.03	512	0.69
128	14.47	15.21	15.18	15.53	15.69	15.75	15.41	1024	0.87
512	26.99	28.19	28.14	28.77	29.06	29.00	28.07	2048	1.15
1024	35.83	37.25	37.18	37.88	38.39	38.50	37.96							
2048	46.85	48.49	48.41	49.15	49.54	49.31	48.90							
Dissociation Constants $\times 10^4$.							Dissociation Constants $\times 10^4$.							
v	0°	15°		25°	35°	50°	65°	v	0°	15°	25°	35°	50°	65°
		From graph.	From equation.											
8	1.84	2.03	2.03	2.13	2.18	2.21	2.22	8
32	1.87	2.11	2.11	2.21	2.27	2.24	2.19	32
128	1.91	2.13	2.12	2.23	2.28	2.30	2.19	128
512	1.95	2.16	2.15	2.27	2.33	2.31	2.14	512
1024	1.95	2.16	2.15	2.25	2.34	2.35	2.27	1024
2048	2.02	2.25	2.22	2.32	2.38	2.30	2.28	2048
Temperature Coefficients in Conductivity Units.							Temperature Coefficients in Conductivity Units.							
v	0-15°	15-25°	25-35°	35-50°	50-65°		v	0-15°	15-25°	25-35°	35-50°	50-65°		
8	0.23	0.23	0.22	0.20	0.19		8		
32	0.47	0.46	0.44	0.35	0.33		32		
128	0.89	0.88	0.83	0.76	0.58		128		
512	1.63	1.63	1.54	1.35	0.97		512		
1024	2.12	2.11	2.06	1.85	1.22		1024		
2048	2.73	2.70	2.58	2.28	2.05		2048		
Temperature Coefficients in Per Cent.							Temperature Coefficients in Per Cent.							
v	0-15°	15-25°	25-35°	35-50°	50-65°		v	0-15°	15-25°	25-35°	35-50°	50-65°		
8	2.79	1.97	1.55	1.23	0.97		8		
32	2.86	1.97	1.56	1.08	0.88		32		
128	2.79	1.96	1.54	1.22	0.79		128		
512	2.74	1.95	1.54	1.17	0.71		512		
1024	2.68	1.91	1.57	1.21	0.68		1024		
2048	2.65	1.87	1.51	1.16	0.89		2048		

$$*K_{15} = [219.9 \times (5.22 \times 15) - (0.00438 \times 225)] = 297.2.$$

BENZILIC OR DIPHENYLGLYCOLIC ACID (W.M.).							HIPURIC ACID (Wt. and Sm.).						
Molecular Conductivity.							Molecular Conductivity.						
<i>v</i>	μ_v0°	μ_v12°	μ_v25°	μ_v35°	μ_v50°	μ_v65°	<i>v</i>	μ_v0°	μ_v12°	μ_v25°	μ_v35°	μ_v50°	μ_v65°
128	63.8	81.7	101.5	114.3	128	33.96	44.42	55.17	62.15	70.76	77.97
512	106.4	138.3	169.5	192.4	220.6	240.0	512	61.66	80.54	100.2	113.5	131.23	184.77
1024	133.6	169.8	208.4	237.1	266.5	293.0	1024	81.10	105.8	131.1	147.2	169.15	186.18
2048	152.3	193.0	233.7	281.4	320.8	348.5	2048	103.0	134.1	165.8	185.9	219.90	242.15
Percentage Dissociation.							Percentage Dissociation.						
<i>v</i>	$\alpha0^\circ$	$\alpha12^\circ$	$\alpha25^\circ$	$\alpha35^\circ$	$\alpha50^\circ$	$\alpha65^\circ$	<i>v</i>	$\alpha0^\circ$	$\alpha12^\circ$	$\alpha25^\circ$	$\alpha35^\circ$	$\alpha50^\circ$	$\alpha65^\circ$
128	29.17	29.08	29.45	29.27	128	15.51	15.86	15.99	15.85	15.85	15.60
512	48.64	49.24	48.60	47.57	48.01	46.24	512	28.16	28.76	29.04	28.96	29.38	28.97
1024	61.08	60.44	60.46	60.20	58.11	56.36	1024	37.03	37.79	38.00	37.55	37.87	37.25
2048	69.63	68.71	67.81	64.82	69.95	67.03	2048	47.03	47.88	48.06	47.42	49.24	48.45
Dissociation Constants $\times 10^4$.							Dissociation Constants $\times 10^4$.						
<i>v</i>	0°	12°	25°	35°	50°	65°	<i>v</i>	0°	12°	25°	35°	50°	65°
128	9.38	9.10	9.60	9.46	128	2.22	2.34	2.38	2.33	2.33	2.25
512	9.00	9.32	8.97	8.43	8.66	7.77	512	2.16	2.27	2.32	2.31	2.38	2.30
1024	9.36	9.02	9.02	8.89	7.87	7.09	1024	2.13	2.24	2.28	2.26	2.25	2.16
2048	7.80	7.37	6.97	5.83	7.95	6.65	2048	2.04	2.15	2.17	2.09	2.33	2.23
Temperature Coefficients in Conductivity Units.							Temperature Coefficients in Conductivity Units.						
<i>v</i>	0-12°	12-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12°	12-25°	25-35°	35-50°	50-65°	
128	1.52	1.50	1.28		128	0.87	0.83	0.70	0.57	0.48	
512	2.66	2.24	2.29	1.88	1.29		512	1.57	1.52	1.25	1.18	0.90	
1024	3.02	2.97	2.87	1.96	1.77		1024	2.06	1.95	1.61	1.46	1.13	
2048	3.39	3.13	2.63	1.85		2048	2.59	2.44	2.01	2.27	1.48	
Temperature Coefficients in Per Cent.							Temperature Coefficients in Per Cent.						
<i>v</i>	0-12°	12-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12°	12-25°	25-35°	35-50°	50-65°	
128	2.38	1.84	1.26		128	2.57	1.86	1.27	0.92	0.67	
512	2.50	1.62	1.35	0.98	0.58		512	2.55	1.84	1.25	1.04	0.68	
1024	2.26	1.75	1.23	0.83	0.66		1024	2.54	1.84	1.23	0.99	0.66	
2048	2.23	1.62	0.93	0.58		2048	2.52	1.82	1.21	1.22	0.67	

URIC ACID (WM.).							CITRIC ACID (WT. AND SM.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
v	$\mu_v 0^\circ$	$\mu_v 15^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	v	$\mu_v 0^\circ$	$\mu_v 18.1^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
8	8	15.64	24.34	27.50	32.05	37.91	43.77
32	32	30.27	46.74	52.76	61.42	75.80	86.99
128	128	55.94	86.40	97.30	112.7	136.44	155.61
512	512	97.22	148.3	167.6	195.1	234.37	267.22
1024	1024	127.3	193.3	218.1	251.9	305.21	338.70
2048	8.34	14.85	18.92	22.77	2048	153.2	229.3	257.9	297.8	357.77	410.66
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
v	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	v	$\alpha 10^\circ$	$\alpha 18.1^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
8	8	7.14	7.82	7.97	8.18	8.16	8.28
32	32	13.82	15.03	15.30	15.67	16.31	16.46
128	128	25.55	27.77	28.20	28.74	29.37	29.44
512	512	44.40	47.46	48.59	49.76	50.45	50.56
1024	1024	58.13	62.16	63.23	64.25	65.70	64.08
2048	3.77	4.97	5.41	5.71	*	*	2048	69.97	73.72	74.74	75.98	77.02	77.70
<i>Dissociation Constants $\times 10^4$.</i>							<i>Dissociation Constants $\times 10^4$.</i>						
v	0°	15°	25°	35°	50°	65°	v	0°	18.1°	25°	35°	50°	65°
8	8	6.87	8.30	8.63	9.10	9.06	9.34
32	32	6.92	8.30	8.63	9.10	9.93	10.13
128	128	6.85	8.34	8.66	9.05	9.55	9.59
512	512	6.92	8.38	8.97	9.63	10.36	10.09
1024	1024	7.88	9.96	10.6	11.3	12.28	11.16
2048	0.0072	0.0127	0.0151	0.0069	2048	7.96	10.1	10.8	11.7	12.60	13.21
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
v	0-15°	15-25°	25-35°	35-50°	50-65°		v	0-18.1°	18.1-25°	25-35°	35-50°	50-65°	
8		8	0.48	0.46	0.46	0.39	0.39	
32		32	0.91	0.87	0.87	0.96	0.75	
128		128	1.68	1.58	1.54	1.58	1.28	
512		512	2.82	2.80	2.66	2.62	3.28	
1024		1024	3.64	3.59	3.38	3.55	4.35	
2048	0.43	0.40	0.38		2048	4.20	4.15	3.99	3.99	5.29	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
v	0-15°	15-25°	25-35°	35-50°	50-65°		v	0-18.1°	18.1-25°	25-35°	35-50°	50-65°	
8		8	3.07	1.88	1.66	1.22	1.02	
32		32	3.00	1.87	1.64	1.56	0.98	
128		128	3.01	1.83	1.58	1.40	0.93	
512		512	2.90	1.87	1.58	1.34	0.93	
1024		1024	2.86	1.86	1.55	1.41	0.95	
2048	5.20	2.72	2.03		2048	2.75	1.81	1.55	1.34	0.98	

*Decomposes at higher temperatures.

PYROMUCIC ACID (WT. AND SP.).							CROTONIC ACID (WT. AND SM.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_r 0^\circ$	$\mu_r 12^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$	<i>v</i>	$\mu_r 0^\circ$	$\mu_r 12^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$
8	17.47	22.01	26.29	28.94	31.59	33.36	8	2.75	3.64	4.55	5.18	5.92	6.56
32	34.24	42.76	51.15	56.37	62.36	66.56	32	5.53	7.31	9.12	10.31	11.90	13.13
128	62.90	79.22	94.61	104.5	116.32	124.38	128	10.92	14.49	18.00	20.29	23.88	26.20
512	107.1	136.4	163.2	180.0	199.9	213.8	512	21.25	28.23	35.15	39.85	46.54	51.73
1024	132.0	169.0	201.0	222.9	249.2	265.3	1024	29.14	38.50	48.04	54.60	62.67	69.54
2048	159.5	203.0	245.1	270.1	308.9	333.9	2048	39.78	53.41	65.33	74.19	88.44	98.12
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 12^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 12^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
8	7.83	7.64	7.38	7.15	6.71	6.19	8	1.24	1.27	1.29	1.29	1.24	1.21
32	15.36	14.85	14.41	13.92	13.24	12.34	32	2.49	2.56	2.59	2.57	2.50	2.41
128	28.21	27.51	26.65	25.80	24.69	23.07	128	4.92	5.07	5.11	5.05	5.02	4.82
512	48.03	47.36	45.97	44.44	42.44	39.65	512	9.57	9.87	10.00	9.91	9.79	9.51
1024	59.20	58.68	56.99	55.03	52.91	49.20	2048	13.12	13.46	13.65	13.58	13.19	12.78
2048	71.53	70.49	69.05	66.70	65.58	61.93	2048	17.74	18.32	18.57	18.45	18.60	18.03
<i>Dissociation Constants $\times 10^4$.</i>							<i>Dissociation Constants $\times 10^4$.</i>						
<i>v</i>	0°	12°	25°	35°	50°	65°	<i>v</i>	0°	12°	25°	35°	50°	65°
8	8.3	7.9	7.4	6.9	6.0	5.1	8	0.195	0.205	0.212	0.211	0.195	0.185
32	8.7	8.1	7.6	7.0	6.3	5.4	32	0.199	0.210	0.215	0.211	0.200	0.185
128	8.7	8.1	7.6	7.0	6.3	5.4	128	0.199	0.211	0.215	0.210	0.209	0.190
512	8.7	8.3	7.6	6.9	6.1	5.1	512	0.198	0.211	0.216	0.213	0.205	0.193
1024	8.4	8.1	7.4	6.6	5.8	4.8	1024	0.194	0.205	0.211	0.208	0.195	0.182
2048	8.7	8.2	7.5	6.5	6.1	4.9	2048	0.187	0.201	0.207	0.204	0.207	0.193
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	$0-12^\circ$	$12-25^\circ$	$25-35^\circ$	$35-50^\circ$	$50-65^\circ$		<i>v</i>	$0-12^\circ$	$12-25^\circ$	$25-35^\circ$	$35-50^\circ$	$50-65^\circ$	
8	0.38	0.33	0.28	0.18	0.12		8	0.07	0.07	0.06	0.05	0.043	
32	0.71	0.65	0.52	0.40	0.28		32	0.15	0.14	0.12	0.11	0.082	
128	1.36	1.18	0.99	0.79	0.54		128	0.30	0.27	0.23	0.24	0.15	
512	2.44	2.06	1.68	1.46	0.93		512	0.58	0.53	0.47	0.45	0.35	
1024	3.08	2.49	2.06	1.75	1.07		1024	0.78	0.73	0.66	0.54	0.46	
2048	3.62	3.24	2.50	2.59	1.67		2048	1.05	0.99	0.89	0.95	0.64	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	$0-12^\circ$	$12-25^\circ$	$25-35^\circ$	$35-50^\circ$	$50-65^\circ$		<i>v</i>	$0-12^\circ$	$12-35^\circ$	$25-35^\circ$	$35-50^\circ$	$50-65^\circ$	
8	2.18	1.50	1.05	0.62	0.37		8	2.69	1.92	1.38	0.97	0.72	
32	2.08	1.61	1.04	0.71	0.45		2	2.69	1.91	1.31	1.07	0.68	
128	2.16	1.50	1.05	0.76	0.46		128	2.72	1.86	1.27	1.18	0.64	
512	2.28	1.51	1.03	0.82	0.46		512	2.74	1.89	1.34	1.13	0.74	
1024	2.31	1.47	1.02	0.79	0.43		1024	2.68	1.91	1.37	0.99	0.73	
2048	2.27	1.59	1.02	0.96		2048	2.67	1.90	1.36	1.28	0.72	

MALEIC ACID (WT. AND SM.).							FUMARIC ACID (WT. AND SM.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_t 0^\circ$	$\mu_t 12^\circ$	$\mu_t 25^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	$\mu_t 65^\circ$	<i>v</i>	$\mu_t 0^\circ$	$\mu_t 12^\circ$	$\mu_t 25^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	$\mu_t 65^\circ$
32	108.1	141.0	175.4	198.8	230.35	257.29	32	35.46	46.66	58.00	65.79	75.19	82.75
128	159.2	206.6	256.2	290.7	338.46	378.51	128	65.67	86.42	107.2	121.2	137.88	152.14
512	198.5	257.4	317.6	360.8	422.18	477.78	512	114.1	149.1	184.9	209.6	237.9	262.94
1024	212.8	274.7	337.9	384.6	451.57	514.57	1024	141.4	184.9	228.1	258.1	294.2	325.09
2048	221.1	286.6	352.3	400.8	457.98	522.22	2048	176.5	229.0	281.0	318.1	361.4	396.63
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 12^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 12^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
32	48.48	48.78	49.72	49.46	48.49	47.29	32	15.90	16.14	16.43	16.37	15.83	15.21
128	71.50	71.50	72.56	72.31	71.25	69.57	128	29.45	29.90	30.37	30.15	29.02	27.96
512	89.00	89.06	89.97	89.76	88.88	87.82	512	51.17	51.59	52.37	52.14	50.08	48.33
1024	95.06	95.06	95.72	95.68	95.06	94.59	1024	63.43	63.97	64.62	64.21	61.93	59.75
2048	99.10	99.17	99.79	99.72	96.41	95.99	2048	79.14	79.23	79.60	79.12	76.08	72.91
<i>Dissociation Constants $\times 10^4$.</i>							<i>Dissociation Constants $\times 10^4$.</i>						
<i>v</i>	0°	12°	25°	35°	50°	65°	<i>v</i>	0°	12°	25°	35°	50°	65°
32	143.0	145.0	154.0	151.0	142.6	106.0	32	9.40	9.72	10.1	10.0	9.3	8.5
128	141.0	140.0	150.0	148.0	137.8	124.2	128	9.61	9.97	10.4	10.2	9.3	8.5
512	141.0	142.0	158.0	154.0	138.7	123.6	512	10.5	10.7	11.3	11.0	9.2	8.8
1024	179.0	179.0	209.0	208.0	178.6	161.5	1024	10.7	11.1	11.5	11.2	9.8	8.6
2048	126.4	112.1	2048	14.7	14.8	15.2	14.6	11.8	9.5
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-12°	12-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12°	12-25°	25-35°	35-50°	50-65°	
32	2.74	2.65	2.34	2.10	1.80		32	0.94	0.87	1.78	0.63	0.50	
128	3.95	3.82	3.45	3.18	2.67		128	1.73	1.60	1.46	1.11	0.95	
512	4.85	4.63	4.32	4.09	3.70		512	2.92	2.75	2.47	1.89	1.70	
1024	5.14	4.86	4.67	4.46	4.20		1024	3.62	3.32	3.00	2.41	2.05	
2048	5.46	5.05	4.85	3.81	4.28		2048	4.33	4.00	3.71	2.89	2.34	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-12°	12-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12°	12-25°	25-35°	35-50°	50-65°	
32	2.54	1.88	1.34	1.05	0.78		32	2.64	1.87	1.19	0.96	0.67	
128	2.48	1.85	1.35	1.09	0.78		128	2.63	1.85	1.20	0.92	0.68	
512	2.50	1.80	1.36	1.14	0.87		512	2.56	1.85	1.18	0.90	0.69	
1024	2.43	1.77	1.38	1.16	0.93		1024	2.56	1.80	1.17	0.93	0.70	
2048	2.47	1.76	1.41	0.95	0.93		2048	2.45	1.75	1.17	0.91	0.65	

ITACONIC ACID (WT. AND SM.).							CITRACONIC ACID (WT. AND SM.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_t 0^\circ$	$\mu_t 18.12^\circ$	$\mu_t 25^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	$\mu_t 65^\circ$	<i>v</i>	$\mu_t 0^\circ$	$\mu_t 12^\circ$	$\mu_t 25^\circ$	$\mu_t 35^\circ$	$\mu_t 50^\circ$	$\mu_t 65^\circ$
32	13.50	20.77	23.68	27.22	32.25	36.60	32	68.66	85.82	103.0	115.1	129.33	142.98
128	26.00	39.95	45.52	52.21	62.17	70.76	128	114.3	144.0	173.4	194.4	222.88	248.18
512	49.51	74.57	84.74	97.11	116.70	132.59	512	165.9	210.2	255.4	288.2	331.96	377.09
1024	66.70	99.51	113.3	129.8	153.97	175.02	1024	186.1	273.0	289.1	326.5	382.98	431.52
2048	87.91	129.9	147.3	167.5	200.02	227.02	2048	200.5	257.1	315.0	356.0	417.68	475.08
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 18.12^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 12^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
32	6.10	6.57	6.75	6.80	6.84	6.81	32	31.02	30.16	29.34	28.77	27.45	26.60
128	11.75	12.64	12.97	13.05	13.19	13.16	128	51.64	50.60	49.40	48.60	47.32	46.17
512	22.38	23.60	24.15	24.28	24.77	24.64	512	74.98	73.86	72.76	72.04	70.48	70.15
1024	30.14	31.49	32.28	32.45	32.68	32.55	1024	84.09	83.28	82.37	81.62	81.31	80.28
2048	39.72	41.11	41.98	41.87	42.46	42.23	2048	90.59	90.31	89.74	89.01	88.67	88.38
<i>Dissociation Constants $\times 10^4$.</i>							<i>Dissociation Constants $\times 10^4$.</i>						
<i>v</i>	0°	18.12°	25°	35°	50°	65°	<i>v</i>	0°	12°	25°	35°	50°	65°
32	1.24	1.45	1.53	1.55	1.57	1.55	32	43.6	40.7	38.1	36.3	32.45	30.12
128	1.23	1.43	1.51	1.53	1.56	1.55	128	43.1	40.5	37.7	35.9	33.20	30.93
512	1.26	1.43	1.50	1.52	1.59	1.57	512	43.9	40.8	38.0	36.2	32.86	32.19
1024	1.27	1.42	1.50	1.52	1.54	1.53	1024	43.4	40.5	37.6	35.4	32.79	31.91
2048	1.28	1.40	1.49	1.47	1.52	1.50	2048	42.6	41.0	38.3	35.3	33.88	32.82
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-18.12°	18.12-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12°	12-25°	25-35°	35-50°	50-65°	
32	0.40	0.42	0.35	0.33	0.29		32	1.43	1.32	1.21	0.95	0.91	
128	0.77	0.83	0.67	0.66	0.57		128	2.48	2.26	2.10	1.90	1.69	
512	1.38	1.48	1.24	1.31	1.06		512	3.69	3.48	3.28	2.92	3.01	
1024	1.81	2.01	1.65	1.61	1.40		1024	4.24	4.00	3.74	3.77	3.24	
2048	2.32	2.53	2.02	2.17	1.80		2048	4.70	4.46	4.10	4.11	3.83	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-18.12°	18.12-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12°	12-25°	25-35°	35-50°	50-65°	
32	2.97	2.04	1.50	1.21	0.90		32	2.08	1.54	1.18	0.83	0.70	
128	2.97	2.03	1.47	1.27	0.92		128	2.17	1.57	1.21	0.97	0.75	
512	2.79	1.98	1.46	1.35	0.90		512	2.23	1.65	1.28	1.02	0.90	
1024	2.71	2.01	1.45	1.24	0.91		1024	2.28	1.69	1.29	1.15	0.84	
2048	2.64	1.95	1.44	1.30	0.90		2048	2.34	1.74	1.30	1.15	0.91	

MESACONIC ACID (WT. AND SM.).							PHENYLPROPIOLIC ACID (SP.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 12^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 15^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
32	33.31	42.85	52.00	58.04	65.94	72.66	128	132.61	176.99	203.33	227.25	255.63	274.68
128	62.60	80.18	97.30	108.5	123.0	135.5	256	154.79	207.96	239.19	267.59	301.25	327.39
512	108.0	139.0	168.5	188.2	214.1	235.3	512	176.08	236.63	274.45	307.85	349.73	375.33
1024	134.7	172.9	209.8	234.0	266.1	293.35	1024	191.44	258.04	299.84	339.21	392.11	422.15
2048	160.9	206.3	250.0	278.8	318.3	352.7	2048	200.55	269.00	314.8	357.91	416.56	449.56
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 12^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
32	15.05	15.04	14.81	14.51	13.99	13.51	128	59.67	58.91	57.87	56.82	54.39	50.98
128	28.29	28.17	27.72	27.13	26.11	25.20	256	69.66	69.22	68.08	66.90	64.69	60.76
512	48.79	48.67	48.00	47.06	45.45	43.77	512	79.24	78.76	78.12	76.97	74.41	69.66
1024	60.87	60.74	59.77	58.49	56.49	54.57	1024	86.15	85.89	85.34	84.81	83.43	78.35
2048	72.69	72.49	71.22	69.69	67.57	65.61	2048	90.25	89.54	89.60	89.48	88.63	83.43
<i>Dissociation Constants $\times 10^4$.</i>							<i>Dissociation Constants $\times 10^4$.</i>						
<i>v</i>	0°	12°	25°	35°	50°	65°	<i>v</i>	0°	15°	25°	35°	50°	65°
32	8.4	8.4	8.1	7.7	6.6	6.6	128	68.9	66.0	62.1	58.4	50.7	41.4
128	8.7	8.6	8.3	7.9	7.2	6.6	256	62.5	60.8	56.7	52.8	44.7	36.8
512	9.1	9.0	8.6	8.2	7.3	6.6	512	59.1	57.0	54.5	50.2	42.3	31.2
1024	9.3	9.2	8.7	8.1	7.1	6.4	1024	52.3	51.1	48.5	46.2	41.0	27.7
2048	9.5	9.3	8.6	9.8	6.9	6.1	2048	40.8	37.4	37.7	37.2	33.7	20.5
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-12°	12-25°	25-35°	35-50°	50-65°		<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°	
32	0.80	0.70	0.60	0.53	0.41		128	2.96	2.63	2.39	1.89	1.27	
128	1.47	1.32	1.12	0.97	0.83		256	3.54	3.12	2.84	2.24	1.53	
512	2.54	2.27	1.97	1.71	1.41		512	4.05	3.78	3.34	2.77	1.71	
1024	3.78	2.84	2.42	2.14	1.86		1024	4.44	4.08	3.94	3.53	2.00	
2048	4.09	3.36	2.88	2.63	2.29		2048	4.65	4.58	4.31	3.91	2.20	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-12°	12-25°	25-35°	35-50°	50-65°		<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°	
32	2.39	1.63	1.16	0.91	0.67		128	2.23	1.48	1.17	0.83	0.50	
128	2.36	1.64	1.15	0.90	0.68		256	2.24	1.50	1.18	0.84	0.51	
512	2.35	1.63	1.16	0.91	0.66		512	2.25	1.59	1.21	0.90	0.49	
1024	2.37	1.64	1.15	0.92	0.68		1024	2.32	1.61	1.31	1.04	0.51	
2048	2.35	1.63	1.15	0.94	0.72		2048	2.27	1.70	1.36	1.09	0.53	

MECONIC ACID (W.M.).							BENZOIC ACID (W.T. AND C.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 15^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 15.8^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
32	358.6	412.8	461.5	524.4	574.2	64	13.42	19.08	22.29	25.40	29.46	32.21
128	347.8	463.2	536.4	598.9	684.7	754.9	128	18.49	26.93	31.39	35.71	40.81	45.56
512	412.8	553.6	645.4	729.5	839.2	940.8	512	36.00	51.30	59.79	67.81	77.63	82.90
1024	435.9	586.8	686.2	778.0	899.0	1027.8	1024	47.63	68.33	79.56	90.11	103.4	113.5
2048	442.1	597.3	700.1	802.7	945.0	1081.2	2048	64.95	91.30	106.0	119.7	135.6	148.2
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 15.8^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
32	64	6.04	6.32	6.35	6.34	6.26	5.99
128	128	8.46	8.92	8.94	8.92	8.66	8.48
512	512	16.21	17.00	17.02	16.94	16.48	15.42
1024	1024	21.45	22.62	22.67	22.52	21.95	21.12
2048	2048	29.25	30.24	30.20	29.92	28.79	27.57
<i>Dissociation Constants $\times 10^4$.</i>							<i>Dissociation Constants $\times 10^4$.</i>						
<i>v</i>	0°	15°	25°	35°	50°	65°	<i>v</i>	0°	15.8°	25°	35°	50°	65°
32	64	0.607	0.666	0.672	0.672	0.653	0.596
128	128	0.611	0.682	0.686	0.684	0.641	0.614
512	512	0.613	0.679	0.683	0.676	0.635	0.549
1024	1024	0.572	0.646	0.649	0.640	0.603	0.552
2048	2048	0.591	0.640	0.638	0.624	0.569	0.513
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-15.8°	15.8-25°	25-35°	35-50°	50-65°	
32	5.42	4.86	4.19	3.32		64	0.36	0.35	0.31	0.27	0.18	
128	7.69	7.32	6.25	5.72	4.68		128	0.50	0.49	0.43	0.34	0.32	
512	9.39	9.18	8.41	7.31	6.77		512	0.97	0.92	0.80	0.65	0.35	
1024	10.06	9.94	9.18	8.07	8.59		1024	1.26	1.22	1.06	0.89	0.67	
2048	10.35	10.28	10.26	9.49	9.08		2048	1.67	1.60	1.37	1.06	0.84	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-15.8°	15.8-25°	25-35°	35-50°	50-65°	
32	1.58	1.18	0.91	0.63		64	2.67	1.83	1.40	1.07	0.62	
128	2.21	1.44	1.17	0.94	0.68		128	2.66	1.81	1.38	0.95	0.78	
512	2.27	1.65	1.33	1.00	0.80		512	2.64	1.81	1.35	0.96	0.45	
1024	2.36	1.69	1.34	1.04	0.96		1024	2.64	1.79	1.35	0.99	0.65	
2048	2.34	1.72	1.47	1.18	0.96		2048	2.57	1.75	1.30	0.88	0.62	

<i>o</i> -CHLORBENZOIC ACID (W.M.).							<i>o</i> -NITROBENZOIC ACID (J. AND KR.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 15^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 15^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
128	85.20	107.08	118.91	128.39	138.4	143.1	32	98.15	120.5	132.2	140.6	144.9	147.2
256	109.00	138.40	154.12	167.12	182.3	189.3	128	146.9	184.9	205.6	222.6	240.8	249.9
512	134.81	172.70	194.05	211.86	231.8	240.1	512	187.5	244.1	278.3	307.8	345.9	370.6
1024	158.72	205.64	232.91	256.43	281.9	298.8	1024	196.3	261.7	301.8	336.9	393.5	426.8
2048	178.00	233.29	266.52	296.94	329.2	350.5	2048	200.8	267.4	312.2	351.8	425.9	474.4
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
128	38.66	35.94	34.12	32.32	29.56	28.70	32	43.1	39.6	37.2	35.2	30.91	27.53
256	49.45	46.45	44.22	42.06	38.95	37.97	128	64.4	60.8	57.9	55.7	51.36	46.74
512	61.16	57.96	55.67	53.33	49.53	48.16	512	82.2	80.3	78.4	77.0	73.78	69.31
1024	72.00	69.01	66.82	64.54	60.23	59.94	1024	86.1	86.1	85.0	84.2	83.94	79.82
2048	80.76	78.29	76.46	74.74	70.34	70.31	2048	88.1	88.0	88.0	88.0	90.86	88.72
<i>Dissociation Constants $\times 10^4$.</i>							<i>Dissociation Constants $\times 10^4$.</i>						
<i>v</i>	0°	15°	25°	35°	50°	65°	<i>v</i>	0°	15°	25°	35°	50°	65°
128	19.0	15.8	13.8	12.1	9.7	9.0	32	102.0	81.1	68.9	59.7	43.2	32.7
256	18.9	15.7	13.7	11.9	9.7	9.1	128	91.0	73.6	62.2	54.7	42.4	32.1
512	18.8	15.6	13.7	11.9	9.5	8.7	512	74.0	63.9	55.6	50.3	32.2	30.6
1024	18.1	15.0	13.1	11.5	8.9	8.8	1024	52.0	52.0	47.0	43.7	42.8	30.8
2048	16.6	13.8	12.1	10.8	8.2	8.2	2048	32.0	34.4	34.4	34.4	55.2	34.1
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°	
128	1.46	1.18	0.95	0.67	0.31		32	1.49	1.17	0.84	0.29	0.153	
256	1.96	1.57	1.30	1.01	0.47		128	2.53	2.07	1.70	1.21	0.606	
512	2.52	2.13	1.78	1.33	0.55		512	3.77	3.42	2.95	2.54	1.65	
1024	3.13	2.73	2.35	1.70	1.13		1024	4.36	4.01	3.51	3.77	3.22	
2048	3.68	3.32	3.04	2.15	1.42		2048	4.44	4.48	3.96	4.94	3.23	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°	
128	1.71	1.11	0.80	0.52	0.23		32	1.52	0.97	0.59	0.20	0.11	
256	1.80	1.14	0.84	0.60	0.26		128	1.72	1.12	0.76	0.54	0.25	
512	1.87	1.24	0.92	0.63	0.24		512	2.61	1.40	1.06	0.83	0.48	
1024	1.97	1.33	1.01	0.66	0.40		1024	2.22	1.53	1.16	1.12	0.55	
2048	2.07	1.42	1.14	0.73	0.43		2048	2.21	1.68	1.27	1.40	0.75	

<i>m</i> -NITROBENZOIC ACID (J. AND KR.).							<i>p</i> -NITROBENZOIC ACID (WM.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_e 0^\circ$	$\mu_e 15^\circ$	$\mu_e 25^\circ$	$\mu_e 35^\circ$	$\mu_e 50^\circ$	$\mu_e 65^\circ$	<i>v</i>	$\mu_e 0^\circ$	$\mu_e 12^\circ$	$\mu_e 25^\circ$	$\mu_e 35^\circ$	$\mu_e 50^\circ$	$\mu_e 65^\circ$
128	40.10	56.85	67.66	77.56	89.9	99.9	512	79.1	104.0	128.9	148.3	170.6	187.9
512	71.95	101.0	120.0	137.1	160.1	177.9	1024	99.9	131.5	163.4	187.4	218.7	238.6
1024	92.44	129.8	153.8	175.4	210.7	235.9	2048	126.8	165.9	205.4	235.4	275.2	304.2
2048	115.1	160.7	190.5	216.7	262.9	295.7							
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 12^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
128	18.7	19.0	19.1	19.2	19.1	18.7	512	35.59	36.55	36.86	37.12	36.45	35.18
512	33.6	33.8	33.8	33.9	34.1	33.2	1024	44.93	46.20	46.73	46.86	46.73	44.76
1024	43.1	43.4	43.3	43.4	44.9	44.0	2048	55.47	58.30	58.73	58.87	58.80	57.07
2048	53.7	53.8	53.7	53.6	56.0	55.2							
<i>Dissociation Constants $\times 10^4$.</i>							<i>Dissociation Constants $\times 10^4$.</i>						
<i>v</i>	0°	15°	25°	35°	50°	65°	<i>v</i>	0°	12°	25°	35°	50°	65°
128	3.36	3.48	3.52	3.57	3.54	3.34	512	3.84	4.11	4.30	4.28	4.08	3.52
512	3.38	3.37	3.37	3.40	3.44	3.23	1024	3.58	3.87	4.00	4.03	4.00	3.54
1024	3.19	3.25	3.23	3.25	3.57	3.38	2048	3.43	3.98	4.08	4.11	4.09	3.70
2048	3.04	3.06	3.04	3.02	3.48	3.33							
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12°	12-25°	25-35°	35-50°	50-65°	
128	1.12	1.08	0.99	0.82	0.67		512	2.08	1.92	1.95	1.49	1.15	
512	1.87	1.90	1.71	1.53	1.19		1024	2.63	2.46	2.40	2.09	1.33	
1024	2.49	2.40	2.16	2.35	1.67		2048	3.26	3.04	3.00	2.65	1.93	
2048	3.04	2.98	2.62	3.08	2.19								
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12°	12-25°	25-35°	35-50°	50-65°	
128	2.79	1.90	1.46	1.06	0.74		512	2.63	1.85	1.51	1.00	0.67	
512	2.60	1.88	1.43	1.12	0.74		1024	2.63	1.87	1.47	1.12	0.61	
1024	2.69	1.85	1.40	1.34	0.78		2048	2.57	1.83	1.46	1.13	0.70	
2048	2.64	1.85	1.38	1.42	0.83								

1, 2, 4-DINITROBENZOIC ACID (W.M.).							1, 3, 5-DINITROBENZOIC ACID (W.M.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_r 0^\circ$	$\mu_r 15^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$	<i>v</i>	$\mu_r 0^\circ$	$\mu_r 15^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$
32	166.51	212.12	238.54	260.00	284.5	301.6	512	122.28	171.4	203.6	233.3	279.7	311.8
128	199.23	262.30	299.83	336.35	376.2	412.0	1024	147.86	205.4	244.0	280.0	328.7	366.0
512	214.97	288.23	334.50	379.00	443.4	493.2	2048	167.63	231.9	273.5	324.5	382.1	426.9
1024	218.60	293.40	343.55	391.02	459.8	512.6							
2048	220.00	297.30	347.91	396.83	466.7	525.4							
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 12^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
32	75.68	71.34	68.39	65.49	61.04	57.40	512	55.52	57.62	58.60	58.83	59.93	59.35
128	90.55	88.21	85.96	84.74	80.71	78.42	1024	67.14	69.06	70.23	70.54	70.43	69.66
512	97.70	96.93	95.90	95.47	95.13	93.87	2048	76.12	77.96	78.72	78.86	81.31	81.25
1024	99.35	98.67	98.50	98.49	98.65	97.56							
2048	100.00	100.00	100.00	100.00	100.00	100.00							
<i>Dissociation Constants $\times 10^4$.</i>							<i>Dissociation Constants $\times 10^4$.</i>						
<i>v</i>	0°	15°	25°	35°	50°	65°	<i>v</i>	0°	15°	25°	35°	50°	65°
512	512	13.5	15.3	16.2	16.4	17.5	16.4
1024	1024	13.4	15.1	16.2	16.5	16.4	15.6
2048	2048	11.9	13.5	14.2	14.4	17.3	17.2
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°	
32	3.04	2.64	2.15	1.63	1.14		512	3.23	3.22	2.99	3.08	2.14	
128	4.21	3.75	3.65	2.66	2.39		1024	3.84	3.87	3.59	3.25	2.49	
512	4.88	4.63	4.55	4.30	3.32		2048	4.23	4.16	3.95	3.84	3.16	
1024	5.05	4.87	4.80	4.59	3.52								
2048	5.15	5.06	4.89	4.66	3.19								
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°	
32	1.83	1.25	0.90	0.63	0.40		512	2.64	1.88	1.47	1.32	0.77	
128	2.11	1.43	1.22	0.79	0.64		1024	2.60	1.88	1.47	1.16	0.76	
512	2.27	1.61	1.36	1.14	0.75		2048	2.52	1.79	1.44	1.19	0.74	
1024	2.31	1.66	1.40	1.17	0.77								
2048	2.34	1.70	1.41	1.17	0.84								

PICRIC ACID (J. AND SM.).							SALICYLIC ACID (WT. AND SP.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 15^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 6.9^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
32	193.0	260.2	303.7	345.1	402.0	456.2	64	80.50	92.80	110.55	124.6
128	201.1	272.4	319.9	365.2	433.3	485.1	128	62.65	75.59	108.3	125.1	148.72	166.5
512	207.6	280.9	329.6	377.5	449.3	501.2	512	105.4	126.4	181.2	207.0	249.1	280.1
1024	206.9	281.7	332.6	379.9	455.2	507.1	1024	130.7	156.9	223.2	255.4	301.7	337.2
2048	203.5	277.1	325.6	372.7	441.4	503.2	2048	153.8	183.9	259.9	295.7	350.1	592.6
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 6.9^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
32	93.0	92.4	91.3	90.8	89.0	90.0	64	22.80	23.02	23.37	23.13
128	96.9	96.7	96.2	96.1	95.9	95.7	128	28.09	29.06	30.68	31.03	31.44	30.96
512	100.0	99.7	99.1	99.4	99.4	98.8	512	47.28	48.62	51.34	51.37	52.67	52.00
1024	100.0	100.0	100.0	100.0	100.0	100.0	1024	58.60	60.34	63.22	63.37	63.78	62.58
2048	100.0	100.0	100.0	100.0	100.0	100.0	2048	68.96	70.73	73.62	73.36	74.01	72.67
<i>Dissociation Constants $\times 10^4$.</i>							<i>Dissociation Constants $\times 10^4$.</i>						
<i>v</i>	0°	15°	25°	35°	50°	65°	<i>v</i>	0°	6.9°	25°	35°	50°	65°
32	64	10.5	10.7	11.1	10.9
128	128	8.6	9.3	10.6	10.9	11.2	10.8
512	512	8.3	9.0	10.6	10.6	11.4	11.0
1024	1024	8.1	9.0	10.6	10.7	11.0	10.2
2048	2048	7.5	8.4	9.4	9.9
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-6.9°	6.9-25°	25-35°	35-50°	50-65°	
32	4.48	4.35	4.14	3.79	3.61		64	1.23	1.18	0.94	
128	4.75	4.75	4.53	4.54	3.45		128	1.88	1.83	1.68	1.57	1.20	
512	4.89	4.87	4.79	4.79	3.46		512	3.12	3.00	2.58	2.81	2.07	
1024	4.99	4.89	4.93	5.12	3.46		1024	3.80	3.63	3.22	3.09	2.37	
2048	4.73	4.85	4.71	4.58	3.44		2048	4.36	4.19	3.58	3.63	2.77	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-6.9°	6.9-25°	25-35°	35-50°	50-65°	
32	2.32	1.67	1.36	1.09	0.90		64	1.53	1.27	0.85	
128	2.36	1.77	1.42	1.22	0.79		128	2.99	2.42	1.55	1.25	0.81	
512	2.36	1.73	1.42	1.27	0.77		512	2.96	2.37	1.42	1.35	0.83	
1024	2.41	1.74	1.48	1.34	0.75		1024	2.91	2.31	1.41	1.21	0.79	
2048	2.30	1.75	1.45	1.22	0.76		2048	2.84	2.26	1.38	1.23	0.79	

ACETYLSALICYLIC ACID (Sp.).							SULPHOSALICYLIC ACID (Sp.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
v	$\mu_v 0^\circ$	$\mu_v 15^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	v	$\mu_v 0^\circ$	$\mu_v 15^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
128	40.40	52.78	60.60	68.89	79.41	32	209.41	283.71	332.02	377.60	432.91	486.80
512	73.10	95.21	109.27	124.34	142.88	128	239.61	328.53	386.46	440.07	508.88	575.40
1024	92.60	121.0	139.3	158.72	184.09	512	291.92	403.30	474.12	538.54	622.44	706.24
2048	118.10	154.5	177.6	205.07	238.31	1024	322.50	443.04	522.38	598.13	701.32	785.66
							2048	352.00	485.01	570.44	651.70	762.35	858.00
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
v	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	v	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
128	18.30	17.75	17.59	17.31	17.13	128
512	33.11	32.00	31.73	31.25	30.82	512
1024	41.49	40.68	40.45	39.89	39.72	1024
2048	53.50	51.95	51.55	51.54	51.42	2048
<i>Dissociation Constants $\times 10^4$.</i>							<i>Dissociation Constants $\times 10^4$.</i>						
v	0°	15°	25°	35°	50°	65°	v	0°	15°	25°	35°	50°	65°
128	3.2	3.0	2.9	2.8	2.7	128
512	3.2	2.9	2.9	2.8	2.7	512
1024	3.0	2.7	2.7	2.6	2.6	1024
2048	3.0	2.7	2.7	2.7	2.7	2048
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
v	0-15°	15-25°	25-35°	35-50°	50-65°		v	0-15°	15-25°	25-35°	35-50°	50-65°	
128	0.83	0.78	0.83	0.70		32	4.95	3.40	4.56	3.69	3.59	
512	1.47	1.41	1.51	1.24		128	5.93	5.79	5.36	4.61	4.43	
1024	1.89	1.83	1.94	1.69		512	7.42	7.08	6.44	5.59	5.58	
2048	2.43	2.30	2.75	2.35		1024	8.04	7.93	7.57	6.84	5.62	
							2048	8.87	8.54	8.13	7.38	6.38	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
v	0-15°	15-25°	25-35°	35-50°	50-65°		v	0-15°	15-25°	25-35°	35-50°	50-65°	
128	2.04	1.48	1.37	1.02		32	2.36	1.70	1.37	0.98	0.83	
512	2.01	1.48	1.38	1.00		128	2.47	1.76	1.38	1.05	0.87	
1024	2.04	1.51	1.39	1.06		512	2.54	1.75	1.35	1.04	0.89	
2048	2.14	1.49	1.54	1.14		1024	2.49	1.79	1.44	1.14	0.81	
							2048	2.51	1.76	1.42	1.13	0.84	

m-HYDROXYBENZOIC ACID (WT. AND K.). *p*-HYDROXYBENZOIC ACID (WT. AND K.).*Molecular Conductivity.*

<i>v</i>	$\mu_r 0^\circ$	$\mu_r 13.22^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$
64	14.65	19.97	24.35	27.74	31.74	34.75
128	20.48	27.85	33.95	38.63	44.46	48.77
512	39.04	52.89	64.50	73.28	83.92	92.10
1024	53.09	72.01	87.80	99.70	116.0	127.5
2048	71.20	96.03	116.9	132.6	151.9	167.6

Molecular Conductivity.

<i>v</i>	$\mu_r 0^\circ$	$\mu_r 13.23^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$
64	8.746	11.99	14.79	16.97	19.11	21.43
128	18.29	16.81	20.69	23.71	26.70	29.38
512	23.87	32.45	39.96	45.77	51.95	57.15
1024	33.03	44.91	55.30	63.24	72.92	80.22
2048	44.40	60.39	74.14	85.60	99.51	109.38

Percentage Dissociation.

<i>v</i>	$\alpha 0^\circ$	$\alpha 13.22^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
64	6.57	6.82	6.90	6.88	6.7	6.4
128	9.18	9.50	9.62	9.58	9.4	9.1
512	17.51	18.05	18.27	18.19	17.7	17.1
1024	23.81	24.56	24.87	24.74	24.5	23.6
2048	31.93	32.77	33.12	32.91	32.1	31.1

Percentage Dissociation.

<i>v</i>	$\alpha 0^\circ$	$\alpha 13.23^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
64	3.92	4.09	4.19	4.21	4.11	3.98
128	5.51	5.74	5.86	5.88	5.65	5.46
512	10.70	11.08	11.32	11.36	11.00	10.62
1024	14.81	15.32	15.66	15.70	15.43	14.91
2048	19.91	20.61	21.00	21.00	21.07	20.33

Dissociation Constants $\times 10^4$.

<i>v</i>	0°	13.22°	25°	35°	50°	65°
64	0.722	0.779	0.799	0.795	0.755	0.694
128	0.725	0.780	0.799	0.794	0.764	0.689
512	0.725	0.776	0.789	0.798	0.745	0.687
1024	0.726	0.781	0.804	0.794	0.752	0.692
2048	0.715	0.780	0.801	0.788	0.743	0.685

Dissociation Constants $\times 10^4$.

<i>v</i>	0°	13.23°	25°	35°	50°	65°
64	0.250	0.273	0.286	0.289	0.275	0.258
128	0.251	0.273	0.285	0.287	0.267	0.246
512	0.251	0.269	0.282	0.284	0.239	0.245
1024	0.252	0.271	0.284	0.285	0.275	0.261
2048	0.242	0.261	0.273	0.273	0.275	0.253

Temperature Coefficients in Conductivity Units.

<i>v</i>	0-13.22°	13.22-25°	25-35°	35-50°	50-65°
64	0.40	0.37	0.34	0.27	0.20
128	0.56	0.52	0.47	0.39	0.29
512	1.05	0.99	0.88	0.71	0.54
1024	1.44	1.31	1.19	1.09	0.77
2048	1.94	1.72	1.57	1.29	1.04

Temperature Coefficients in Conductivity Units.

<i>v</i>	0-13.23°	13.23-25°	25-35°	35-50°	50-65°
64	0.25	0.24	0.22	0.16	0.13
128	0.34	0.33	0.30	0.20	0.27
512	0.65	0.64	0.58	0.41	0.35
1024	0.90	0.88	0.79	0.65	0.49
2048	1.12	1.17	1.05	0.93	0.66

Temperature Coefficients in Per Cent.

<i>v</i>	0-13.22°	13.22-25°	25-35°	35-50°	50-65°
64	2.75	1.86	1.39	0.98	0.64
128	2.72	1.86	1.38	1.01	0.64
512	2.68	1.86	1.36	0.97	0.64
1024	2.71	1.81	1.36	1.09	0.66
2048	2.74	1.78	1.34	0.99	0.68

Temperature Coefficients in Per Cent.

<i>v</i>	0-13.25°	13.25-25°	25-35°	35-50°	50-65°
64	2.80	1.98	1.46	0.94	0.69
128	2.78	1.96	1.46	0.84	0.67
512	2.72	1.97	1.45	0.90	0.68
1024	2.72	1.97	1.44	1.00	0.67
2048	2.72	1.94	1.41	1.01	0.67

1, 2, 4-Dihydroxybenzoic Acid (W.M.).							1, 2, 5-Dihydroxybenzoic Acid (W.M.).*						
Molecular Conductivity.							Molecular Conductivity.						
v	$\mu_v 0^\circ$	$\mu_v 15^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	v	$\mu_v 0^\circ$	$\mu_v 15^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
128	44.74	65.11	79.27	92.14	109.2	122.2	128	66.18	95.50	113.96	131.22
512	80.73	116.40	140.15	162.02	189.7	211.9	512	114.49	163.00	191.90	219.43
1024	103.30	147.77	177.20	203.58	241.4	266.7	1024	141.50	200.68	234.70	267.72
2048	127.65	180.58	215.81	248.28	294.4	322.1	2048	184.36	252.38	290.83	328.42
Percentage Dissociation.							Percentage Dissociation.						
v	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	v	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
128	20.16	21.71	22.70	23.10	23.35	22.94	128	29.85	31.87	32.49	32.83
512	36.37	38.82	40.12	40.62	40.48	39.78	512	51.63	54.39	54.71	54.89
1024	46.54	49.28	50.73	51.04	51.63	50.07	1024	63.82	66.97	66.91	66.98
2048	57.51	60.22	61.79	62.24	62.96	60.48	2048	83.15	84.22	82.92	82.17
Dissociation Constants $\times 10^4$.							Dissociation Constants $\times 10^4$.						
v	0°	15°	25°	35°	50°	65°	v	0°	15°	25°	35°	50°	65°
128	3.98	4.62	5.21	5.42	5.56	5.33	128	9.9	11.7	12.2	12.5
512	4.06	4.81	5.25	5.43	5.38	5.13	512	10.8	12.7	12.9	13.0
1024	3.94	4.66	5.08	5.12	5.38	4.90	1024	10.6	13.3	13.2	13.3
2048	3.80	4.45	4.88	5.01	5.23	4.52	2048	23.9	22.0	19.7	18.5
Temperature Coefficients in Conductivity Units.							Temperature Coefficients in Conductivity Units.						
v	0-15°	15-25°	25-35°	35-50°	50-65°		v	0-15°	15-25°	25-35°	35-50°	50-65°	
128	1.36	1.42	1.28	1.14	0.86		128	1.95	1.85	1.73	
512	2.38	2.38	2.19	1.85	1.48		512	3.23	2.89	2.75	
1024	2.97	2.94	2.64	2.52	1.69		1024	3.95	3.40	3.30	
2048	3.53	3.52	3.25	3.08	1.85		2048	4.54	3.86	3.76	
Temperature Coefficients in Per Cent.							Temperature Coefficients in Per Cent.						
v	0-15°	15-25°	25-35°	35-50°	50-65°		v	0-15°	15-25°	25-35°	35-50°	50-65°	
128	2.04	2.17	1.62	1.24	0.79		128	2.94	1.93	1.52	
512	2.95	2.04	1.56	1.14	0.78		512	2.83	1.77	1.43	
1024	2.87	1.99	1.46	1.24	0.70		1024	2.79	1.70	1.41	
2048	2.77	1.92	1.50	1.24	0.63		2048	2.46	1.52	1.29	

*Decomposes too rapidly above 35° to obtain satisfactory results.

GALLIC ACID (WT. AND SM.).							o-AMINOBENZOIC ACID (WT.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 6.5^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 7.5^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
64	9.79	11.66	16.90	19.36	23.26	26.19	64	3.071	4.172	7.150	9.001
128	14.01	16.55	23.60	27.10	33.09	36.64	128	4.642	6.283	10.71	13.39
512	28.89	34.08	48.33	55.12	67.58	75.54	512	10.90	14.31	23.26	28.96
1024	37.84	44.63	62.50	71.18	86.15	95.96	1024	16.03	20.48	33.53	41.57
2048	51.50	60.72	85.02	96.7	112.36	124.15	2048	21.93	28.30	45.26	55.78
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 6.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 7.5^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
64	4.44	4.59	4.86	4.89	5.07	5.09	64	1.39	1.60	2.05	2.27
128	6.36	6.51	6.78	6.85	7.20	7.12	128	2.12	2.42	3.07	3.38
512	13.11	13.41	13.89	13.92	14.72	14.66	512	4.93	5.50	6.67	7.31
1024	17.18	17.55	17.96	17.98	18.76	18.63	1024	7.25	7.87	9.62	10.48
2048	23.37	23.88	24.43	24.43	24.47	24.13	2048	7.88	10.88	13.00	14.07
<i>Dissociation Constants $\times 10^4$.</i>							<i>Dissociation Constants $\times 10^4$.</i>						
<i>v</i>	0°	6.5°	25°	35°	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	0°	7.5°	25°	35°	$\alpha 50^\circ$	$\alpha 65^\circ$
64	0.323	0.345	0.387	0.393	0.42	0.42	64	0.03060	0.04080	0.06710	0.0824
128	0.338	0.354	0.385	0.394	0.42	0.42	128	0.03600	0.04670	0.07610	0.0922
512	0.387	0.405	0.437	0.440	0.49	0.41	512	0.04990	0.06260	0.09320	0.112
1024	0.348	0.365	0.384	0.385	0.42	0.42	1024	0.05540	0.06580	0.10000	0.120
2048	0.349	0.366	0.386	0.386	0.38	0.37	2048	0.03290	0.06490	0.09480	0.113
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-6.5°	6.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-7.5°	7.5-25°	25-35°	35-50°	50-65°	
64	0.29	0.28	0.25	0.26	0.19		64	0.15	0.17	0.19	
128	0.39	0.38	0.35	0.40	0.24		128	0.21	0.25	0.27	
512	0.80	0.77	0.68	0.83	0.53		512	0.45	0.51	0.57	
1024	1.05	0.97	0.87	1.00	0.65		1024	0.65	0.72	0.81	
2048	1.42	1.31	1.17	1.04	0.79		2048	0.85	0.97	1.05	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-6.5°	6.5-25°	25-35°	35-50°	50-65°		<i>v</i>	0-7.5°	7.5-25°	25-35°	35-50°	50-65°	
64	2.94	2.43	1.46	1.34	0.81		64	4.78	4.08	2.59	
128	2.79	2.30	1.48	1.48	0.72		128	4.52	3.98	2.57	
512	2.77	2.26	1.41	1.51	0.78		512	4.17	3.58	2.45	
1024	2.76	2.17	1.39	1.40	0.76		1024	4.03	3.46	2.40	
2048	2.75	2.16	1.38	1.08	0.70		2048	3.87	3.43	2.33	

<i>m</i> -AMINO BENZOIC ACID (W.M.).							<i>p</i> -AMINO BENZOIC ACID (W.T.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 18^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 10.19^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
64	3.57	6.91	8.54	11.09	64	3.711	5.136	7.370	8.92
128	6.26	10.33	12.17	14.96	128	5.346	7.527	10.84	12.97
512	11.75	22.61	27.77	35.57	512	12.57	17.39	24.54	29.06
1024	17.20	32.38	39.37	50.01	1024	18.87	25.71	35.07	41.31
2048	2048	28.32	37.21	50.13	58.56
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 18^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 10.19^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
64	1.69	2.26	2.57	2.82	64	1.68	1.87	2.11	2.25
128	2.97	3.38	3.66	3.80	128	2.42	2.75	3.11	3.27
512	5.57	7.39	8.35	9.04	512	5.69	6.34	7.04	7.47
1024	8.15	10.59	11.83	12.71	1024	8.54	9.38	10.07	10.42
2048	2048	13.73	13.28	14.38	14.77
<i>Dissociation Constants $\times 10^4$.</i>							<i>Dissociation Constants $\times 10^4$.</i>						
<i>v</i>	0°	18°	25°	35°	50°	65°	<i>v</i>	0°	10.19°	25°	35°	50°	65°
64	0.0448	0.0559	0.0714	0.0790	64	0.0448	0.0559	0.0714	0.0790
128	0.0468	0.0606	0.0780	0.0865	128	0.0468	0.0606	0.0780	0.0865
512	0.0670	0.0838	0.104	0.118	512	0.0670	0.0838	0.104	0.118
1024	0.0678	0.0949	0.110	0.119	1024	0.0678	0.0949	0.110	0.119
2048	0.107	0.104	0.118	0.125	2048	0.107	0.104	0.118	0.125
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	$0-18^\circ$	$18-25^\circ$	$25-35^\circ$	$35-50^\circ$	$50-65^\circ$		<i>v</i>	$0-10.19^\circ$	$10.19-25^\circ$	$25-35^\circ$	$35-50^\circ$	$50-65^\circ$	
64	0.19	0.23	0.25		64	0.14	0.15	0.16	
128	0.22	0.26	0.28		128	0.21	0.22	0.21	
512	0.60	0.73	0.78		512	0.47	0.48	0.45	
1024	0.84	1.00	1.06		1024	0.67	0.63	0.62	
2048		2048	0.87	0.87	0.84	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	$0-18^\circ$	$18-25^\circ$	$25-35^\circ$	$35-50^\circ$	$50-65^\circ$		<i>v</i>	$0-10.19^\circ$	$10.19-25^\circ$	$25-35^\circ$	$35-50^\circ$	$50-65^\circ$	
64	5.32	3.33	2.93		64	3.78	2.92	2.10	
128	3.51	2.52	2.30		128	4.00	2.97	1.96	
512	5.11	3.23	2.81		512	3.76	2.78	1.84	
1024	4.88	3.09	2.69		1024	3.57	2.46	1.79	
2048		2048	3.08	2.35	1.68	

METAPHOSPHIC ACID (WT AND SP.).

SULPHAPHOSPHIC ACID (WT AND SP.).

Molecular Conductivity

Molecular Conductivity

ϵ	$\mu_{0.1}^{\circ}$	$\mu_{0.12}^{\circ}$	$\mu_{0.25}^{\circ}$	$\mu_{0.35}^{\circ}$	$\mu_{0.50}^{\circ}$	$\mu_{0.65}^{\circ}$
32	11.60	14.01	26.80	35.01	49.42	66.05
128	22.96	34.84	51.46	66.86	92.74	123.89
512	42.76	65.96	95.16	121.1	165.15	216.84
1024	58.01	87.96	125.8	158.1	216.6	287.3
2048	76.38	115.1	162.8	203.5	284.3	381.7

ϵ	$\mu_{0.1}^{\circ}$	$\mu_{0.12}^{\circ}$	$\mu_{0.25}^{\circ}$	$\mu_{0.35}^{\circ}$	$\mu_{0.50}^{\circ}$	$\mu_{0.65}^{\circ}$
32	21.90	27.25	45.39	58.35	78.23	100.50
128	40.66	50.29	85.46	107.80	145.60	186.30
512	74.25	91.33	148.60	182.27	246.29	316.90
1024	96.40	118.1	182.77	221.60	287.90	352.60
2048	121.5	148.4	225.60	282.00	352.76	446.67

Percentage Dissociation

Percentage Dissociation

ϵ	α_0°	$\alpha_{0.12}^{\circ}$	$\alpha_{0.25}^{\circ}$	$\alpha_{0.35}^{\circ}$	$\alpha_{0.50}^{\circ}$	$\alpha_{0.65}^{\circ}$
32	5.23	6.32	7.97	8.75	10.53	12.25
128	10.27	12.25	14.64	16.72	19.73	22.99
512	19.26	23.04	27.19	30.27	35.13	40.24
1024	26.13	30.87	35.84	39.53	44.66	49.61
2048	34.41	40.39	46.37	50.88	56.23	61.56

ϵ	α_0°	$\alpha_{0.12}^{\circ}$	$\alpha_{0.25}^{\circ}$	$\alpha_{0.35}^{\circ}$	$\alpha_{0.50}^{\circ}$	$\alpha_{0.65}^{\circ}$
32	9.82	10.60	12.94	14.76	16.64	18.65
128	18.31	19.98	24.34	26.95	30.85	34.56
512	33.44	35.82	41.79	45.22	50.42	55.30
1024	43.42	46.33	52.98	55.40	61.66	65.44
2048	54.71	58.21	65.52	67.60	71.65	75.48

Dissociation Constants $\times 10^3$ Dissociation Constants $\times 10^3$

ϵ	0°	12°	25°	35°	50°	65°
32	0.90	1.33	1.99	2.62	3.87	5.34
128	0.89	1.33	1.96	2.62	3.90	5.36
512	0.90	1.35	1.97	2.57	3.72	5.29
1024	0.90	1.35	1.96	2.52	3.52	4.79
2048	0.88	1.34	1.96	2.57	3.53	4.81

ϵ	0°	0.12°	0.25°	0.35°	0.50°	0.65°
32	3.34	4.60	6.01	7.78	10.4	14.4
128	3.29	4.89	6.69	7.77	10.7	14.2
512	3.28	4.90	5.86	7.30	10.6	13.4
1024	3.26	4.90	5.53	6.72	9.35	12.1
2048	3.23	4.96	5.49	6.64	8.84	11.3

Temperature Coefficients in Conductivity Units

Temperature Coefficients in Conductivity Units

ϵ	$0-12^{\circ}$	$12-25^{\circ}$	$25-35^{\circ}$	$35-50^{\circ}$	$50-65^{\circ}$
32	0.54	0.68	0.81	0.96	1.10
128	1.00	1.28	1.55	1.72	2.08
512	1.91	2.27	2.60	2.94	3.44
1024	2.70	2.91	3.23	3.46	3.82
2048	3.23	3.67	4.07	4.65	4.49

ϵ	$0-0.12^{\circ}$	$0.12-0.25^{\circ}$	$0.25-0.35^{\circ}$	$0.35-0.50^{\circ}$	$0.50-0.65^{\circ}$
32	0.82	0.97	1.30	1.33	1.48
128	1.62	1.84	2.24	2.48	2.73
512	2.71	3.07	3.22	3.73	4.07
1024	3.45	3.46	3.28	4.06	4.37
2048	4.27	3.99	4.70	4.58	4.60

Temperature Coefficients in Per Cent

Temperature Coefficients in Per Cent

ϵ	$0-12^{\circ}$	$12-25^{\circ}$	$25-35^{\circ}$	$35-50^{\circ}$	$50-65^{\circ}$
32	4.61	3.79	3.02	2.74	2.23
128	4.40	3.66	3.01	2.57	2.24
512	4.46	3.45	2.73	2.43	2.09
1024	4.39	3.41	2.63	2.19	1.81
2048	4.22	3.19	2.50	2.00	1.63

ϵ	$0-0.12^{\circ}$	$0.12-0.25^{\circ}$	$0.25-0.35^{\circ}$	$0.35-0.50^{\circ}$	$0.50-0.65^{\circ}$
32	4.63	4.70	2.68	2.28	1.89
128	3.90	3.62	2.62	2.30	1.88
512	3.65	3.36	2.17	2.06	1.72
1024	3.57	2.93	2.12	1.97	1.52
2048	3.52	2.70	2.02	1.91	1.38

— — — — —

1890-1891. 1891-1892.

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989	990	991	992	993	994	995	996	997	998	999	1000
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------

وہاں سے آکر اپنے گھر پہنچا۔

James M. Smith

	n^0	n^1	n^2	n^3	n^4	n^5		n^0	n^1	n^2	n^3	n^4	n^5	n^6
1	10.00	10.00	11.00	11.00	12.00	12.00	10.00	10.00	10.00	11.00	11.00	12.00	12.00	13.00
2	10.00	10.00	11.00	11.00	12.00	12.00	10.00	10.00	10.00	11.00	11.00	12.00	12.00	13.00
3	10.00	10.00	11.00	11.00	12.00	12.00	10.00	10.00	10.00	11.00	11.00	12.00	12.00	13.00

...and the ...



BENZENESULPHONIC ACID (Wm.).							<i>m</i> -NITROBENZENESULPHONIC ACID (Wm.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_r 0^\circ$	$\mu_r 15^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$	<i>v</i>	$\mu_r 0^\circ$	$\mu_r 16^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$
8	204.57	275.38	321.07	366.1	429.3	484.9	32	195.9	202.9	307.1	350.0	409.0	465.5
32	210.23	281.69	336.55	370.1	453.0	515.4	128	200.5	269.1	313.8	357.2	419.5	478.4
128	222.14	300.43	350.47	399.8	473.9	540.6	512	202.0	272.9	320.4	367.2	430.4*	489.5
512	226.92	305.81	356.38	407.0	475.3	544.3	1024	204.3	275.5	323.5	369.4	432.6	491.0
1024	228.00	308.97	359.03	410.3	474.2	544.2	2048	204.3	274.6	321.5	368.3
2048	226.83	305.71	354.22	407.1	472.9	540.1							
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 16^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
8	89.72	89.13	89.43	89.23	90.32	89.09	32	95.60	95.43	94.92	94.75	94.54	94.80
32	92.21	91.17	90.95	90.20	95.30	94.69	128	97.84	97.68	97.00	96.69	96.97	97.43
128	97.43	97.24	97.62	97.44	99.70	99.30	512	98.58	99.09	99.04	99.40	99.49	99.69
512	99.53	98.98	99.26	99.20	100.00	100.00	1024	100.00	100.00	100.00	100.00	100.00	100.00
1024	100.00	100.00	100.00	100.00							
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-16°	16-25°	25-35°	35-50°	50-65°	
8	4.72	4.57	4.50	4.21	3.71		32	4.47	4.42	4.29	3.93	3.77	
32	4.76	4.49	4.35	5.53	4.16		128	4.57	4.47	4.34	4.15	3.93	
128	5.22	5.00	4.93	4.94	4.45		512	4.73	4.75	4.68	4.24	3.94	
512	5.26	5.05	5.06	4.55	4.60		1024	4.73	4.20	4.59	4.21	3.89	
1024	5.40	5.01	5.13	4.26	4.67		2048	4.69	4.69	4.68	
2048	5.26	4.85	5.29	4.39	4.48								
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-16°	16-25°	25-35°	35-50°	50-65°	
8	2.31	1.66	1.40	1.15	0.86		32	2.28	1.68	1.40	1.12	0.92	
32	2.27	1.59	1.33	1.49	0.92		128	2.28	1.66	1.38	1.16	0.94	
128	2.35	1.67	1.41	1.24	0.94		512	2.34	1.74	1.46	1.15	0.92	
512	2.32	1.65	1.42	1.12	0.97		1024	2.31	1.74	1.42	1.14	0.90	
1024	2.37	1.62	1.43	1.04	0.98		2048	2.30	1.71	1.45	
2048	2.32	1.59	1.49	1.08	0.95								

*Interpolated.

<i>p</i> -TOLUENESULPHONIC ACID (W.M.).							1, 2, 4-NITROTOLUENESULPHONIC ACID (W.M.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_r 0^\circ$	$\mu_r 12^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$	<i>v</i>	$\mu_r 0^\circ$	$\mu_r 15^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$
32	203.0	258.5	317.3	363.2	430.3	489.4	8	176.9	240.9	275.6	312.6	*	*
128	208.4	267.0	328.2	374.7	440.0	499.3	32	193.0	264.1	303.6	344.2
512	210.0	269.0	331.7	376.8	444.2	502.0	128	198.4	272.0	312.4	354.7
1024	210.6	269.7	332.7	380.3	445.9	503.4	512	199.9	274.3	315.6	358.6
2048	206.7	266.4	327.7	379.8	445.3	502.6	1024	200.5	276.5	318.4	361.9
							2048	199.7	274.5	314.8	357.6
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 12^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	α°	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
32	96.4	95.8	95.4	95.3	96.5	97.2	8	88.22	87.12	86.94	86.38
128	99.0	99.0	98.7	98.7	98.7	99.2	32	96.27	95.52	95.35	95.13
512	99.7	99.7	99.7	99.3	99.6	99.7	128	98.97	98.37	98.13	98.02
1024	100.0	100.0	100.0	100.0	100.0	100.0	512	99.62	99.22	99.10	99.08
2048	1024	100.00	100.00	100.00	100.00
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-12°	12-25°	25-35°	35-50°	50-65°		<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°	
32	4.62	4.52	4.59	4.59	3.94		8	4.00	3.86	3.70	
128	4.88	4.76	4.65	4.39	3.95		32	4.44	4.31	4.06	
512	4.92	4.82	4.51	4.52	3.85		128	4.60	4.49	4.23	
1024	4.93	4.84	4.76	4.44	3.83		512	4.65	4.59	4.30	
2048	4.97	4.76	5.21	4.87	3.82		1024	4.74	4.67	4.35	
							2048	4.67	4.48	4.28	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-12°	12-25°	25-35°	35-50°	50-65°		<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°	
32	2.28	1.75	1.45	1.27	0.92		8	2.26	1.60	1.34	
128	2.34	1.76	1.42	1.17	0.90		32	2.30	1.63	1.34	
512	2.35	1.79	1.36	1.20	0.87		128	2.32	1.65	1.35	
1024	2.34	1.80	1.43	1.17	0.86		512	2.33	1.67	1.36	
2048	2.40	1.79	1.59	1.31	0.86		1024	2.37	1.69	1.37	
							2048	2.34	1.63	1.36	

*Higher temperatures were not studied because of lack of material.

1, 4, 2-NITROTOLUENESULPHONIC ACID (WM.).							o-TOLUIC ACID (WT. AND SM.).						
Molecular Conductivity.							Molecular Conductivity.						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 16^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 12^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
8	203.0	281.8	320.5	364.3	433.3	493.4	512	54.71	68.32	81.09	88.44	96.41	102.41
32	221.6	308.7	349.5	393.1	462.1*	524.8	2048	71.65	89.87	106.7	116.7	127.31	134.94
128	225.3	312.8	355.6	407.6	476.7	542.6	2048	95.06	118.7	141.0	154.7	168.46	177.70
512	228.3	317.5	360.7	411.8	486.0	554.5							
1024	228.9	318.5	362.3	413.6	487.5	556.3							
2048	228.0	318.7	360.8	412.2	485.4	553.2							
Percentage Dissociation.							Percentage Dissociation.						
<i>v</i>	$\alpha 0^\circ$	$\alpha 16^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 12^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
8	88.68	88.48	88.46	88.08	88.88	88.69	512	24.76	24.11	23.23	22.20	20.50	19.10
32	96.81	96.92	96.47	95.04	94.79	94.34	1024	32.44	31.71	30.50	29.47	27.29	26.10
128	98.43	98.21	98.15	98.55	97.78	97.54	2048	43.01	41.75	40.54	39.16	35.83	33.15
512	99.74	99.69	99.56	99.56	99.69	99.67							
1024	100.0	100.0	100.0	100.0	100.0	100.0							
Dissociation Constants $\times 10^4$.							Dissociation Constants $\times 10^4$.						
<i>v</i>	0°	16°	25°	35°	50°	65°	<i>v</i>	0°	12°	25°	35°	50°	65°
512	512	1.59	1.49	1.37	1.25	1.03	0.88
1024	1024	1.52	1.44	1.32	1.30	1.00	0.90
2048	2048	1.59	1.46	1.35	1.22	0.98	0.80
Temperature Coefficients in Conductivity Units.							Temperature Coefficients in Conductivity Units.						
<i>v</i>	0-16°	16-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12°	12-25°	25-35°	35-50°	50-65°	
8	4.90	4.30	4.38	4.60	4.01		512	1.13	0.98	0.74	0.53	0.40	
32	5.42	4.53	4.36	4.60	4.18		1024	1.52	1.29	1.00	0.71	0.51	
128	5.44	4.76	5.20	4.61	4.39		2048	1.93	1.72	1.33	0.91	0.62	
512	5.55	4.80	5.11	4.95	4.57								
1024	5.58	4.87	4.95	4.92	4.59								
2048	5.65	4.68	5.14	4.88	4.52								
Temperature Coefficients in Per Cent.							Temperature Coefficients in Per Cent.						
<i>v</i>	0-16°	16-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12°	12-25°	25-35°	35-50°	50-65°	
8	2.41	1.53	1.37	1.26	0.92		512	2.07	1.44	0.91	0.60	0.41	
32	2.44	1.47	1.25	1.17	0.91		1024	2.11	1.44	0.94	0.61	0.40	
128	2.41	1.52	1.46	1.13	0.92		2048	2.03	1.44	0.94	0.59	0.36	
512	2.43	1.51	1.42	1.20	0.94								
1024	2.44	1.53	1.37	1.19	0.94								
2048	2.48	1.47	1.42	1.18	0.93								

*Interpolated value.

<i>m</i> -TOLUIC ACID (WT. AND SM.).							<i>p</i> -TOLUIC ACID (WT. AND SM.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 12^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 12^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
512	33.05	43.57	54.60	62.05	71.29	78.44	512	48.48	55.44	62.98	68.37
1024	45.20	59.43	74.16	83.93	98.70	108.33	1024	39.63	52.52	66.13	75.54	86.30	95.43
2048	61.24	80.79	100.4	113.1	128.87	140.90	2048	54.12	71.75	89.96	103.5	114.93	125.35
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 12^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 12^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
512	14.95	15.44	15.64	15.63	15.15	14.47	512	13.89	13.96	13.42	12.68
1024	20.45	21.05	21.25	21.14	21.00	20.00	1024	17.93	18.49	18.95	19.02	18.39	17.71
2048	27.71	28.63	28.77	28.49	27.41	26.00	2048	24.49	25.26	25.78	26.07	24.49	23.26
<i>Dissociation Constants $\times 10^4$.</i>							<i>Dissociation Constants $\times 10^4$.</i>						
<i>v</i>	0°	12°	25°	35°	50°	65°	<i>v</i>	0°	12°	25°	35°	50°	65°
512	0.513	0.550	0.567	0.565	0.52	0.47	512	0.438	0.433	0.406	0.359
1024	0.513	0.548	0.569	0.554	0.54	0.48	1024	0.383	0.410	0.433	0.437	0.405	0.372
2048	0.519	0.569	0.567	0.554	0.51	0.45	2048	0.388	0.417	0.437	0.449	0.388	0.344
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-12°	12-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12°	12-25°	25-35°	35-50°	50-65°	
512	0.88	0.85	0.75	0.62	0.48		512	0.70	0.50	0.36	
1024	1.19	1.13	0.98	0.98	0.64		1024	1.07	1.05	0.94	0.72	0.61	
2048	1.63	1.51	1.27	1.05	0.80		2048	1.47	1.40	1.35	0.76	0.69	
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-12°	12-25°	25-35°	35-50°	50-65°		<i>v</i>	0-12°	12-25°	25-35°	35-50°	50-65°	
512	2.65	1.95	1.37	1.00	0.65		512	1.44	0.90	0.57	
1024	2.62	1.91	1.32	1.17	0.65		1024	2.76	1.99	1.42	0.95	0.70	
2048	2.66	1.87	1.27	0.93	0.62		2048	2.72	1.95	1.50	0.73	0.60	

Year	1990	1991	1992	1993	1994	1995
1990	100	100	100	100	100	100
1991	100	100	100	100	100	100
1992	100	100	100	100	100	100
1993	100	100	100	100	100	100
1994	100	100	100	100	100	100
1995	100	100	100	100	100	100

	1970	1971	1972	1973	1974	1975
1. Total	100.0	100.0	100.0	100.0	100.0	100.0
2. Government	10.0	10.0	10.0	10.0	10.0	10.0
3. Private	90.0	90.0	90.0	90.0	90.0	90.0
4. Foreign	10.0	10.0	10.0	10.0	10.0	10.0
5. Domestic	90.0	90.0	90.0	90.0	90.0	90.0
6. Total	100.0	100.0	100.0	100.0	100.0	100.0
7. Government	10.0	10.0	10.0	10.0	10.0	10.0
8. Private	90.0	90.0	90.0	90.0	90.0	90.0
9. Foreign	10.0	10.0	10.0	10.0	10.0	10.0
10. Domestic	90.0	90.0	90.0	90.0	90.0	90.0

	1990	1991	1992	1993	1994	1995
1990						
1991						
1992						
1993						
1994						
1995						

	1977	1978	1979	1980	1981	1982
1977	100	100	100	100	100	100
1978	100	100	100	100	100	100
1979	100	100	100	100	100	100
1980	100	100	100	100	100	100
1981	100	100	100	100	100	100
1982	100	100	100	100	100	100

	0%	10%	20%	30%	40%	50%
100%						
90%						
80%						
70%						
60%						
50%						
40%						
30%						
20%						
10%						
0%						

TETRACHLORPHTHALIC ACID (WM.).							ANISIC ACID (SP.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 15^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 15^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
512	296.8	386.5	441.3	492.7	552.7	601.3	1024	35.80	50.50	59.10	67.60	80.29	90.25
1024	328.6	432.7	495.9	555.2	617.4	669.3	2048	47.13	66.74	78.80	90.15	103.67	115.17
2048	356.0	469.2	539.8	605.0	684.9	739.6							
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
512	1024	16.14	16.84	16.88	16.94	17.06	16.80
1024	2048	21.26	22.25	22.50	22.59	22.03	21.44
2048							
<i>Dissociation Constants $\times 10^4$.</i>							<i>Dissociation Constants $\times 10^4$.</i>						
<i>v</i>	0°	15°	25°	35°	50°	65°	<i>v</i>	0°	15°	25°	35°	50°	65°
512	1024	0.303	0.333	0.325	0.337	0.343	0.331
1024	2048	0.280	0.311	0.319	0.322	0.304	0.285
2048							
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°	
512	5.98	5.48	5.14	4.00	3.24		1024	0.98	0.86	0.85	0.84	0.66	
1024	6.94	6.32	5.93	4.15	3.46		2048	1.307	1.20	1.13	0.90	0.77	
2048	7.55	7.06	6.52	5.33	3.65								
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°	
512	2.02	1.42	1.17	0.81	0.59		1024	2.74	1.70	1.43	1.24	0.82	
1024	2.11	1.46	1.20	0.75	0.56		2048	2.77	1.80	1.43	1.00	0.74	
2048	2.12	1.50	1.21	0.88	0.53								

VANILLIC ACID (SP.).							NAPHTHIONIC ACID (SP.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 15^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	$\mu_v 0^\circ$	$\mu_v 15^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$
256	18.48	26.44	31.68	36.49	42.32	47.41	1024	142.17	212.69	262.01	312.95	382.58	450.58
512	26.16	36.65	43.30	49.89	57.80	64.62	2048	169.80	245.52	295.41	347.20	420.93	491.21
1024	35.87	50.10	59.55	69.00	80.38	89.42							
2048	47.26	67.40	80.88	93.48	109.15	120.08							
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
256	8.35	8.81	9.05	9.18	9.12	8.90	1024	64.04	71.82	74.43	78.23	81.75	84.29
512	11.82	12.25	12.38	12.56	12.46	12.13	2048	76.58	82.98	83.92	86.80	89.94	91.90
1024	16.21	16.75	17.33	17.37	17.32	16.78							
2048	21.35	22.53	23.12	23.53	23.52	22.54							
<i>Dissociation Constants $\times 10^4$.</i>							<i>Dissociation Constants $\times 10^4$.</i>						
<i>v</i>	0°	15°	25°	35°	50°	65°	<i>v</i>	0°	15°	25°	35°	50°	65°
256	0.30	0.33	0.35	0.36	0.36	0.34	1024	11.1	17.9	21.2	27.4	35.8	44.2
512	0.31	0.33	0.34	0.35	0.35	0.33	2048	12.2	19.7	21.4	27.9	39.3	50.9
1024	0.31	0.33	0.35	0.36	0.35	0.33							
2048	0.28	0.32	0.34	0.35	0.35	0.32							
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°	
256	0.53	0.52	0.48	0.39	0.34		1024	4.70	4.93	5.09	4.64	4.56	
512	0.70	0.66	0.66	0.53	0.45		2048	5.05	4.99	5.16	4.92	4.68	
1024	0.95	0.95	0.94	0.76	0.60								
2048	1.34	1.34	1.26	1.04	0.73								
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°		<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°	
256	2.87	1.98	1.52	1.07	0.80		1024	3.30	2.32	1.94	1.48	1.19	
512	2.67	1.81	1.52	1.06	0.79		2048	3.00	2.03	1.48	1.42	1.11	
1024	2.63	1.88	1.58	1.10	0.75								
2048	2.80	1.99	1.55	1.11	0.67								

MANDELIC ACID (WT. AND SM.).							CAMPHORIC ACID (WM.).						
<i>Molecular Conductivity.</i>							<i>Molecular Conductivity.</i>						
<i>v</i>	$\mu_r 0^\circ$	$\mu_r 12^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$	<i>v</i>	$\mu_r 0^\circ$	$\mu_r 12^\circ$	$\mu_r 25^\circ$	$\mu_r 35^\circ$	$\mu_r 50^\circ$	$\mu_r 65^\circ$
8	12.60	16.10	19.86	22.45	25.76	28.62	512	24.94	33.05	38.17	42.57	47.53	51.30
32	24.49	31.21	38.56	43.62	50.07	55.40	1024	34.05	45.27	52.12	57.99	63.86	69.26
128	46.40	59.64	72.96	82.39	94.42	104.47	2048	45.10	59.54	68.15	76.12	86.20	93.84
512	82.21	106.1	129.6	146.2	168.20	185.86							
1024	106.0	135.2	167.4	188.7	216.03	239.36							
2048	132.4	168.3	205.5	234.5	268.62	298.03							
<i>Percentage Dissociation.</i>							<i>Percentage Dissociation.</i>						
<i>v</i>	$\alpha 0^\circ$	$\alpha 12^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	$\alpha 0^\circ$	$\alpha 12^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$
8	5.70	5.69	5.69	5.65	5.41	5.30	512	11.43	11.81	11.08	10.85	10.37	9.88
32	11.09	11.03	11.05	10.98	10.52	10.25	1024	15.60	16.18	15.13	14.78	13.94	13.34
128	20.99	20.78	20.90	20.75	19.84	19.34	2048	20.66	21.28	19.78	19.40	18.81	18.08
512	37.20	36.98	37.18	36.84	35.35	34.41							
1024	47.96	47.76	47.97	47.53	45.40	44.32							
2048	59.91	59.47	59.03	59.06	56.46	55.19							
<i>Dissociation Constants $\times 10^4$.</i>							<i>Dissociation Constants $\times 10^4$.</i>						
<i>v</i>	0°	12°	25°	35°	50°	65°	<i>v</i>	0°	12°	25°	35°	50°	65°
8	4.32	4.29	4.29	4.24	3.86	3.71	512	0.288	0.309	0.270	0.259	0.234	0.212
32	4.30	4.27	4.29	4.24	3.86	3.66	1024	0.282	0.305	0.264	0.250	0.220	0.201
128	4.36	4.26	4.31	4.25	3.83	3.62	2048	0.263	0.289	0.238	0.228	0.213	0.195
512	4.30	4.24	4.30	4.20	3.78	3.53							
1024	4.32	4.26	4.32	4.21	3.69	3.45							
2048	4.37	4.26	4.16	4.16	3.54	3.32							
<i>Temperature Coefficients in Conductivity Units.</i>							<i>Temperature Coefficients in Conductivity Units.</i>						
<i>v</i>	$0-12^\circ$	$12-25^\circ$	$25-35^\circ$	$35-50^\circ$	$50-65^\circ$		<i>v</i>	$0-12^\circ$	$12-25^\circ$	$25-35^\circ$	$35-50^\circ$	$50-65^\circ$	
8	0.29	0.29	0.26	0.22	0.19		512	0.54	0.51	0.44	0.33	0.26	
32	0.56	0.56	0.51	0.43	0.35		1024	0.75	0.68	0.59	0.39	0.36	
128	1.10	1.02	0.94	0.82	0.67		2048	0.96	0.86	0.80	0.69	0.51	
512	1.99	1.81	1.66	1.47	1.18								
1024	2.43	2.48	2.13	1.82	1.55								
2048	2.99	2.86	2.90	2.28	1.96								
<i>Temperature Coefficients in Per Cent.</i>							<i>Temperature Coefficients in Per Cent.</i>						
<i>v</i>	$0-12^\circ$	$12-25^\circ$	$25-35^\circ$	$35-50^\circ$	$50-65^\circ$		<i>v</i>	$0-12^\circ$	$12-25^\circ$	$25-35^\circ$	$35-50^\circ$	$50-65^\circ$	
8	2.32	1.80	1.30	0.99	0.74		512	2.17	1.55	1.15	0.78	0.54	
32	2.29	1.81	1.31	0.99	0.71		1024	2.20	1.57	1.13	0.67	0.56	
128	2.38	1.72	1.29	0.99	0.71		2048	2.14	1.46	1.17	0.91	0.59	
512	2.42	1.71	1.28	1.01	0.70								
1024	2.30	1.83	1.27	0.97	0.72								
2048	2.26	1.70	1.40	0.97	0.73								

COUMARIC ACID (SP.).												
<i>Molecular Conductivity.</i>							<i>Temperature Coefficients in Conductivity Units.</i>					
<i>v</i>	$\mu_v 0^\circ$	$\mu_v 15^\circ$	$\mu_v 25^\circ$	$\mu_v 35^\circ$	$\mu_v 50^\circ$	$\mu_v 65^\circ$	<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°
256	16.00	23.22	27.08	30.38	35.56	39.39	256	0.48	0.38	0.33	0.34	0.25
512	22.40	32.39	37.58	42.01	49.08	54.24	512	0.67	0.52	0.44	0.47	0.34
1024	31.48	46.00	53.38	59.52	69.57	76.92	1024	0.97	0.74	0.61	0.67	0.49
2048	44.53	65.13	75.56	77.50	90.50	98.75	2048	1.37	1.04	0.19	0.87	0.55
<i>Percentage Dissociation.</i>							<i>Temperature Coefficients in Per Cent.</i>					
<i>v</i>	$\alpha 0^\circ$	$\alpha 15^\circ$	$\alpha 25^\circ$	$\alpha 35^\circ$	$\alpha 50^\circ$	$\alpha 65^\circ$	<i>v</i>	0-15°	15-25°	25-35°	35-50°	50-65°
256	7.27	7.74	7.75	7.60	7.59	7.37	256	3.00	1.64	1.21	1.13	0.71
512	10.18	10.80	10.74	10.51	10.48	10.15	512	2.99	1.61	1.17	1.12	0.70
1024	14.30	15.34	15.25	14.89	14.86	14.39	1024	3.07	1.63	1.15	1.12	0.70
2048	20.23	21.72	21.59	19.39	19.34	18.48	2048	3.08	1.60	0.25	1.12	0.61
<i>Dissociation Constants $\times 10^4$.</i>												
<i>v</i>	0°	15°	25°	35°	50°	65°						
256	0.223	0.254	0.253	0.244	0.243	0.229						
512	0.225	0.255	0.252	0.241	0.240	0.224						
1024	0.233	0.271	0.268	0.254	0.252	0.236						
2048	0.250	0.294	0.290	0.228	0.226	0.205						

DISCUSSION OF THE RESULTS WITH THE ORGANIC ACIDS.

It does not seem necessary or desirable, in discussing the results with the organic acids, to tabulate these results as was done in the case of the salts. The anions of these acids are not related as the cations of the salts were, and any relations must be of a more limited nature. Certain relations will, however, be pointed out, and they can easily be verified from the data for the various acids.

Take, first, the conductivities of the various acids: The presence of chlorine in acetic acid increases enormously its dissociation. Thus, at volume 32 and 0° the conductivity of acetic acid is 5.33; of dichloroacetic acid 166, and of trichloroacetic acid 208.7. The conductivity of cyanoacetic acid under the same conditions is 68.7, and of phenylacetic acid 9. Acetic acid is slightly stronger than propionic, which at volume 32 and 0° has a conductivity of 4.63. This illustrates the general principle that in a homologous series of organic acids the lower members of the series are the stronger, at the same temperature and volume α -bromopropionic acid having a conductivity of 38, β -iodopropionic acid of 12.57, while β -acetylpropionic acid has a conductivity of 5.85. Butyric acid at the same volume and temperature has the value 5.0; α -bromobutyric 42.75, showing the marked increase in the strength due to the presence of bromine.

Isobutyric acid at volume 32 and 0° has the value 4.91, while hydroxyisobutyric has the conductivity 12.11, showing the increase in the strength due to the presence of the hydroxyl group. The conductivities of butyric and isobutyric acids are very nearly the same, which is characteristic of a large number of isomeric compounds. Isovaleric acid has the conductivity 5.36.

Turning to the dibasic acids of the oxalic series, we come first to oxalic acid. This was decomposed by the platinum plates, and was therefore not studied. Malonic acid

and a large number of its derivatives were investigated. The following table gives the results for two volumes and three temperatures for all of these substances:

Acid.	0°		25°		65°	
	$v=32$	$v=1024$	$v=32$	$v=1024$	$v=32$	$v=1024$
Malonic.....	43.51	153.3	72.23	251.2
Dimethylmalonic.....	32.00	124.1	51.23	198.93	77.1	299.26
Ethylmalonic.....	40.90	146.45	64.42	231.24	90.66	330.62
Diethylmalonic.....	92.77	201.22	138.84	311.98	186.22	462.78
Methylethylmalonic.....	45.89	156.21	72.45	248.19	104.35	365.54
Isopropylmalonic.....	40.07	144.1	64.92	234.00	91.73	343.8
Dipropylmalonic.....	103.16	203.51	154.54	317.78	468.0
Butylmalonic.....	37.53	140.0	58.72	218.3	83.93	320.1
Benzylmalonic.....	45.06	153.05	69.82	239.44	97.76	345.35
Allylmalonic.....	45.62	158.93	71.47	248.67	101.16	358.28

The presence of two methyl groups weakens the acid, while two ethyl groups more than double the strength. Ethyl, methylethyl, isopropyl, butyl, benzyl, and allyl affect the conductivity very slightly. Dipropyl more than doubles the strength of the acid. These empirical relations have a certain kind of interest, but their meaning is at present not at all fully understood.

Succinic acid at zero and $v=32$ has a conductivity of 9.21, being much less than malonic. This is in accord with the relation pointed out between the strengths of acids and their position in an homologous series. Monobromsuccinic acid was studied at $v=128$. It had a conductivity of 101.46 against succinic at this volume of 18.24, showing that bromine increases acidity. Dibromsuccinic at volume 128 and 0° has the conductivity 254.34, showing the effect on acidity of the second bromine atom.

Pyrotartaric at $v=32$ has $\mu_v=10.94$, μ_θ for α -tartaric at $v=32=34.18$ and for racemic = 34.60. These two isomeric acids have practically the same conductivity.

The kind of isomerism, illustrated by maleic and fumaric acids stereoisomerism, is interesting in the present connection. We have seen that ordinary isomeric acids, using that term as we generally do, have very nearly the same conductivity. Maleic and fumaric acids at the same volumes and temperatures have widely different conductivities. Thus at $v=32$ and 0°, μ_v for maleic acid = 108.1, μ_θ for fumaric = 35.46. The results for itaconic, citraconic, and mesaconic acids differ widely. For $v=32$:

$$\mu_v \text{ for itaconic} = 13.50 \quad \mu_\theta \text{ for citraconic} = 68.66 \quad \mu_\theta \text{ for mesaconic} = 33.31$$

Passing to the acids of the aromatic compounds, the introduction of chlorine into benzoic acid raises the conductivity at $v=64$ and 0° from 18.49 to 85.20. μ_v for orthonitrobenzoic at $v=128$ (0°) is 146.9, for metanitrobenzoic = 40.1. This shows the effect of chlorine and of the nitro group in the ortho position on the acidity. The 1, 2, 4 dinitrobenzoic at 0° and $v=32$, $\mu_\theta=166.51$, showing that the second nitro group in these positions still further increases the acidity. The 1, 3, 5 dinitrobenzoic at $v=512$ has a value for μ_v of only 122.28.

The effect of the nitro group in increasing acidity is well illustrated by picric acid. Phenol is a very weak acid, one of the weakest, while trinitrophenol is very strong. Its dissociation is of the same order of magnitude as the strongest mineral acids.

The effect of the introduction of the hydroxyl group into benzoic acid, on the

strength of that acid, depends upon the position of the group. Benzoic acid at zero and $v=128$ has a value of $\mu_e=18.49$. μ_e for salicylic or orthohydroxybenzoic acid = 62.65, for metahydroxybenzoic = 20.48, while for parahydroxybenzoic at 128 and 0° , $\mu_e=18.29$.

The introduction of the second hydroxyl group raises the conductivity, the amount depending on the position of those groups. At zero and $v=128$, μ_e for 1, 2, 4 dihydroxybenzoic acid = 44.74, while μ_e for 1, 2, 5 dihydroxybenzoic = 66.18.

Gallie acid, or trihydroxybenzoic acid, has an interest of its own. For zero and $v=128$, $\mu_e=14.01$. The third hydroxyl, instead of raising, lowers the conductivity below that of benzoic acid itself.

The presence of the amino group lowers the strength of the acid, as would be expected. Thus, benzoic acid at 0° and $v=64$, $\mu_e=13.42$. For orthoaminobenzoic acid $\mu_e=3.07$; while for paraaminobenzoic acid $\mu_e=3.71$.

The four sulphonic acids studied are all strong, as are sulphonic acids in general.

Of the three toluic acids, the ortho is much stronger than the benzoic, while the other two are of the same order of strength. Cinnamic acid is slightly stronger than hydrocinnamic.

When we come to the dibasic phthalic acid, we have a much stronger compound than the monobasic acid. Thus, at 0° and $v=64$, μ_e for phthalic acid = 55.98. The introduction of the second carboxyl thus increases the strength of the acid.

DISSOCIATIONS OF ORGANIC ACIDS.

It is not necessary to consider the dissociations of the several acids in detail. It is better to take up the constants calculated from the dissociations, since these are the quantities so often desired in connection with the organic acids. Some conclusions have, however, been reached, especially by White and Wightman, in connection with the dissociations of these compounds, and these will be given.

The conductivity of most of the organic acids is a parabolic function of the temperature, as is shown by comparing the values found with those calculated from interpolation formula. Several of the amino acids are exceptions to this relation, their conductivities not being a parabolic function of the temperature.

The effect of rise in temperature on the dissociation of organic acids can be formulated thus: The dissociation of some of the organic acids decreases regularly with rise in temperature from 0° . Maxima occur in the dissociation of many of the organic acids. In some cases the maximum appears between 15° and 25° ; in others between 25° and 35° , while in still other cases it falls at a higher temperature, *i. e.*, around 50° . This is apparently not in accord with the Thomson-Nernst hypothesis, which connects the dissociating power of a solvent with its dielectric constant, and the dielectric constant decreases with rise in temperature.

The strong organic acids do not obey the Ostwald dilution law and, therefore, "dissociation constants" could not be calculated for them by means of this law.

Isomeric acids are not always dissociated to the same extent, and their dissociations change differently with rise in temperature.

The migration velocities of metameric ions are identical. The migration velocities of the anions of organic acids are a function of the number of atoms present in the anions. This fact is utilized to find the values of μ_∞ for the dibasic organic acids.

THE DISSOCIATION CONSTANTS.

The "constants" for the various acids are calculated by means of the Ostwald dilution law, $\frac{\alpha^2}{(1-\alpha)v}$ const. This, as is well known, does not apply to the strongly dissociated compounds, which therefore have no "constants." The constants are given for the volumes 32 and 1024, and for the temperatures 0°, 25°, and 65°.

DISSOCIATION CONSTANTS.

Acid.	0°		25°		65°	
	$v=32$	$v=1024$	$v=32$	$v=1024$	$v=32$	$v=1024$
Acetic	0.179	0.170	0.184	0.175	0.166	0.154
Cyanacetic	41.0	38.0	39.0	35.0	29.0	26.0
Phenylacetic	0.540	0.526	0.536	0.518	0.420	0.375
Propionic	0.138	0.125	0.141	0.123	0.116	0.108
α -Brompropionic	10.3	12.7	8.7	10.6		
β -Iodopropionic	1.04	0.92	0.99	0.87		
Acetylpropionic	0.225	0.206	0.250	0.233	0.237	0.213
n -Butyric	0.165	0.161	0.157	0.150		
α -Brombutyric	13.1	15.6	11.0	13.2		
Isobutyric	0.155	0.154	0.148	0.147	0.129	0.119
Hydroxyisobutyric	0.99	0.94	1.10	1.03	0.98	0.91
Isovaleric	0.187	0.170	0.169	0.161	0.125	0.109
Caprylic		0.129		0.129		0.095
Malonic	14.8	14.8	16.3	16.7		
Dimethylmalonic	7.57	6.90	7.75	7.21	7.45	6.77
Ethylmalonic	12.9	12.4	12.8	12.3	10.6	9.5
Methylethylmalonic	17.0	16.7	16.9	16.9	14.5	14.6
Isopropylmalonic	12.5	12.0	13.2	13.2	11.2	11.4
Dipropylmalonic	132.0	122.0	113.0	102.0		79.0
Butylmalonic	11.0	11.0	10.8	10.5	9.15	8.8
Benzylmalonic	16.6	15.8	16.0	15.2	12.8	11.7
Allylmalonic	16.8		16.2		13.8	13.1
Succinic	0.556	0.572	0.655	0.665	0.687	0.688
Monobromsuccinic		48.1		39.4		
Pyrotartaric	0.81	0.78	0.89	0.87	0.85	0.81
<i>l</i> -Tartaric	8.9	9.6	10.6	12.2	11.1	11.9
Racemic	9.1	10.4	10.9	12.3	9.9	10.4
Thiodiglycolic	6.10	6.24	6.23	6.36	6.08	6.16
Tricarballic	1.87	1.95	2.11	2.15	2.19	2.27
Benzilic		9.36		9.02		7.09
Hippuric		2.13		2.28		2.16
Citric	6.92	7.88	8.63	10.6	10.13	11.16
Pyromucic	8.7	8.4	7.6	7.4	5.4	4.8
Crotonic	0.199	0.194	0.215	0.211	0.185	0.182
Maleic	143.0	179.0	154.0	209.0	106.0	161.5
Fumaric	9.40	10.7	10.1	11.5	8.5	8.6
Itaconic	1.24	1.27	1.53	1.50	1.55	1.53
Citraconic	43.6	43.4	38.1	37.6	30.12	31.91
Mesaconic	8.4	9.3	8.1	8.7	6.6	6.4
Phenylpropionic		52.3		48.5		27.7
Benzoic		0.572		0.649		0.552
<i>o</i> -Chlorbenzoic		18.1		13.1		8.8
<i>o</i> -Nitrobenzoic	102.0	52.0	68.9	47.0	32.7	30.8
<i>m</i> -Nitrobenzoic		3.19		3.23		3.38
<i>p</i> -Nitrobenzoic		3.58		4.00		3.54
1, 3, 5-Dinitrobenzoic		13.4		16.2		15.6
Salicylic		8.1		10.6		11.0
Acetylsalicylic		3.0		2.7		
<i>m</i> -Hydroxybenzoic		0.726		0.804		0.692
<i>p</i> -Hydroxybenzoic		0.252		0.284		0.261
1, 2, 4-Dihydroxybenzoic		3.94		5.08		4.90
1, 2, 5-Dihydroxybenzoic		10.6		13.2		
Gallic		0.348		0.384		0.420
<i>o</i> -Aminobenzoic		0.0554		0.100		

DISSOCIATION CONSTANTS—Continued.

Acid.	0°		25°		35°	
	$v=32$	$v=1024$	$v=32$	$v=1024$	$v=32$	$v=1024$
<i>m</i> -Aminobenzoic.....		0.0678		0.110		0.119
<i>p</i> -Aminobenzoic.....		0.90	1.99	1.96	5.34	4.79
Metanilic.....	0.90	3.26	6.01	5.53	13.4	12.10
Sulphanilic.....	3.34	0.253		0.486		1.11
Picramic.....		2.76		2.97		2.59
<i>p</i> -Sulphaminobenzoic.....		1.52		1.32		0.90
<i>o</i> -Toluic.....		0.513		0.560		0.48
<i>m</i> -Toluic.....		0.383		0.433		0.372
<i>p</i> -Toluic.....		0.320		0.367		0.331
Cinnamic.....		0.214	0.232	0.221	0.191	0.177
Hydrocinnamic.....	0.229	13.4		12.8		10.2
<i>o</i> -Phthalic.....		0.303		0.335		0.331
Anisic.....		0.31		0.35		0.33
Vanillic.....		11.1		21.2		44.2
Naphthionic.....		4.30	4.29	4.32	3.66	3.45
Mandelic.....	4.30	4.32	4.29	4.32	3.66	3.45
Camphoric.....		0.282		0.264		0.201
Coumaric.....		0.233		0.268		0.236

These "affinity constants" are of fundamental importance in dealing with organic acids. From these values we learn more about the organic acids as acids than from any other data. The constants are tabulated for convenience of reference, and a glance will give a very good idea of the relative activities of a fairly large number of very different types of the acids of carbon.

TEMPERATURE COEFFICIENTS IN CONDUCTIVITY UNITS.

The following tabulation of some of the results will aid in an examination of these values. The heading 0° means zero to the next temperature.

Acid.	0°		25° to 35°		50° to 65°	
	$v=32$	$v=1024$	$v=32$	$v=1024$	$v=32$	$v=1024$
Acetic.....	0.14	0.72	0.12	0.62	0.08	0.46
Dichloroacetic.....	3.62	5.46	3.30	4.94	1.75	4.39
Trichloroacetic.....	4.60	5.26	4.12	5.05	2.75	2.83
Cyanoacetic.....	1.67	4.35	1.23	4.04	0.70	3.01
Phenylacetic.....	0.21	1.05	0.18	0.82	0.98	0.45
Propionic.....	0.12	0.61	0.10	0.51	0.05	0.28
α -Brompropionic.....	0.76	3.27	0.56	2.75		
β -Iodopropionic.....	0.28	1.34	0.26	1.32		
Acetylpropionic.....	0.16	0.81	0.14	0.71	0.095	0.44
<i>n</i> -Butyric.....	0.12	0.64	0.05	0.41		
α -Brombutyric.....	0.79	3.25	0.54	2.62		
Isobutyric.....	0.12	0.60	0.09	0.46	0.041	0.18
Hydroxyisobutyric.....	0.33	1.54	0.28	1.46	0.17	0.90
Isovaleric.....	0.113	0.589	0.87	0.415	0.45	0.175
Caprylic.....		0.56		0.45		0.22
Malonic.....	1.17	4.06	1.03	3.36	0.53	
Dimethylmalonic.....	0.78	3.04	0.72	2.71	0.55	2.17
Ethylmalonic.....	0.95	3.42	0.81	2.88	0.54	2.18
Diethylmalonic.....	1.92	4.47	1.48	4.16	0.80	3.27
Methylethylmalonic.....	1.07	3.67	0.95	3.18	0.72	2.82
Isopropylmalonic.....	0.97	3.53	0.87	3.04	0.51	2.41
Dipropylmalonic.....	2.13	4.63	1.58	4.14		3.40
Butylmalonic.....	0.87	3.15	0.78	2.97	0.53	2.26
Benzylmalonic.....	1.03	3.50	0.85	3.02	0.57	2.30
Allylmalonic.....	1.06	3.67	0.88	3.23	0.61	2.37

TEMPERATURE COEFFICIENTS IN CONDUCTIVITY UNITS—Continued.

Acid.	0°		25° to 35°		50° to 65°	
	$v=32$	$v=1024$	$v=32$	$v=1024$	$v=32$	$v=1024$
Succinic.....	0.28	1.41	0.24	1.16	0.18	1.03
Monobromsuccinic.....		4.20				
Dibromsuccinic.....	3.10	8.01	1.74	6.35	3.28	5.26
Pyrotartarie.....	0.29	1.43	0.27	1.27	0.29	
<i>l</i> -Tartarie.....	0.99	3.73	0.89	3.22	0.68	2.70
Racemic.....	1.02	3.73	0.95	3.43	0.62	2.21
Thiodiglycolic.....	0.70	2.94	0.59	2.48	0.39	1.94
Tricarballic.....	0.47	2.12	0.44	2.06	0.33	1.22
Diphenylglycolic.....		3.02		2.87		1.77
Hippuric.....		2.06		1.61		1.13
Citric.....	0.91	3.64	0.87	3.38	0.75	4.35
Pyromucic.....	0.71	3.08	0.52	2.06	0.28	1.07
Crotonic.....	0.15	0.78	0.12	0.66	0.082	0.64
Maleic.....	2.74	5.14	2.34	4.67	1.80	4.20
Fumaric.....	0.94	3.62	1.78	3.00	0.50	2.05
Itaconic.....	0.40	1.81	0.35	1.65	0.29	1.40
Citraconic.....	1.43	2.24	1.21	3.74	0.91	3.24
Mesaconic.....	0.80	3.78	0.60	2.42	0.41	1.86
Phenylpropionic.....		4.44		3.94		2.00
Meconic.....		10.06	4.86	9.18	3.32	8.59
Benzoic.....		1.26		1.06		0.67
<i>o</i> -Chlorbenzoic.....		3.13		2.35		1.13
<i>o</i> -Nitrobenzoic.....	1.49	4.36	0.84	3.51	0.153	2.22
<i>m</i> -Nitrobenzoic.....		2.49		2.16		1.67
<i>p</i> -Nitrobenzoic.....		2.63		2.40		1.33
1, 2, 4-Dinitrobenzoic.....	3.04	5.05	2.15	4.80	1.14	3.52
1, 3, 5-Dinitrobenzoic.....		3.84		3.59		2.49
Picric.....	4.48	4.99	4.14	4.93	3.61	3.46
Salicylic.....		3.80		3.22		2.37
Acetylsalicylic.....		1.89		1.94		
Sulphosalicylic.....	4.95	8.04	4.56	7.57	3.59	5.62
<i>m</i> -Hydroxybenzoic.....		1.44		1.19		0.77
<i>p</i> -Hydroxybenzoic.....		0.90		0.79		0.49
1, 2, 4-Dihydroxybenzoic.....		2.97		2.64		1.69
1, 2, 5-Dihydroxybenzoic.....		3.95		3.30		
Gallie.....		1.05		0.87		0.65
<i>o</i> -Aminobenzoic.....		0.65		0.81		
<i>m</i> -Aminobenzoic.....		0.60		0.78		
<i>p</i> -Aminobenzoic.....		0.67		0.62		
Metanilic.....	0.53	2.50	0.81	3.23	1.10	3.82
Sulphanilic.....	0.88	3.45	1.30	3.88	1.48	4.37
Picramic.....		1.41		1.84		2.30
<i>p</i> -Sulphaminobenzoic.....		2.28		2.02		1.27
Benzenesulphonic.....	4.76	5.40	4.50	5.13	4.16	4.67
<i>m</i> -Nitrotoluenesulphonic.....	4.47	4.73	4.29	4.59	3.77	3.89
<i>p</i> -Toluenesulphonic.....	4.62	4.93	4.59	4.76	3.94	3.83
1, 2, 4-Nitrotoluenesulphonic.....	4.44	4.74	4.06	4.35		
<i>o</i> -Toluic.....		1.52		1.00		0.51
<i>m</i> -Toluic.....		1.19		0.98		0.64
<i>p</i> -Toluic.....		1.07		0.94		0.61
Cinnamic.....		1.08		0.84		0.62
Hydrocinnamic.....	0.145	0.757	0.104	0.595	0.079	0.38
<i>o</i> -Phthalic.....		3.51		0.266		2.44
4, 5-Dichlorophthalic.....		5.65		4.37		2.93
Tetrachlorophthalic.....		6.94		5.93		3.46
Anisic.....		0.98		0.85		0.66
Vanillic.....		0.95		0.94		0.60
Naphthionic.....		4.70		5.09		4.56
Mandelic.....	0.56	2.43	0.51	2.13	0.35	1.55
Camphoric.....		0.75		0.59		0.36
Coumaric.....		0.97		0.61		0.49

The temperature coefficients of conductivity, expressed in conductivity units, increase rapidly with the dilution of the solution, and for weak organic acids, when not much hydrated, decrease rapidly with rise in temperature. When the acids are hydrated the temperature coefficients of conductivity are larger, and their increase with dilution and decrease with rise in temperature both take place at a slower rate.

The organic acids with the larger constants also have, in general, the larger temperature coefficients of conductivity expressed in conductivity units. The ortho acids usually have a somewhat larger coefficient than the meta and the para. The meta and the para have very nearly the same values for the temperature coefficients expressed in conductivity units.

TEMPERATURE COEFFICIENTS IN PER CENT.

The following coefficients in per cent were obtained; the heading 0° means from zero to next temperature.

Acid.	0°		25° to 35°		50° to 65°	
	$v=32$	$v=1024$	$v=32$	$v=1024$	$v=32$	$v=1024$
Acetic.....	2.62	2.57	1.39	1.32	0.72	0.79
Dichloroacetic.....	2.18	2.46	1.30	1.37	0.52	0.90
Trichloroacetic.....	2.20	2.35	1.28	1.42	0.65	0.59
Cyanoacetic.....	2.29	2.32	1.16	1.39	0.52	0.79
Phenylacetic.....	2.32	2.30	1.23	1.15	0.55	0.51
Propionic.....	2.56	2.56	1.33	1.31	0.56	0.57
α -Bromopropionic.....	2.00	2.16	1.00	1.17
β -Iodopropionic.....	2.25	2.28	1.35	1.45
Acetylpropionic.....	2.74	2.71	1.43	1.43	0.74	0.67
n -Butyric.....	2.38	2.38	1.19	0.98
α -Bromobutyric.....	1.86	2.02	0.89	1.09
Isobutyric.....	2.35	2.28	1.17	1.13	0.46	0.39
Hydroxyisobutyric.....	2.71	2.62	1.38	1.50	0.65	0.70
Isovaleric.....	2.10	2.08	1.07	0.98	0.46	0.34
Caprylic.....	2.29	1.17	0.46
Malonic.....	2.69	2.65	1.43	1.34	0.74	0.80
Dimethylmalonic.....	2.43	2.45	1.40	1.36	0.80	0.82
Ethylmalonic.....	2.33	2.32	1.27	1.25	0.66	0.71
Diethylmalonic.....	2.07	2.22	1.06	1.33	0.46	0.79
Methylethylmalonic.....	2.33	2.35	1.31	1.28	0.76	0.87
Isopropylmalonic.....	2.43	2.45	1.34	1.30	0.61	0.78
Dipropylmalonic.....	2.06	2.27	1.02	1.30	0.81
Butylmalonic.....	2.32	2.25	1.32	1.36	0.69	0.79
Benzylmalonic.....	2.29	2.29	1.22	1.26	0.65	0.74
Allylmalonic.....	2.33	2.31	1.23	1.30	0.16	0.73
Succinic.....	2.03	2.94	1.47	1.42	0.84	0.94
Monobromsuccinic.....	2.22
Dibromsuccinic.....	1.77	2.10	0.71	1.11	1.09	0.74
Pyrotartaric.....	2.64	2.63	1.47	1.42	0.79
<i>l</i> -Tartaric.....	2.94	2.75	1.52	1.40	0.84	0.88
Racemic.....	2.93	2.68	1.59	1.49	0.80	0.73
Thiodiglycolic.....	2.43	2.45	1.28	1.30	0.64	0.78
Tricarballic.....	2.86	2.68	1.56	1.57	0.88	0.68
Diphenylglycolic.....	2.26	1.23	0.66
Hippuric.....	2.54	1.23	0.66
Citric.....	3.00	2.86	1.64	1.55	0.98	0.95
Pyromucic.....	2.08	2.31	1.04	1.02	0.45	0.43
Crotonic.....	2.69	2.68	1.31	1.37	0.68	0.73
Maleic.....	2.54	2.43	1.34	1.38	0.78	0.93
Fumaric.....	2.64	2.56	1.19	1.17	0.67	0.70
Itaconic.....	2.97	2.71	1.50	1.45	0.90	0.91
Citraconic.....	2.08	2.28	1.18	1.29	0.70	0.84
Mesaconic.....	2.39	2.37	1.16	1.15	0.67	0.68

Acid.	0°		25° to 35°		50° to 65°	
	$v=32$	$v=1024$	$v=32$	$v=1024$	$v=32$	$v=1024$
Phenylpropionic.....		2.32		1.31		0.51
Meconic.....		2.36	1.18	1.34	0.63	0.96
Benzoic.....		2.64		1.35		0.65
<i>o</i> -Chlorbenzoic.....		1.97		1.01		0.40
<i>o</i> -Nitrobenzoic.....	1.52	2.22	0.59	1.16	0.11	0.55
<i>m</i> -Nitrobenzoic.....		2.69		1.40		0.78
<i>p</i> -Nitrobenzoic.....		2.63		1.47		0.61
1, 2, 4-Dinitrobenzoic.....	1.83	2.31	0.90	1.40	0.40	0.77
1, 3, 5-Dinitrobenzoic.....		2.60		1.47		0.76
Picric.....	2.32	2.41	1.36	1.48	0.90	0.75
Salicylic.....		2.91		1.41		0.79
Acetylsalicylic.....		2.04		1.39		1.06
Sulphosalicylic.....	2.36	2.49	1.37	1.44	0.83	0.81
<i>m</i> -Hydroxybenzoic.....		2.71		1.36		0.66
<i>p</i> -Hydroxybenzoic.....		2.72		1.44		0.67
1, 2, 4-Dihydroxybenzoic.....		2.87		1.46		0.70
1, 2, 5-Dihydroxybenzoic.....		2.79		1.41		
Gallic.....		2.76		1.39		0.76
<i>o</i> -Aminobenzoic.....		4.03		2.40		
<i>m</i> -Aminobenzoic.....		5.11		2.81		
<i>p</i> -Aminobenzoic.....		3.57		1.79		
Metanilic.....	4.61	2.30	3.02	2.63	2.23	1.81
Sulphanilic.....	4.03	3.57	2.68	2.12	1.89	1.52
Pieramic.....		4.30		2.58		1.93
<i>p</i> -Sulphaminobenzoic.....		2.52		1.21		0.67
Benzenesulphonic.....	2.27	2.37	1.33	1.43	0.92	0.98
<i>m</i> -Nitrobenzenesulphonic.....	2.28	2.31	1.40	1.42	0.92	0.90
<i>p</i> -Toluenesulphonic.....	2.28	2.34	1.45	1.43	0.92	0.86
1, 2, 4-Nitrotoluenesulphonic.....	2.30	2.37	1.34	1.37		
<i>o</i> -Toluic.....		2.11		0.94		0.40
<i>m</i> -Toluic.....		2.62		1.32		0.65
<i>p</i> -Toluic.....		2.76		1.42		0.70
Cinnamic.....		2.96		1.37		0.77
Hydrocinnamic.....	2.47	2.49	1.24	1.22	0.67	0.61
<i>o</i> -Phthalic.....		2.37		1.15		0.81
4, 5-Dichlorophthalic.....		2.14		1.10		0.59
Tetrachlorophthalic.....		2.11		1.20		0.56
Anisic.....		2.74		1.43		0.82
Vanillic.....		2.63		1.58		0.75
Naphthionic.....		3.30		1.94		1.19
Mandelic.....	2.29	2.30	1.31	1.27	0.71	0.72
Camphoric.....		2.20		1.13		0.56
Coumaric.....		3.07		1.15		0.70

The temperature coefficients of conductivity, expressed in conductivity units, are, for the same volume and temperature, of the same order of magnitude. Take $v=32$, and at 0° these coefficients range in general from 2.2 to 2.7. There are a few comparatively wide discrepancies. Thus *a*=brombutyric, dibromsuccinic, *o*-nitrobenzoic, and 1, 2, 4 dinitrobenzoic have percentage coefficients that are much lower than 2.2; while citric, coumaric, and especially metanilic and sulphanilic, have coefficients much larger than 2.7. That the relation pointed out above holds in general will be seen from the results. It will also be noted that the temperature coefficients in "per cent" decrease with rise in temperature.

The results recorded in this monograph are for 200 of the most frequently used salts and organic acids. Work along this same line is being continued in this laboratory. It is intended to include in this investigation a much larger number of salts, organic acids, the strong mineral acids and bases, and the organic bases in water and nonaqueous and mixed solvents.

INDEX.

	PAGE.	Acid, continued—	PAGE.
Acetate—		Meta-aminobenzoic.....	125
Barium.....	43	Meta-hydroxybenzoic.....	122
Cobalt.....	55	Metanilic.....	126
Lead.....	59	Meta-nitrobenzenesulphonic.....	128
Magnesium.....	46	Meta-nitrobenzoic.....	118
Nickel.....	52	Meta-toluic.....	131
Potassium.....	30	Methylethylmalonic.....	102
Sodium.....	20	Monobromsuccinic.....	106
Strontium.....	40	Naphthionic.....	135
Uranyl.....	65	Nitric.....	66
Zinc.....	47	Nitrobenzoic, meta.....	118
Acetic acid.....	93	Nitrobenzoic, para.....	118
Cyan.....	94	Nitrotoluenesulphonic (1, 2, 4).....	129
Dichlor.....	93	Nitrotoluenesulphonic.....	130
Phenyl.....	95	Organic acids, values of μ_{∞} for the... 91	
Trichlor.....	94	Ortho-aminobenzoic.....	124
Acetylpropionic acid, beta.....	97	Ortho-chlorobenzoic.....	117
Acetylsalicylic acid.....	121	Ortho-nitrobenzoic.....	117
Acid—		Ortho-phthalic.....	133
Acetic.....	93	Ortho-toluic.....	130
Acetylsalicylic.....	121	Para-aminobenzoic.....	125
Acetylpropionic, beta.....	97	Para-hydroxybenzoic.....	122
Allylmalonic.....	105	Para-sulphaminobenzoic.....	127
Alpha-brombutyric.....	98	Para-toluenesulphonic.....	129
Alpha-brompropionic.....	96	Para-toluic.....	113
Aminobenzoic, meta.....	125	Picramic.....	127
Anisic.....	134	Picric.....	120
Benzenesulphonic.....	128	Phenylacetic.....	95
Benzilic.....	110	Phenylpropionic.....	115
Benzoic.....	116	Propionic.....	95
Benzylmalonic.....	104	Pyromucic.....	112
Butylmalonic.....	104	Pyrotartaric.....	107
Butyric normal.....	97	Racemic.....	108
Camphoric.....	136	Salicylic.....	120
Caprylic.....	100	Succinic.....	105
Cinnamic.....	132	Sulphanilic.....	126
Citraconic.....	114	Sulphosalicylic.....	121
Citric.....	111	Sulphuric.....	66
Coumaric.....	137	Tetrachlorphthalic.....	134
Crotonic.....	112	Thiodiglycolic.....	108
Cyanuric.....	109	Tricarballic.....	109
Cyanacetic.....	94	Trichloracetic.....	94
Dibromsuccinic.....	106	Uric.....	111
Dichloracetic.....	93	Vanillic.....	135
Dichlorophthalic (4, 5).....	133	Allylmalonic.....	105
Diethylmalonic.....	102	Alpha-brompropionic.....	96
Dihydroxybenzoic (1, 2, 4).....	123	Aluminium—	
Dihydroxybenzoic (1, 2, 5).....	123	Ammonium sulphate.....	34
Dimethylmalonic.....	101	Chloride.....	59
Dinitrobenzoic (1, 2, 6).....	119	Nitrate.....	60
Diphenylglycolic.....	110	Potassium sulphate.....	30
Ethylmalonic.....	101	Sulphate.....	60
Fumaric.....	113	Aminobenzoic acid—	
Gallic.....	124	Meta.....	125
Hippuric.....	110	Ortho.....	124
Hydrochloric.....	65	Para.....	125
Hydrocinnamic.....	132	Ammonium aluminium sulphate.....	34
Hydroxyisobutyric.....	99	Ammonium acid sulphate.....	34
Iodopropionic, beta.....	96	Ammonium—	
Isobutyric.....	98	Bromide.....	32
Isopropylmalonic.....	103	Chloride.....	31
Isovaleric.....	99	Chromium sulphate (green).....	35
Itaconic.....	114	Chromium sulphate (violet).....	35
Laevo-tartaric.....	107	Copper sulphate.....	36
Levulinic.....	97	Iodide, tetraethyl.....	32
Maleic.....	113	Nitrate.....	33
Malonic.....	100	Sodium acid phosphate.....	18
Mandelic.....	136	Sulphate.....	33
Meconic.....	116	Anisic acid.....	134
Mesaconic.....	115		

	PAGE.		PAGE.
Barium—		Chloride, continued—	
Acetate.....	43	Strontium.....	39
Bromide.....	41	Uranyl.....	63
Chloride.....	41	Chromate—	
Formate.....	42	Calcium.....	38
Nitrate.....	42	Potassium.....	28
Baths.....	9	Chromic—	
Benzenesulphonic acid.....	128	Chloride.....	62
Benzilic acid.....	110	Nitrate.....	62
Benzoic acid.....	116	Sulphate.....	63
Benzylmalonic acid.....	104	Chromium—	
Beta-acetylpropionic acid.....	97	Ammonium sulphate (green).....	35
Beta-iodopropionic acid.....	96	Ammonium sulphate (violet).....	35
Borax.....	19	Potassium sulphate (green).....	27
Brombutyric acid, alpha.....	98	Potassium sulphate (violet).....	27
Bromide—		Cinnamic acid.....	132
Ammonium.....	32	Citraconic acid.....	114
Barium.....	41	Citric acid.....	111
Cadmium.....	48	Cobalt—	
Calcium.....	37	Acetate.....	55
Cobalt.....	53	Bromide.....	53
Cupric.....	56	Chloride.....	53
Lithium.....	12	Nitrate.....	54
Magnesium.....	44	Sulphate.....	54
Potassium.....	21	Coefficients—	
Sodium.....	14	Temperature, in conductivity units... ..	141
Strontium.....	39	Temperature, in per cent.	143
Brompropionic acid, alpha.....	96	Temperature, of conductivity and the	
Butylmalonic acid.....	104	solvate theory of solution.....	76
Butyric acid—		Temperature, of conductivity in per	
Alpha-brom.....	98	cent.....	81
Iso.....	98	Conductivities, molecular.....	70
Normal.....	97	Conductivity—	
Cadmium—		Cells.....	5
Bromide.....	48	Measurements.....	67
Chloride.....	48	Temperature, coefficients of in per cent.	81
Iodide.....	49	Units, temperature coefficients in.....	141
Calcium—		Constants—	
Bromide.....	37	Cell.....	6, 87
Chloride.....	36	Dissociation.....	140
Chromate.....	38	Copper ammonium sulphate.....	36
Formate.....	39	Coumaric acid.....	137
Nitrate.....	37	Crotonic acid.....	112
Camphoric acid.....	136	Cupric—	
Caprylic acid.....	100	Bromide.....	56
Carbonate—		Chloride.....	56
Potassium.....	24	Nitrate.....	57
Sodium.....	17	Sulphate.....	57
Cell constants.....	6, 87	Cyanacetic acid.....	94
Cells, conductivity.....	5	Cyanuric acid.....	109
Chlorate—		Dehydrolytic time factor.....	69
Potassium.....	22	Dibromsuccinic acid.....	106
Sodium.....	16	Dichloroacetic acid.....	93
Chlorbenzoic acid, ortho.....	117	Dichlorophthalic acid.....	133
Chloride—		Dichromate potassium.....	29
Aluminium.....	59	Diethylmalonic acid.....	102
Ammonium.....	31	Dihydroxybenzoic acid (1, 2, 4).....	123
Barium.....	41	Dihydroxybenzoic acid (1, 2, 5).....	123
Cadmium.....	48	Dimethylmalonic acid.....	101
Calcium.....	36	Dinitrobenzoic acid (1, 2, 6).....	119
Chromic.....	62	Dinitrobenzoic acid (1, 3, 5).....	119
Cobalt.....	53	Diphenylglycolic acid.....	110
Cupric.....	56	Dipotassium acid phosphate.....	25
Ferric.....	61	Dipropylmalonic acid.....	103
Lead.....	58	Discussion of the results.....	67
Lithium.....	12	Dissodium acid phosphate.....	18
Magnesium.....	43	Dissociation—	
Manganous.....	49	Constants.....	140
Nickel.....	51	Of organic acids.....	87, 139
Potassium.....	20	Of the various salts.....	73
Sodium.....	14	Ethylmalonic acid.....	101


	PAGE.		PAGE.
Ferric—		Measurements, conductivity.....	67
Chloride.....	61	Meconic acid.....	116
Nitrate.....	61	Mesaconic acid.....	115
Ferrocyanide—		Meta-aminobenzoic acid.....	125
Potassium.....	29	Meta-hydroxybenzoic acid.....	122
Sodium.....	19	Metanilic acid.....	126
Formate—		Meta-nitrobenzenesulphonic acid.....	128
Barium.....	42	Meta-nitrobenzoic acid.....	118
Calcium.....	39	Meta-toluic acid.....	131
Magnesium.....	45	Methylethylmalonic acid.....	102
Fumaric acid.....	113	Methylmalonic acid, di.....	101
Gallic acid.....	124	Molecular conductivities.....	70
Glass, solubility of.....	7	Monobromsuccinic acid.....	106
Hippuric acid.....	110	Naphthionic acid.....	135
Hydration and ionic volume.....	80	Nickel—	
Hydrochloric acid.....	65	Acetate.....	52
Hydrocinnamic acid.....	132	Chloride.....	51
Hydroxybenzoic acid—		Nitrate.....	51
Meta.....	122	Potassium sulphate.....	26
Para.....	122	Sulphate.....	52
Hydroxyisobutyric acid.....	99	Nitrate—	
Investigators who have worked on the		Aluminium.....	60
problem.....	11	Ammonium.....	33
Introduction.....	5	Barium.....	42
Iodide—		Calcium.....	37
Cadmium.....	49	Chromic.....	62
Potassium.....	21	Cobalt.....	54
Sodium.....	15	Cupric.....	57
Tetraethylammonium.....	32	Ferric.....	61
Iodopropionic acid, beta.....	96	Lead.....	58
Ionic volume and hydration.....	80	Lithium.....	13
Isobutyric acid.....	98	Magnesium.....	44
Hydroxy.....	99	Manganous.....	50
Isopropylmalonic acid.....	103	Nickel.....	51
Isovaleric acid.....	99	Potassium.....	22
Itaconic acid.....	114	Silver.....	55
Laevo-tartaric acid.....	107	Sodium.....	15
Lead—		Strontium.....	40
Acetate.....	59	Uranyl.....	64
Chloride.....	58	Zinc.....	46
Nitrate.....	58	Nitric acid.....	66
Levulinic acid.....	97	Nitrobenzenesulphonic acid, meta.....	128
Lithium—		Nitrobenzoic acid—	
Bromide.....	12	Meta.....	118
Chloride.....	12	Ortho.....	117
Nitrate.....	13	Para.....	118
Sulphate.....	13	Nitrotoluenesulphonic acid (1, 2, 4)....	129
Magnesium—		Nitrotoluenesulphonic acid (1, 4, 2)....	130
Acetate.....	46	Organic acids.....	85
Bromide.....	44	Discussion of the results with the....	137
Chloride.....	43	Dissociation of.....	87, 139
Formate.....	45	Values of μ_{∞} for the.....	91
Nitrate.....	44	Ortho-aminobenzoic acid.....	124
Magnesium sulphate.....	45	Ortho-chlorobenzoic acid.....	117
Maleic acid.....	113	Ortho-nitrobenzoic acid.....	117
Malonic acid.....	100	Ortho-phthalic acid.....	133
Allyl.....	105	Ortho-toluic acid.....	130
Benzyl.....	104	Para-aminobenzoic acid.....	125
Butyl.....	104	Para-hydroxybenzoic acid.....	122
Diethyl.....	102	Para-nitrobenzoic acid.....	118
Dimethyl.....	101	Para-sulphaminobenzoic acid.....	127
Dipropyl.....	103	Para-toluenesulphonic acid.....	129
Ethyl.....	101	Para-toluic acid.....	131
Isopropyl.....	103	Per cent—	
Methylethyl.....	102	Temperature coefficients in.....	143
Mandelic acid.....	136	Temperature coefficients of conduc-	
Manganous—		tivity.....	81
Chloride.....	49	Perchlorate—	
Nitrate.....	50	Potassium.....	23
Sulphate.....	50	Sodium.....	16
		Permanganate, potassium.....	28

	PAGE.		PAGE.
Phenylacetic acid.....	95	Solutions, preparation of.....	8
Phenylpropionic acid.....	115	Succinic acid.....	105
Phosphate—		Sulphaminobenzoic acid, para.....	127
Dipotassium acid.....	25	Sulphate—	
Disodium acid.....	18	Aluminium.....	60
Potassium.....	25	Ammonium.....	33
Sodium ammonium acid.....	18	Ammonium acid.....	34
Phthalic acid, ortho.....	133	Ammonium aluminium.....	34
Picramic acid.....	127	Ammonium chromium (green).....	35
Pieric acid.....	120	Ammonium chromium (violet).....	35
Potassium—		Ammonium copper.....	36
Acetate.....	30	Chromic.....	63
Acid sulphate.....	24	Cobalt.....	54
Aluminium sulphate.....	30	Cupric.....	57
Bromide.....	21	Lithium.....	13
Carbonate.....	24	Magnesium.....	45
Chlorate.....	22	Manganous.....	50
Chloride.....	20	Nickel.....	52
Chromate.....	28	Potassium.....	23
Chromium sulphate (green).....	27	Potassium acid.....	24
Chromium sulphate (violet).....	27	Potassium aluminium.....	30
Dichromate.....	29	Potassium chromium (green).....	27
Ferrocyanide.....	29	Potassium chromium (violet).....	27
Iodide.....	21	Potassium nickel.....	26
Nickel sulphate.....	26	Potassium sodium.....	26
Nitrate.....	22	Sodium.....	17
Monacid phosphate.....	25	Uranyl.....	64
Perchlorate.....	23	Zinc.....	47
Permanganate.....	28	Sulphaminobenzoic acid, para.....	127
Phosphate.....	25	Sulphanilic acid.....	126
Sodium sulphate.....	26	Sulphocyanate, potassium.....	31
Sulphate.....	23	Sulphosalicylic acid.....	121
Sulphocyanate.....	31	Sulphuric acid.....	66
Preparation of the solutions.....	8	Strontium—	
Problem, investigators who have worked on the.....	11	Acetate.....	40
Propionic acid.....	95	Bromide.....	39
Alpha-brom.....	96	Chloride.....	39
Beta-acetyl.....	97	Nitrate.....	40
Beta-iodo.....	96	Tartaric acid, laevo.....	107
Propylmalonic acid, di.....	103	Temperature coefficients—	
Pyromucic acid.....	112	In conductivity units.....	141
Pyrotartaric acid.....	107	In per cent.....	143
Racemic acid.....	108	Of conductivity and the solvate theory of solution.....	76
Results.....	11	Of conductivity in per cent.....	81
Discussion of the.....	67	Tetraborate, sodium.....	19
With the organic acids, discussion of.....	137	Tetrachlorophthalic acid.....	134
Salts—		Tetraethylammonium iodide.....	32
Dissociation of the various.....	73	Thiodiglycolic acid.....	108
Sodium, of the organic acids, values of μ_{∞}	88	Time factor, dehydrolytic.....	69
Salicylic acid.....	120	Toluenesulphonic acid, para.....	129
Silver nitrate.....	55	Toluic acid—	
Sodium—		Meta.....	131
Acetate.....	20	Ortho.....	130
Ammonium acid phosphate.....	18	Para.....	131
Bromide.....	14	Tricarballic acid.....	109
Carbonate.....	17	Trichloroacetic acid.....	94
Chlorate.....	16	Uranyl—	
Chloride.....	14	Acetate.....	65
Ferrocyanide.....	19	Chloride.....	63
Iodide.....	15	Nitrate.....	64
Nitrate.....	15	Sulphate.....	64
Perchlorate.....	16	Uric acid.....	111
Potassium sulphate.....	26	Valeric acid, iso.....	99
Salts of the organic acids, values of μ_{∞}	88	Vanillic acid.....	135
Sulphate.....	17	Volume ionic and hydration.....	80
Tetraborate.....	19	Water.....	9
Solvate theory of solution and temperature coefficients of conductivity.....	76	Zinc—	
Solubility of glass.....	7	Acetate.....	47
		Nitrate.....	46
		Sulphate.....	47

THE ELECTRICAL CONDUCTIVITY, DISSOCIATION, AND
TEMPERATURE COEFFICIENTS OF CONDUCTIVITY
FROM ZERO TO SIXTY-FIVE DEGREES OF
AQUEOUS SOLUTIONS OF A NUMBER
OF SALTS AND ORGANIC ACIDS

BY HARRY C. JONES

PROFESSOR OF PHYSICAL CHEMISTRY IN THE
JOHNS HOPKINS UNIVERSITY




The Experimental Work by

A. M. CLOVER
H. R. KREIDER
A. P. WEST

H. H. HOSFORD
E. J. SHAEFFER
G. F. WHITE

S. F. HOWARD
L. D. SMITH
E. P. WIGHTMAN

C. A. JACOBSON
A. SPRINGER, JR.
L. G. WINSTON



WASHINGTON, D. C.

PUBLISHED BY THE CARNEGIE INSTITUTION OF WASHINGTON

1912

MBL/WIIOI LIBRARY



WH 18K3

